Commercial Product Name: DEC Express Cement Premium / DEC Repair



Mortar

Revision Date: 18.04.2017 Replaces version from: 03.07.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

* Commercial Product Name DEC Express Cement Premium / DEC Repair Mortar

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses joint repair filler

Recommended restrictions None under normal processing. Observe technical data sheet.

1.3 Details of the supplier of the safety data sheet

Company designation fischerwerke GmbH & Co. KG

Klaus-Fischer-Straße 1 D-72178 Waldachtal

Telephone: +49(0)7443 12-0 FAX: +49(0)7443 12-4222 Email: info-sdb@fischer.de Internet: www.fischer.de

Marketer Great Britain: Mrs Mirka Valovicova, fischer Fixing (UK) Ltd, Hithercroft

Road, Wallingford, Oxfordshire, OX10 9AT, Tel. 01491 827 920, Fax

01491 827 950

1.4 Emergency telephone number

Emergency telephone number +49(0)6132-84463 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Reg- This product is classified as not hazardous according to regulation

ulation (EC) No. 1272/2008 (EC) 1272/2008 [CLP].

2.2 Label elements

* Further information EUH208: Contains mixture of: 5-chloro-2-methyl-4-isothia-

zolin-3-one [EC no. 247-500-7]; and 2-methyl-2H-isothiazol-3-one

[EC no. 220-239-6] (3:1). May produce an allergic reaction.6

EUH210: Safety data sheet available on request.

SECTION 3: Composition/information on ingredients

Other data

The product contains no substances classified as hazardous to health

in concentrations which should be taken into account according to EC

directives.

Commercial Product Name: DEC Express Cement Premium / DEC Repair



Mortar

Revision Date: 18.04.2017 Replaces version from: 03.07.2014

Print date: 18.04.2017 Version: 3.0 /en

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice If symptoms persist, call a physician.

Remove/Take off immediately all contaminated clothing.

If inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

In case of skin contact IF ON SKIN: Gently wash with plenty of soap and water.

In case of eye contact In case of eye contact, remove contact lens and rinse immediately

with plenty of water, also under the eyelids, for at least 15 minutes.

If swallowed If swallowed, seek medical advice immediately and show this contain-

er or label.

Clean mouth with water and drink afterwards plenty of water. Drink 1

or 2 glasses of water. Do NOT induce vomiting.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate medical attention No data available No data available Special medical treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2)

Dry powder

Foam

Water spray jet

Extinguishing media which must High volume water jet

not be used for safety reasons

5.2 Special hazards arising from the substance or mixture

Special exposure hazards arising Heating or fire can release toxic gas.

from the substance or preparation itself, its combustion prod-

ucts, or released gases

5.3 Advice for firefighters

Special protective equipment for In the event of fire, wear self-contained breathing apparatus.

In the event of fire and/or explosion do not breathe fumes.

Additional information on fire-

fighting

firefighting

Fire residues and contaminated fire extinguishing water must be dis-

posed of in accordance with local regulations.

Commercial Product Name: DEC Express Cement Premium / DEC Repair



Mortar

Revision Date: 18.04.2017 Replaces version from: 03.07.2014

Print date: 18.04.2017 Version: 3.0 /en

Keep containers and surroundings cool with water spray. Container

may rupture on heating.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Environmental precautions The product should not be allowed to enter drains, water courses or

the soil.

Prevent spreading over a wide area (e.g. by containment or oil barri-

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Use mechanical handling equipment.

Treat recovered material as described in the section "Disposal consid-

erations".

6.4 Reference to other sections

Reference to other sections See chapter 8/13

6.5 Additional information

Other information Dispose of in accordance with local regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling None under normal processing.

Advice on protection against fire No special precautions required.

and explosion

7.2 Conditions for safe storage, including any incompatibilities

Storage space and container re-

Keep containers tightly closed in a cool, well-ventilated place.

quirements

Store in accordance with local regulations.

Keep only in original container.

Hints on storage assembly

Store in accordance with the particular national regulations.

German storage class

10-13 (TRGS 510)

7.3 Specific end use(s)

Specific use(s) Sealant

Commercial Product Name: DEC Express Cement Premium / DEC Repair



Revision Date: 18.04.2017 Replaces version from: 03.07.2014

Version: 3.0 /en Print date: 18.04.2017

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Respiratory protection No personal respiratory protective equipment normally required.

Hand protection not required under normal use

Suitable material: butyl-rubber, Chloroprene, Nitrile rubber

Unsuitable material : PVC disposable gloves

Material thickness: adjust to application and duration of use Break through time: adjust to application and duration of use

Remarks: Replace when worn. Request information on glove permeation prop-

erties from the glove supplier. Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to

the numerous outside influences (e.g. temperature).

Eye protection Tightly fitting safety goggles

Skin and body protection Wear suitable protective equipment.

Note: Choose body protection according to the amount and concentration

of the dangerous substance at the work place.

General protective and hygiene

measures

Smoking, eating and drinking should be prohibited in the application

area.

Avoid contact with skin, eyes and clothing.

Take off all contaminated clothing immediately.

Wash hands before breaks and at the end of workday.

Keep away from food, drink and animal feedingstuffs.

Use protective skin cream before handling the product.

Information on environmental

protection regulations

No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form paste

Colour various

Additional information on

colour:

Take care of instructions on label.

Odour characteristic

Commercial Product Name: DEC Express Cement Premium / DEC Repair



Version: 3.0 /en

Revision Date: 18.04.2017 Replaces version from: 03.07.2014

Print date: 18.04.2017

pH not determined

Melting point [°C] / Freezing

point [°C]

No data available

Boiling point [°C] 100

Flash point [°C] > 100

Explosion limits [Vol-%]

Lower limit : not determined

Upper limit : not determined

Vapour pressure [kPa] not determined

* Density [g/cm³] 1,65

Temperature: 20 °C

Water solubility [g/l] Immiscible

Autoinflammability not auto-flammable

Risk of explosion. not explosive.

9.2 Other information

Ignition temperature [°C] not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

Thermal decomposition No decomposition if stored and applied as directed.

10.2 Chemical stability

Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid None known.

10.6 Hazardous decomposition products

Hazardous decomposition prod- No decomposition if used as directed.

ucts

Commercial Product Name: DEC Express Cement Premium / DEC Repair



Mortar

Revision Date: 18.04.2017 Replaces version from: 03.07.2014

Version : 3.0 /en Print date : 18.04.2017

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Irritant effect on skin No skin irritation
Irritant effect on eyes No eye irritation
Sensitization No known effect.

11.2 Additional information

Other information (chapter 11.) There is no data available for this product.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity [mg/l] There are no data available on the mixture itself.

12.2 Persistence and degradability

Biodegradability

Remarks: No data available

12.3 Bioaccumulative potential

Bioaccumulation no data available

12.4 Mobility in soil

Mobility

Mobility: No data available

12.5 Results of PBT and vPvB assessment

Results of PBT characteristics

This preparation contains no substance considered to be persistent,

determination

bioaccumulating nor toxic (PBT).

12.6 Other adverse effects

Further information on ecology No information on ecology is available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal considerations Dispose of waste according to applicable legislation.

The product should not be allowed to enter drains, water courses or

the soil.

Waste Code The following Waste Codes are only suggestions:

200000 - MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING

SEPARATELY COLLECTED FRACTIONS

Commercial Product Name: DEC Express Cement Premium / DEC Repair



Revision Date: 18.04.2017 Replaces version from: 03.07.2014

Version: 3.0 /en Print date: 18.04.2017

According to the European Waste Catalogue, Waste Codes are not

product specific, but application specific.

Uncleaned empty packaging Dispose of as unused product.

SECTION 14: Transport information

	* Land transport ADR/ RID	* Marine transport IMDG	* Air transport ICAO/IA- TA
14.1 UN-No	Not applicable.	Not applicable.	Not applicable.
14.2 Description of the goods	Non-dangerous goods	Non-dangerous goods	Non-dangerous goods
14.2 UN proper shipping		Non dangerous good	Non dangerous good
name			
14.3 Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
14.4 Packaging group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental haz-	Not applicable.	Not applicable.	Not applicable.
ards			
Proper shipping name	Non dangerous good		

14.6 Special precautions for user

Precautions not required under normal use

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to

not applicable

Annex II of MARPOL and the IBC

Code

14.8 Additional information

Other information (chapter 14.) Not dangerous goods in the meaning of ADR/RID, ADNR, IMDG-Code,

ICAO/IATA-DGR

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC 7,2 g/l (0,38 %)

* Restriction of occupation. Not relevant

Water Hazard Class (Ger.) 1

15.2 Chemical safety assessment

Safety assessment Not relevant. Chemical safety assessments for substances in this mix-

ture were not carried out.

SECTION 16: Other information

Recommended restrictions None under normal processing. Observe technical data sheet.

Commercial Product Name: DEC Express Cement Premium / DEC Repair



Mortar

Revision Date: 18.04.2017 Replaces version from: 03.07.2014

Print date: 18.04.2017 Version: 3.0 /en Modifications of the previous version are denoted with an asterisk (*). This information is provided in accordance with the current status of our knowledge and experience. The Safety Data Sheet describes products with a view to relevant safety requirements. This information does not constitute a warranty of properties, features or qualities.