

M2 Junction 5 Improvements Environmental Statement Volume 2 - Appendix C Noise and Vibration June 2019

Status: A1 APPROVED - PUBLISHED

Document Ref: HE551521-ATK-ENV-RP-LN-000008





Notice

This document and its contents have been prepared and are intended solely for Highways England's information and use in relation to M2 Junction 5 Improvement. Atkins Limited assumes no responsibility to any other party in respect of or arising out of or in connection with this document and/or its contents.

Document control

The Project Manager is responsible for production of this document, based on the contributions made by his/her team existing at each Stage

| Document Title | Volume 2 - Appendix C Noise and Vibration |
|------------------------|---|
| Author | MK |
| Owner | Camelia Lichtl |
| Distribution | |
| Document Status | A1 |

Revision History

| Version | Date | Description | Originator | Checker | Reviewer | Authoriser |
|---------|----------|-------------------------------|------------|---------|----------|------------|
| C03 | 21/05/19 | Final for Publication | MK | AR | LS | HC |
| C02 | 14/03/19 | Updated Draft 1 for HE Review | MK | AR | LS | HC |

Reviewer List

| Name | Role |
|----------------------------|-----------------------|
| Environment Support Centre | SES Environment Group |

The original format of this document is copyright to Highways England

Revision C03 Page 2 of 9



Table of contents

| Cha | apter | Pages |
|-------|---|-------|
| Appe | endix C. Noise and Vibration | 5 |
| C.1 | Construction Noise | 5 |
| C.2 | Operational phase | 7 |
| C.3 | Noise nuisance | 8 |
| Tab | oles | |
| | e C.1: Construction equipment list per activity | |
| Table | e C.2: Predicted daytime road traffic noise levels at selected locations | 7 |
| Table | e C.3: Predicted night-time road traffic noise levels at selected locations | 7 |
| Table | e C.4: Traffic noise nuisance reporting table | 8 |

Revision C03 Page 3 of 9

Appendix C (Noise and Vibration)



Appendix C. Noise and Vibration

C.1 Construction Noise

Table C.1: Construction equipment list per activity

| Activity | Plant | Total LAeq at 10m (dBA) | Percentage on-time | Correction | LAeq corrected | Total level for each activity | | | |
|---------------------------------------|--------------------------------------|-------------------------------------|-----------------------|------------|-------------------|---|--|--|--|
| | Tracked excavator (30T) | 75 | 50 | -3.0 | 72.0 | | | | |
| | Articulated dump truck | 81 | 50 | -3.0 | 78.0 | | | | |
| Cita | Wheeled backhoe loader (JCB type) | 68 | 50 | -3.0 | 65.0 | | | | |
| Site Clearance | Road breaker | 82 | 30 | -5.2 | 76.8 | 83.0 | | | |
| Clearance | Compressor for hand-held breaker | 65 | 30 | -5.2 | 59.8 | | | | |
| | Mini excavator with auger | 74 | 30 | -5.2 | 68.8 | | | | |
| | Tractor and trailer | 80 | 30 | -5.2 | 74.8 | | | | |
| | Dumper (up to 5T) | 78 | 50 | -3.0 | 75.0 | | | | |
| | Tracked excavator (25T) | 77 | 40 | -4.0 | 73.0 | | | | |
| Earthworks | Dozer (D8 type) | 81 | 60 | -2.2 | 78.8 | 82.8 | | | |
| | Wheeled excavator (14T) | 77 | 40 | -4.0 | 73.0 | 02.0 | | | |
| | Articulated dump truck (25 T) | 81 | 60 | -2.2 | 78.8 | | | | |
| | Tracked excavator (25T) | 77 | 50 | -3.0 | 74.0 | | | | |
| | Site dumper (9T) | 76 | 30 | -5.2 | 70.8 | | | | |
| | Vibratory roller | 74 | 40 | -4.0 | 70.0 | | | | |
| Drainage | Concrete mixer trucks | 80 | 20 | -7.0 | 73.0 | 80.1 | | | |
| | Vibrator pokers | 69 | 20 | -7.0 | 62.0 | | | | |
| | Wheeled backhoe loader (JCB type) | 68 | 40 | -4.0 | 64.0 | | | | |
| | Trench roller | 67 | 40 | -4.0 | 63.0 | | | | |
| | Wacker plate | 80 | 30 | -5.2 | 74.8 | | | | |
| | Dozer | 75 | 50 | -3.0 | 72.0 | | | | |
| | Road delivery lorries | 82 | 40 | -4.0 | 78.0 | | | | |
| | Tracked excavator (22T) | 78 | 40 | -4.0 | 74.0 | | | | |
| Road Formation and surfacing | Twin drum vibrating roller (2m wide) | 80 | 50 | -3.0 | 77.0 | | | | |
| | Articulated dump truck (25 T) | 81 | 40 | -4.0 | 77.0 | 83.5 | | | |
| | Road paver (Blaw Knox type) | 75 | 50 | -3.0 | 72.0 | | | | |
| | Three point drum roller | 67 | 30 | -5.2 | 61.8 | | | | |
| | Wheeled backhoe loader (JCB type) | 68 | 30 | -5.2 | 62.8 | | | | |

Revision C03 Page 5 of 9



| Activity | Plant | Total LAeq at 10m (dBA) | Percentage on-time | Correction | LAeq corrected | Total level for each activity | |
|---|--|-------------------------------------|-----------------------|------------|-------------------|---|--|
| Ducting | Tracked excavator (5T) | 65 | 20 | -7.0 | 58.0 | 71.2 | |
| | Site dumper (5T) | 78 | 20 | -7.0 | 71.0 | | |
| | Specific use road truck with Hi-ab | 77 | 30 | -5.2 | 71.8 | | |
| | Access platform | 67 | 20 | -7.0 | 60.0 | | |
| | Specific use road truck with Hi-ab (signage) | 77 | 60 | -2.2 | 74.8 | | |
| Signs and | Tracked excavator (5T) | 65 | 40 | -4.0 | 61.0 | | |
| Lighting | Specific use road truck (road markings) | 77 | 20 | -7.0 | 70.0 | 80.3 | |
| | Site dumper (5T) | 78 | 20 | -7.0 | 71.0 | | |
| | Specific use road truck with Hi-ab (road restraint) | 77 | 40 | -4.0 | 73.0 | | |
| | Safety barrier piling rig | 76 | 20 | -7.0 | 69.0 | | |
| | Safety barrier piling rig compressor | 75 | 30 | -5.2 | 69.8 | | |
| | Tractor and rotovator | 80 | 40 | -4.0 | 76.0 | | |
| | Tractor and seeder | 80 | 30 | -5.2 | 74.8 | | |
| Landscaping | Tracked excavator (22T) | 78 | 30 | -5.2 | 72.8 | 81.4 | |
| | Articulated dump truck | 81 | 40 | -4.0 | 77.0 | | |
| | Vibratory piling rig | 91 | 50 | -3.0 | 88.0 | | |
| | Wheeled mobile crane | 79 | 50 | -3.0 | 76.0 | | |
| | Power pack | 73 | 50 | -3.0 | 70.0 | | |
| Bridge | Tracked mobile drilling rig | 95 | 50 | -3.0 | 92.0 | | |
| structures and retaining walls | Tracked excavator | 80 | 50 | -3.0 | 77.0 | | |
| | Concrete mixer truck (discharging) & concrete pump (pumping) | 81 | 50 | -3.0 | 78.0 | 95.0 | |
| | Poker vibrator | 90 | 50 | -3.0 | 87.0 | | |
| | Diesel generator | 56 | 50 | -3.0 | 53.0 | | |
| | Tracked excavator | 81 | 50 | -3.0 | 78.0 | | |
| | Articulated dump truck | 87 | 50 | -3.0 | 84.0 | | |

Revision C03 Page 6 of 9



C.2 Operational phase

Predicted Daytime Road traffic noise levels

C.2.1 Table C.2 below shows the predicted daytime (L_{A10,18h}) road traffic noise levels at a representative selection of residential and non-residential sensitive receptors in the study area.

Table C.2: Predicted daytime road traffic noise levels at selected locations

| | Road traffi | Change (dB) | | | | |
|--|-------------|-------------|---------|---------|----------------|---------------|
| Noise-sensitive receptor | DM 2022 | DS 2022 | DM 2037 | DS 2037 | Short- term | Long- term |
| Sandina, Stockbury Valley, ME9 7QD | 68.0 | 66.6 | 68.7 | 67.3 | -1.4 | -0.7 |
| Vale Cottages, Stockbury Valley, ME9 7QD | 56.8 | 52.4 | 57.4 | 53.3 | -4.4 | -3.5 |
| Threeways, Pett Rd, Stockbury, Sittingbourne ME9 7QE | 61.1 | 60.6 | 62.1 | 61.0 | -0.5 | -0.1 |
| Whipstakes Farm, Stockbury Valley, Sittingbourne ME9 7QJ | 65.5 | 65.8 | 66.4 | 66.2 | 0.3 | 0.7 |
| The Studios, Oad Street, Sittingbourne, ME9 8JX | 59.7 | 60.0 | 60.5 | 60.6 | 0.3 | 0.9 |
| Shortlands, Maidstone Road Borden Sittingbourne, ME9 7Q | 60.6 | 61.4 | 60.9 | 61.7 | 0.8 | 1.1 |
| St Mary Magdalene Church, Stockbury, ME9 7RD | 51.6 | 50.6 | 52.2 | 51.9 | -1.0 | 0.3 |

C.2.2 Table C.2 above below shows the predicted night-time (L_{night, outside}) noise levels at a representative selection of residential and non-residential sensitive receptors in the study area.

Table C.3: Predicted night-time road traffic noise levels at selected locations

| Naisa consitiva | Road traffi | Change (dB) | | | | |
|--|-------------|-------------|---------|---------|----------------|---------------|
| Noise-sensitive receptor | DM 2022 | DS 2022 | DM 2037 | DS 2037 | Short- term | Long- term |
| Sandina, Stockbury Valley, ME9 7QD | 57.6 | 56.4 | 58.2 | 57.1 | -1.2 | -0.5 |
| Vale Cottages, Stockbury Valley, ME9 7QD | 48.1 | 45.2 | 48.6 | 46.0 | -2.9 | -2.1 |

Revision C03 Page 7 of 9



| Noise-sensitive | Road traffi | Change (dB) | | | | |
|--|-------------|-------------|---------|---------|----------------|---------------|
| receptor | DM 2022 | DS 2022 | DM 2037 | DS 2037 | Short- term | Long- term |
| Threeways, Pett Rd, Stockbury, Sittingbourne ME9 7QE | 53.1 | 52.8 | 53.9 | 53.1 | -0.3 | 0.0 |
| Whipstakes Farm, Stockbury Valley, Sittingbourne ME9 7QJ | 56.8 | 57.0 | 57.5 | 57.3 | 0.2 | 0.5 |
| The Studios, Oad Street, Sittingbourne, ME9 8JX | 54.7 | 54.6 | 55.3 | 55.2 | -0.1 | 0.5 |
| Shortlands, Maidstone Road Borden Sittingbourne, ME9 7Q | 53.0 | 53.4 | 53.3 | 53.8 | 0.4 | 0.8 |
| St Mary Magdalene Church, Stockbury, ME9 7RD | 48.2 | 47.4 | 48.8 | 48.6 | -0.8 | 0.4 |

C.3 Noise nuisance

C.3.1 The table below shows the change in noise nuisance levels as a result of the Scheme.

Table C.4: Traffic noise nuisance reporting table

| Change in nuisance level | | Number of dwellings | | | |
|--------------------------|----------|---------------------|--------------|--|--|
| | | Do Minimum | Do Something | | |
| Increase in | < 10% | 119 | 25 | | |
| nuisance level | 10 < 20% | 0 | 76 | | |
| | 20 < 30% | 0 | 4 | | |
| | 30 < 40% | 0 | 0 | | |
| | > 40% | 0 | 0 | | |
| No change | 0% | 0 | 1 | | |
| Decrease in | < 10% | 0 | 13 | | |
| nuisance level | 10 < 20% | 0 | 0 | | |
| | 20 < 30% | 0 | 0 | | |
| | 30 < 40% | 0 | 0 | | |
| | > 40% | 0 | 0 | | |

Revision C03 Page 8 of 9

© Crown copyright (2019).

You may re-use this information (not including logos) free of charge in any format or medium, under the terms of the Open Government Licence. To view this licence:

visit www.nationalarchives.gov.uk/doc/open-government-licence/ write to the Information Policy Team, The National Archives, Kew, London TW9 4DU, or email psi@nationalarchives.gsi.gov.uk.

Printed on paper from well-managed forests and other controlled sources.

Registered office Bridge House, 1 Walnut Tree Close, Guildford GU1 4LZ Highways England Company Limited registered in England and Wales number 09346363