



Pastures, Conservation and Climate Action, Mongolia

Plan Vivo Project Design Document (Phase II)



Submitted by D. Dorligsuren and D. Uilst (Mongolian Society for Range Management), Caroline Upton (University of Leicester),
27/6/2022



Pastures, Conservation and Climate Action, Mongolia (Phase II)

Contents

Pastures, Conservation and Climate Action (PCCA), Mongolia	4
Executive Summary	4
Part A: Aims and objectives	6
Part B: Site Information	7
B1. Project location and boundaries.....	9
B2. Description of the project area (from Phase I PDD, 2015)	12
B3. Recent changes in land use and environmental conditions (from Phase I PDD, 2015)	16
B4 Drivers of degradation (from Phase I PDD, 2015)	16
Part C: Community and Livelihoods Information	17
C1 Participating communities/groups.....	17
C2 Socio-economic context	18
C3 Land tenure & ownership of carbon rights	21
Part D: Project Interventions & Activities	22
D1 Summary of project interventions	22
D2 Summary of project activities for each intervention (Phases I & II)	24
D3 Effects of activities on biodiversity and the environment.....	25
Part E: Community participation	25
E1 Participatory project design	25
E2 Community-led implementation	27
E3 Community-level project governance.....	28
Part F: Ecosystem Services & Other Project Benefits.....	28
F1 Carbon benefits	28
F2 Livelihoods benefits	42
F3 Ecosystem & biodiversity benefits.....	48
Part G: Technical Specifications	53
G1 Project intervention and activities	53
G2 Additionality and Environmental Integrity.....	54
G3 Project Period	56
G4 Baseline Scenario	56
G5 Ecosystem service benefits.....	58
G6 Leakage & Uncertainty	63
Part H: Risk Management	66
H1a Identification of risk areas.....	66

H2 Risk buffer	71
Part I: Project Coordination & Management.....	72
I1 Project Organisational Structure	72
I2 Relationships to national organizations	75
I3 Legal compliance	76
I4 Project management.....	77
I5 Project financial management.....	77
I6 Marketing	78
I7 Technical Support.....	78
Part J: Benefit sharing	79
J1 PES agreements	79
J2 Payments & Benefit Sharing	80
Part K: Monitoring.....	81
K1 Activity-based monitoring.....	81
Annexes	85
Annex 1. List of key people involved with contact information	85
Annex 2. Information about funding sources	85
Annex 3. Producer/group agreement template (Phase I & II examples)	86
Annex 4. Database template	93
Annex 5. Example Management Plans/ Plan Vivos.....	94
Annex 6. Permits and legal documentation	134
Annex 7. Evidence of community participation	157
Annex 8. Plan Vivo Climate Benefit Quantification Methodology – Carbon Sequestration through Improved Grassland and Natural Resource Management in Extensively Managed Grasslands	174

Pastures, Conservation and Climate Action (PCCA), Mongolia

Executive Summary

This programme is a community-led initiative which is taking place at three different sites in Mongolia's mountain, steppe and desert steppe environments. For the initial commitment period (Phase I: 2015-2019), herders in participating community groups undertook activities designed to sequester carbon in grasslands through improved grazing management practices. In addition, and in line with the latest Plan Vivo standard, herders' activities in Phase I (2015-2019) and ongoing/planned activities for Phase II (2019-2029) have and will continue to make important contributions to livelihoods and wellbeing, the conservation of a globally important biodiversity heritage and to a range of ecosystem services, as well as to carbon sequestration. This Pastures, Conservation and Climate Action (PCCA) Plan Vivo project is based on an earlier Darwin Initiative funded project ('Values & Valuation: New Approaches to Conservation in Mongolia', 2012-2015), managed by University of Leicester (UK) and the Mongolian Society for Range Management (MSRM), which focused on training, capacity building, establishment of baselines and planning for PV activities with these same herder groups. MSLRM, a nationally recognised NGO with a substantial track record in community/ herder group support and engagement, are the in-country managers for the PCCA project, with direct responsibility for overall project coordination and administration.

Specifically, the PCCA Plan Vivo project (Phases I and II) involves:

- i) Carbon sequestration** through improved land management and reduced grazing pressure, achieved through restoration of traditional seasonal mobility between pastures and/or reduction in livestock numbers at each project site;
- ii) Biodiversity conservation** through herders' cooperation to protect key wildlife species and habitats, for example Mongolian gazelle, ibex, red deer, marmot, saxaul forests, and through protection of key grassland habitats and vegetation.
- iii) Improvements in livelihoods/ well-being**, for example through herders' collaborative processing and marketing of livestock products, livelihood diversification and protection of locally important cultural landscapes and resources.

The programme has collaborated and continues to collaborate with some 120-140 herder households, these being the members of Hongor Ovoo herder group, (located in Ikh Tamir soum (district), Arkhangai aimag (region)); Ikh Am herder group, (located in Undurshireet soum, Tov aimag); and Dulaan Khairkhan herder group, (located in Bogd soum, Bayankhongor aimag). In total the territories of these groups cover an area of approximately 78,500 ha.

Prior to Phase I PCCA, these rangelands were typically experiencing significant degradation, which recent trends at the time indicated may reasonably be expected to worsen under a baseline ('without project') scenario. Degradation was widely linked to

another trend; that of increasing livestock numbers year-on-year at project sites. Many participating households had poor or below average income levels prior to the initiation of Phase I PCCA, according to various established and participatory criteria.

PCCA project activities and associated payments therefore offer the prospect of real transformations in livelihoods, in conjunction with protection and conservation of a valuable and internationally recognised biodiversity heritage. Results from Phase I, as summarised in subsequent sections of this report and presented in full in the Year 4 Annual Report (available at [Pastures, Conservation, Climate Action – Documents | Plan Vivo Foundation](#); Annual Reports, 2018-2019), show that the PCCA project has already made some valuable contributions to livelihood, conservation and carbon sequestration goals. As the first such project in Mongolia, PCCA also offers an important precedent for rangeland and conservation policy into the future.

At the start of Phase I, conservative estimates, based on site-specific field data and on carbon modelling, indicated that up to some 109,000 tCO₂ could be sequestered across these sites through improved grazing management practices over the initial 4 year project commitment period (2015-2019). Reported results in the Year 4 AR, and as independently verified as part of the PV process, indicated that some 107,000 tCO₂ sequestration were achieved. Financial benefits from sale of certificates were invested back into these herder groups throughout Phase I through their existing, well-established group management structures, with intra-group allocation and use of funds determined by the herders themselves. This same system has continued to operate in Phase II, with models indicating an estimated maximum of 166,204 tCO₂ over this period (see Section F, Table F1B, Phase II). Ongoing project coordination and administration by MSRM has and will also continue throughout Phase II, to be supported by certificate sales.

Phase II Annual Reports (Year 5:2019-2020; Year 6: 2020-2021; Year 7: 2021-2022) (to be made available on Plan Vivo website) indicate the successful continuation of core activities, including carbon sequestration linked to enhanced livestock mobility and/or reduced numbers, and livelihood and conservation-oriented activities amongst participating herder groups. These are consistent with the overall modelling of 166,204 tCO₂ additional carbon (see Table F1B, Phase II), as well as other benefits. Full details are included in the relevant Annual Reports.



Part A: Aims and objectives

The overall aim of the PCCA project (Phases I and II) is to enhance carbon sequestration, biodiversity conservation and herders' livelihoods at sites in rural Mongolia, thus contributing to national efforts to combat degradation of ecosystem services (ES) and growing rural poverty, whilst protecting a globally important biodiversity heritage. The project continues to be shaped by the wider context of climate change, the proliferation of mining in the Mongolian countryside, with attendant impacts of pollution, loss of water sources, failure to meet (inter)national biodiversity targets and struggles over resource access.

The specific project objectives are as follows:

- For Phase I in particular, through participatory analysis and valuation of ES, to facilitate the implementation and continuing operation of a sustainable, locally relevant PES scheme (the first rangeland PES scheme in Mongolia).
- To promote wider awareness of Plan Vivo and voluntary carbon markets, amongst local herding communities and government policy makers, thus supporting the wider uptake of this approach in the future.
- To facilitate the wider spread of methodological innovations in the participatory valuation of ES, as developed during preparatory work for PCCA. The intention ahead of Phase I in 2015 was to embed a 'carbon plus' approach into the Plan Vivo Standard, and in Phase II is to help mainstream such approaches that treat non-carbon benefits as equally important in the project monitoring and outcomes.
- To make measurable, positive impacts on participating herder groups' livelihoods, through facilitating access to carbon finance and through support of locally developed strategies for livelihood diversification, economies of scale, restoration of seasonal mobility and collaborative practices in herding.
- To facilitate recognition of customary knowledge, values and practices in conservation planning, including through links to national strategies for the development of Local Protected Areas (LPAs) and with positive measurable impacts on local biodiversity.

The PCCA project is timely and innovative in a number of ways. As indicated above, in 2015 it was, to the best of our knowledge, the first pilot rangeland PES scheme in Mongolia, linked to the voluntary carbon market, and continues to be so. It came at a time of growing national policy interest in, and attempts to deploy, ES thinking and planning in natural resource governance in Mongolia, including through development

of a national REDD-iness strategy, and in line with wider government commitments to the ‘Green Economy’. For Plan Vivo (PV) it was also one of the first projects to deploy the Plan Vivo Standard v.4.0, published in December 2013 and applied from 2014-2022, with its express commitment to a ‘carbon plus’ type approach, encapsulating landscape scale and ES - based concerns, with attention to biodiversity and cultural ES. It was also the first application of PV to rangeland contexts.

Part B: Site Information

The PCCA project covers three herder communities, located in three different areas of Mongolia:

- i) Arkhangai *aimag*, Ikh Tamir *soum* (forest steppe). **Hongor Ovoo heseg.**¹
- ii) Tov *aimag*, Undurshireet *soum* (steppe). **Ikh Am heseg.**
- iii) Bayanhongor *aimag*, Bogd *soum* (steppe/desert steppe). **Dulaan Khairkhan herder group.**




i) Ikh Tamir *soum*, Arkhangai *aimag* ii) Undurshireet *soum*, Tov *aimag* iii) Bogd *soum*, Bayanhongor *aimag*

A fourth site, Dundgov *aimag*, Ulziit *soum*, Dert *heseg*, was originally included in Phase I planning and featured in the first PDD. However, Dert *heseg* members were not able to take their involvement forward at the time and are not at present part of Phase II. If they, or other herder groups, are added at a later stage during Phase II, then the PDD would be duly updated at that juncture.

Sites are located across Mongolia, as shown overleaf:

¹ *Aimag* denotes region; *soum* is a district; *heseg* is a herder group.

Figure 1. Location of Plan Vivo sites, Mongolia



1. Hongor Ovoo heseg, Ikh Tamir soum, Arkhangai aimag;
2. Ikh am heseg, Undurshireet soum, Tuv aimag
3. Dulaan Khairkhan herder group, Bogd soum Bayanhongor aimag,
- (4. Dert heseg, Ulzii soum, Dundgov aimag)

All sites share the following commonalities:

- Predominance of extensive grassland areas, providing the main livelihood sources for herding communities.
- Evidence of degradation of grasslands, as shown by changing species composition, desertification etc. These trends are widely attributed to overgrazing though increased livestock numbers and growing sedentarisation, in conjunction with climate change/ variability.
- Increasing climate variability, especially in rainfall patterns; increasing incidence of harsh winters.

The initial rationale for selecting multiple sites for this project was that for the Plan Vivo and ES-based conservation approaches to gain traction in Mongolia and to have lasting impact they needed to be adaptable across a range of environmental, biodiversity and socio-economic conditions. Thus, within the framework of key commonalities, as set


out above, and which together form the framework for a coherent PV project, we remain committed to the realization of project objectives across these carefully selected sites and participating herder groups. Specifics of these sites are set out below. It should be noted that the Mongolian Society for Range Management (MSRM), the project managers and coordinators, have been instrumental in the development and support of herder *heseg* at two of the three participating sites over the last decade. For the third, Bogd *soum*, University of Leicester (UOL) developed links with local herder groups prior to the implementation of Phase I, with MSRM working with these groups throughout Phase I and into Phase II. For all sites, these existing relations of trust were considered integral to the successful co-development of this innovative PV approach.

B1. Project location and boundaries

i) Hongor Ovoo *Heseg*

The territory of Hongor Ovoo *heseg*, Arkhangai *aimag* is shown in Figure 2. This map also shows the *heseg*'s initial pasture use plan, which they planned to implement from 2015 under Phase I PCCA (actual pasture use is set out in the Annual Reports and approximates to the plan below). This, and the subsequent Phase II plan, are described more fully as part of planned activities in Part D, the summary of activities and monitoring protocols (Part K) and the site specific Management Plan (Annex 5).

Figure 2. Hongor Ovoo *heseg*, Ikh Tamir *soum*, Arkhangai *aimag*



The *heseg* territory covers 36,756 ha, of which for the pre 2015 baseline, some 46%


(16,908 ha) was covered by forest, with the remainder constituting seasonal pasture and haymaking areas.

ii) Ikh Am heseg

The territory of Ikh Am *heseg*, Tov *aimag* is shown in Figure 3. This map also shows the *heseg*'s Phase I pasture use plan, which they planned to implement from 2015-2019 under PCCA (actual pasture use is set out in the Annual Reports and approximates to the plan below). This, and the subsequent Phase II plan, are described more fully as part of planned activities in Part D, the summary of activities and monitoring protocols (Part K) and the site specific Management Plan (Annex 5).

The total *heseg* territory covers some 18,241 ha and is predominantly pastureland, used for seasonal grazing.


Figure 3. Ikh-Am *heseg*, Undurshireet *soum*, Tuv



iii) Dulaan Khairkhan

The territory of Dulaan Khairkhan herder group, Bayanhongor *aimag* is shown in Figure 4, below. The territory covers some 22,485 ha, of which for the pre 2015 baseline, 15.5% or 3,485 ha was covered by saxaul forest. The map also shows the *heseg*'s pasture use plan, which they planned to implement from 2015-2019 under Phase I PCCA (actual pasture use for Phase I is documented in the Annual Reports and approximates to the plan below). This, and the subsequent Phase II plan, are described in Part D, the summary of activities and monitoring protocols (Part K) and the site specific Management Plan (Annex 5).

Figure 4. Dulaan Khairkhan herder group, Bogd soum, Bayanhongor aimag



B2. Description of the project area (from Phase I PDD, 2015)²

i) *Hongor Ovoo Heseg, Ikh Tamir soum*

Climate: Ikh Tamir soum has a continental climate, with marked seasonal and monthly fluctuations. Temperatures range from +20⁰C in the summer to -14 to -19⁰C in winter. The average annual temperature is -2 to -4⁰C. The first snow occurs in beginning of September. The first rains now typically occur from June onwards. Annual average precipitation is 300-400mm.

Topography and Soils: The soum and heseg area are characterised by undulating topography, some 1600-2525m above sea level (asl). The western part of the soum comprises mountain and forest areas, with forest steppe zones in the central and eastern areas. Common soil types are mountain kastanozem, meadow chernozem and clay kastanozem soils, with typically thin humus layers.

Vegetation: The southern part of rangelands in the Hongor Ovoo heseg area are covered by mountain forest and mountain steppe vegetation, the central part by steppe vegetation and the northern and south-eastern part by interzonal or low land vegetation. A total of 6 types of rangeland are present within the heseg area, constituting diverse forms of mountain, plain and meadow rangelands.

Conservation activities/ Endangered species and habitats: The soum has 104,000 ha of protected area belonging to Khangai Nuruu National Park within its boundary. The land under this protection does not fall within Hongor Ovoo heseg. The park boundary is approximately 10 km away at its closest point. One endangered species and 2 near threatened species, Siberian marmot (*Marmota sibirica*), Altai weasel (*Mustela altaica*), and Pallas's cat (*Otocolobus manul*) respectively have been noted within the soum following a review of IUCN Red List species distributions and interviews with local herders.

Mining activities: Natural resources such as coal, spar, iron ore and chalk are present in the soum. A private company is conducting mining operations on a 2 million tonne resource of Anthracite coal in Bayantsagaan located to the east of the soum centre. Mining is not occurring within the heseg territory, which is dominated by extensive livestock production.

ii) *Ikh Am Heseg, Undurshireet soum*

Climate: Undurshireet soum and Ikh Am heseg have a continental climate, which results in fluctuating day and night temperatures and significant variation between seasons. The annual average temperate is +1.7⁰C, July being the warmest month with average temperature of +20.3⁰C, and January the coldest with an average temperature of -17.1⁰C. The area gets an average of some 200-250mm of precipitation annually, of which 70-75% falls from April to October.

Topography and soils: The area is characterised by flat to undulating topography of

² Descriptions in this section are from the pre 2015 project baseline.

grassland plains and small hills. The *soum*'s soil consists of mainly dry-steppe chestnut (kastanozem) soils which lack nutrition and have a thin humus layer. The soil has a light mechanical component and granular texture, is weak alkaline and neutral, containing about 1.8-2.4% humus.

Vegetation: The Ikh Am *heseg* area consists of 4 types of steppe and meadow rangelands; 63% of the total land area is covered with steppe vegetation, 29.7% with mountain steppe and 7.3% with meadow. The meadow and steppe rangeland, particularly sedge-grass-forb alluvial meadow and *Cleistogenes-Elymus* steppe are used primarily as summer and autumn rangeland. Mountain steppe and steppe located in the valley of the mountain are used during winter and spring. There are no forests except some strips of cotton birch forests that occur on mountain slopes and in narrow ravines. *Glycyrrhiza* is a notable rare plant species that grows in the *soum*.

Conservation activities/ Endangered species and habitats: One IUCN Endangered species has been recorded in the *soum*, Siberian marmot (*M. Sibirica*) and Near Threatened Pallas's cat (*O. manul*). Conservation responsibilities are taken on by local community groups such as *Tumen Mal*, a local NGO situated in Ikh Am within the species' distribution areas. Members of Ikh Am *heseg*, in common with other herder groups/ *heseg* in the *soum*, are included within this NGO. The State Professional Inspection Agency also inspects marmot burrows after hibernation season ends to monitor losses, as part of their remit to monitor marmot populations.

Industry: Mining activities have not been developed intensively in Undurshireet *soum*. There are a number of small scale artisanal production units providing livestock food, boots, dairy products and building materials locally, with plans to build an additional dairy factory, food production and wool processing factories and small local meat storage units in the *aimag* development plan.

Other issues: At the time of the pre 2015 baseline, herders had become increasingly semi-sedentary and urbanised. Many do not typically graze their livestock on a seasonal/ rotational basis, as in the past. Due to the proximity of the *soum* to Ulaanbaatar and a major east-west road, large migrations of people and livestock towards Ulaanbaatar have resulted in some increases in soil degradation and overgrazing in the *soum* territory, and adverse impacts on wildlife populations. This occurrence is most prevalent in the Tuul river valley and around the *soum* centre. Hence, the government has an important role to ensure that wildlife and migratory species in the province territory are protected and only utilised in accordance with best practice under law. There is also scope for community involvement in such activities, as indicated by the recent formation of *Tumen Mal*. Undurshireet *soum* has populations of Argali, ibex, white-tailed gazelles, red deer, roe deer, grey wolf, red fox and Mongolian marmot. Each year a quota of hunting licenses is available to the public. These are due to be reviewed under forthcoming legal changes.

iii) Dulaan Khairkhan Herder Group, Bogd *soum*

Climate: Average air temperatures are 20 to 25⁰C in the summer and -18 to -20⁰C in the winter. Annual average precipitation is 71mm. The hottest month is July and the average is 35.7⁰C. The coldest month is January with average temperatures of - 29.3⁰C and average wind speeds of 4.1 m/s. Bogd is susceptible to sudden air temperature changes and it is common to have sudden cold weather, snow and dust storms.

Topography and soils: Bogd soum has a highly variable topography, including high mountains, valleys, flat steppe, hills and river valleys. The highest point is Ikh Bogd Mountain, the highest peak of the Gobi-Altai mountain range at 3957m asl, with the lowest point being Orog lake shore at 1221m asl. The Tuin River feeds into Orog Lake in Bogd soum. Also over 130 small rivers, streams and springs have been recorded in the soum, although with reported drying of some of these in recent years. Orog lake itself dried up in recent hot summers, although water levels have recovered more recently. Desert steppe brown soil is dominant in steppe areas. From Orog lake shore to the peak of Ikh Bogd Mountain there are clear altitudinal differences in soil characteristics. Within only 20 to 30km there are substrates associated with desert steppe, arid steppe, mountain steppe, high mountain meadow and aiguilles. These latter soils have a humus component of around 5 to 15 percent, making them the most fertile soils in the soum.

Vegetation: The southern part of the rangelands in Dulaan Khairkhan group area is covered by mountain desert steppe vegetation and the northern part by desert steppe vegetation. Overall, there are 145 species of vascular plants recorded in Bogd soum. Bogd has unique desert steppe vegetation in its lake depressions and a variety of examples of Gobi-Altai mountain species occur with variations on community structure depending on substrate and surface features. Around the southeastern part of the lake there is a small saxaul (*Haloxylon ammodendron*) forest. Ikh Bogd and its bordering mountains have distinct altitudinal vegetation zones.

Conservation activities/ Endangered species and habitats:

Fauna: Following interviews with local herders and reviews of the national Red Lists, argali sheep (*O. Amon*), ibex (*C. Sibirica*), snowleopard (*U. Uncia*) and Pallas's cat (*O. manul*) can be found in the rocky areas leading onto the mountain steppe. At lower, flatter habitats goitered gazelle (*G. Subgutturosa*), Siberian marmot (*M. Sibirica*) and corsac fox (*Vulpes corsac*), are present and play important roles in nutrient cycles and soil conditioning. The marmot in particular is notable as a habitat engineer, providing key benefits to the grasslands directly and providing dens for many other species. White-tailed eagle (*Haliaeetus albicilla*), Altai snowcock (*Tetraogallus altaicus*), mute swan (*Cygnus olor*) and Dalmatian pelican (*Pelecanus crispus*) are notable bird species for their listing in the IUCN Red Lists. From the late 1990s, early 2000s a number of sustainable pasture management projects were implemented in the soum, for example by the German Technical Cooperation Agency (GTZ, now GIZ) with the aim of improving pasture management. Also in 2014 the Green Gold project funded by the Swiss Development Cooperation came to its planned end. In 2009 a soum Conservation Action Plan for the following 4 years was approved. In 2013 the outputs and results of this plan and donor initiatives were reported to the public and assessed by a meeting of citizen's representatives. 98% of planned activities under the soum Conservation Action Plan were completed by the end of 2013. Following from this success a 'Clean Soum' programme was approved by the Citizens Representative *Khural* in 2013, to run till 2017. This programme entails activities such as rubbish collection and tree planting.

Ikh Bogd Mountain National Park was established by the decision of Parliament in January 2008 and currently has one ranger. Another state ranger operates across the whole soum. Activities carried out by the rangers typically include monitoring of potential

illegal activities and law enforcement as necessary. They have no specific patrols, but rather visit areas based on what they hear from local herders/other citizens and their own observations. This strategy in part reflects lack of capacity/ resources. In addition and by the decision of leaders of the Citizens' Representative *Khural*³, 15 new Local Protected Areas have recently been established. The *Soum* governor signed contracts with *Bag* governors and local communities around the LPAs to protect these places. Of the 15 LPAs in the *soum* 3 lie at least partially within the boundaries of Dulaan Khairkhan herder group area. These are:

- 1) the saxaul forest area
- 2) petroglyphs at Dulaan Bogd Mountain
- 3) a rock formation known locally as “twin fish”.

Of these only 1), the saxaul forest area, has direct application for nature conservation, although the others are important cultural sites. These LPAs are volunteer-based. Any local herders who want to volunteer contact the *bag* administration and sign a volunteer contract. There are no formal terms of reference or budget available at present, which has prevented any significant activity under the auspices of these new LPAs. These thus create a good basis for, but do not duplicate, planned activities under Plan Vivo, for which the herder groups currently lack support and capacity.

Industry: There are no registered mining activities by companies or local people, and no mining developments in the *soum*. However, ore and non-ore minerals such as gold, copper, iron ore, coal, asbestos, gypsum, salt and soda are common. Resources for building materials are also present such as sand, pebbles and volcanic rocks, which are used in small quantities by local communities. A midterm development plan for *soum* industry was approved at a Citizens' Representative *Khural* meeting in 2013. Livestock herding remains the primary activity and source of income.

Other issues: In 2013, the *soum* prepared 804 tonnes of hay and was awarded the 1st place in the hay preparation competition among the *soums* of Bayanhongor *aimag*. It was also noted as the most effective *soum* at pasture management. However, recent increases in livestock numbers are leading to overgrazing, breakdown in pasture management and a decrease in the number of pastureland species. There is a lack of funds, techniques and equipment to protect and use pasture properly, conduct restoration and plant livestock fodder, including in the area of the Dulaan Khairkhan Bogd herder group.

³ *Khural* literally translates as ‘meeting’, and is widely used to denote statutory bodies and organisations – e.g. State Parliament is the Great *Khural*. Citizens' Representative *Khurals* are comparable to local councils.

B3. Baseline Context: Changes in land use and environmental conditions (from Phase I PDD, 2015)⁴

Pasture degradation/ desertification, linked to increasing livestock numbers and reductions in seasonal livestock mobility, is an issue at all project sites. The impacts of overgrazing are further exacerbated by changes in climate, especially in Ulziit soum. Seasonal droughts and *dzud* have necessitated movement of herders out of the soum on long distance migration (*otor*) in search of grazing. For sites which receive large numbers of migrant herders (e.g. Hongor Ovoo, Ikh Tamir soum), this further exacerbates overstocking and grassland degradation. Loss of water points (wells) has also resulted in concentration of grazing around natural sources (rivers, lakes and streams) at other sites, for example along the Olont and Tamir rivers in Ikh Tamir soum and the Tuul river in Ikh Am *heseg* area, Undurshireet soum. Periodic pollution of water sources, especially the Tuul river, is also a factor.

Significant increases in rodents such as Brandt's vole (*Lasiopodomys brandtii*) have also resulted in further deterioration of pasture in Ikh Am and Dulaan Khairkhan Bogd *heseg* areas. Adverse impacts on saxaul forests have also been noted at the latter site.

B4 Drivers of degradation (from Phase I PDD, 2015)⁵

i) Hongor Ovoo Heseg, Ikh Tamir soum

Most of the herders have only 2 seasonal camps: spring-summer and autumn-winter camps. In warmer seasons the livestock concentrate close to the Olont and Tamir rivers, which are the main water resources in this area. In winter time livestock rely on snow for drinking water. When snowfall is late or insufficient livestock remain close to these two rivers, resulting in localized overgrazing. The pasture of this project site is also very overgrazed because of significant increases in livestock numbers, due both to existing herder households and migrants from western *aimags*. The latest (pre project) soum level estimates suggest that soum livestock numbers exceed the overall pasture carrying capacity by some 2.8 times. Prior to inception of Phase I of the project in 2015, Previous years had shown a trend for a year-on-year increase in livestock numbers for the soum as a whole, reflected in livestock numbers within the *heseg* area (Table B4, below).

ii) Ikh Am Heseg, Undurshireet soum

The Ikh Am *heseg* site is located only some 100km from the capital city, Ulaanbaatar. Since the change to the market economy system in the early 1990s, livestock numbers have increased significantly as many herder families have moved here from western areas to be close to urban facilities and markets. Prior to Phase I of the project in 2015, statistics for the soum showed a steady trend of increasing livestock numbers year-on-year, which are reflected in livestock trends within the *heseg* area (Table B4, below). The pasture in this soum is locally heavily degraded/ overgrazed. Drought and increasing numbers of rodents, especially Brandt's vole, have further contributed to pasture

⁴ Descriptions in this section are from the pre 2015 project baseline.

⁵ Descriptions in this section are from the pre 2015 project baseline.

degradation. Lack of water points is also an issue. There are only two main sites in the *heseg* area: one is the Tuul River and the second is a deep well. Some of the Ikh Am herder families stay at the same camp for the whole year or move only very small distances around these water sources. Others regularly move out of the *heseg* area in the spring and summer seasons due to grazing pressure within the *heseg* area. Interviews with local herders reveal this as an established pattern over a number of years. Pollution of the Tuul River by factories in Ulaanbaatar has also been an issue. Prior to Phase I of the project in 2015, *soum* level estimates indicated that pasture is overgrazed by 1.4 times over its carrying capacity.

iii) Dulaan Khairkhan Herder Group, Bogd soum

Local environmental/ climatic conditions make the *soum* suitable for camel and goat herding in particular. Prior to Phase I of the project in 2015, there was a trend of increasing numbers of goats as a proportion of livestock herds, driven by cashmere price and market demands, as well as in total livestock numbers. This trend has adversely impacted on pasture quality. The second biggest driver of pasture degradation is significant increases in Brandt's vole in the pasture and in the saxaul forest area. Increased *soum* livestock numbers, currently estimated at some 3.7 times carrying capacity, are also a significant factor in pasture degradation.

Table B4: Baseline Livestock Trends in Study *Soums* (total livestock numbers by *soum* & *heseg*/ herder group, pre Phase I of project).

	2010	2011	2012	2013
Ikh Tamir <i>soum</i>, Arkhangai <i>aimag</i> Hongor Ovoo <i>heseg</i>	186463 13249	200631 10827	229131 12013	256511 13160
Undurshireet <i>soum</i>, Tov <i>aimag</i>: Ikh Tamir <i>heseg</i>	144039 15360	153065 16986	175541 18510	181935 18023
Bogd <i>soum</i>, Bayanhongor <i>aimag</i> Dulaan Khairkhan herder group	122939 2523	139836 3076	151217 3621	174278 4511

Note: these figures post-date 2009/2010 *dzud* (natural disasters) across Mongolia, which resulted in the loss of some 8.5 million livestock- or 20% of the national herd. Study *soums* were classified by UNICEF in January 2010 as 'extremely affected' in the case of Ikh Tamir and 'affected' for the other three *soums*. The trend from 2010 (or 2011 for Hongor Ovoo) shows rapid recovery of livestock numbers in the post-*dzud* period.

Part C: Community and Livelihoods Information

C1 Participating communities/groups

The target populations at the three participating sites are livestock herders, for whom herding and associated livestock products provide for the majority of their livelihoods at present. Cultural and ethnic diversity is low, with participating groups belonging to the majority Khalkh Mongol population, as do more than 80% of the country's population. Religious affiliations where present are primarily to Buddhism, resurgent in Mongolia since the end of the Soviet-inspired collective (*negdel*) period in the early 1990s. Shamanic practices are also remerging in some areas. The groups all include both male

and female-headed households. Further details on population demographics by age and gender, from the pre 2015 project baseline, are provided in Table C2 below.

As of 2015, the participating community groups had recognized land tenure rights, as specified in Section I3 and in accordance with traditional land use rights and practices and the 2002 Land Law. The participating *heseg*/ herder groups, as named above, arose from a series of donor projects across Mongolia, particularly from 2000, albeit based on traditional kinship/ geographical groups. The two *heseg* groups-Ikh Am and Hongor Ovoo, were formalized through the activities of MSLRM, the key in-country project partner for the PV activities. MSLRM have been active in the creation, training and capacity building of *heseg* in Mongolia since 2007. Ikh Am and Hongor Ovoo have both been active from this date. The Dulaan Khairkhan Herder Group in Bogd *soum* was established in 2003 as part of the GTZ (now GIZ) project 'Nature Conservation and Bufferzone Development/ Conservation and Sustainable Management of Natural Resources' projects (1995-2006), since which time the group has operated independently, with periodic support from other organizations such as World Vision, although this support has now ceased. Again, the formal group is based on traditional kinship affiliations and geographical proximity in seasonal pastures.

C2 Socio-economic context

As highlighted in C1 above, participating herder groups/*heseg* have access to land and associated resources (grazing, water, haymaking areas) through kinship-based, traditional rights and as enshrined and supported through the 2002 Land Law. Land areas allocated to specific *heseg*/ herder groups through local agreements with *soum* authorities and grounded in the provisions of the Land Law are as specified in Section B1. A sample baseline *heseg* contract for pasture use and rights with local *soum* authorities is included at Annex 6. Final Phase 2 contracts for all Plan Vivo sites, including explicit recognition of carbon rights, have been signed in conjunction with the Producer Group Agreement (Annex 3).

Land areas were and continue to be used primarily for extensive, seasonal grazing of livestock, as specified in Section B1, with recent changes and key issues as summarized in B3 and B4 above, for the PCCA project baseline (pre 2015). Access to natural resources is therefore a key dimension of livelihoods, with most participating households deriving the majority of their income/ livelihood from their livestock pre PCCA. This encompasses both subsistence use of livestock products and varying degrees of engagement with local markets/ middlemen for sale of products. In the latter case, for the pre-project baseline, this comprised primarily raw materials (milk products, cashmere for example), with little added value through processing. As part of attempts at livelihood diversification pre PCCA, a proportion of participating households also engaged in non-herding activities, from which they derived some supplementary products and/ or income, for example vegetable production. However, as indicated in Table C2, the majority of households at all sites did not have additional, non-herding sources of income pre PCCA (other than in some instances the pensions of elderly household members), but were reliant solely on herding and livestock products. Where present, for example in Bogd

soum, vegetable plots were very small fenced areas near to households' key seasonal camps. Reservation of small areas for production of fodder plants has also become more prevalent across sites in the years immediately prior to the PCCA project, but again in support of the primary activity of herding. Extensive cultivation of pasture or agricultural (crop) production did and still does not feature in any of the participating *heseg*/ herder group areas. Key pre PCCA baseline socio economic indicators are summarized for each site in Table C2 overleaf. These are subsequently linked to livelihood benefits indicators and baselines (see Section F, below). Changes in these indicators in 2019, and the end of PCCA Phase 1, are also summarised below and evaluated more fully in the Year 4 (2019) Annual report (available online at [Pastures, Conservation, Climate Action – Documents | Plan Vivo Foundation](https://www.planvivo.org/pastures-conservation-climate-action-documents); Annual Reports, 2018-2019; <https://www.planvivo.org/pastures-conservation-climate-action-documents>).

These indicators reflect a range of poverty/ well-being measures in Mongolia, both official/ state indicators and local, participatory indicators. For the pre project baseline, mean monthly monetary income for rural households according to latest government statistics (2013) was 625,859 tg, or 7.5m tg pa. As Table C2 (below) indicates, for all three areas, the majority of participating households were below this average, pre PCCA. One official state poverty line at the time of \$2/ day translates into some 1.5m Mongolian togrog (tg) per capita pa at prevailing exchange rates (although this does include self-provisioned foodstuffs as well as cash income). A minimum subsistence level of 146,700 tg per capita per month (National Statistics 2014) translates into a comparable 1.7m tg pa. Taking the lower of these as the most conservative estimate, and with a minimum household size of 2 persons, over 80% of Hongor Ovoo and Dulaan Khairkhan households failed to meet this level, with over 40% of households at other sites, prior to project implementation.

Table C2: Socio Economic Contexts & Indicators pre PCCA Phase 1 (2015)

	H. Owoo	Ikh Am	D. Khairkhan
% female headed hh	3%	10%	0%
Annual hh income (% by income category):			
i) <1 million tg	50%	13.8%	-
ii) 1.1-3 million tg	36.4%	27.6%	33.3%
iii) 3.1-6 million tg	13.6%	27.6%	50%
iv) 6.1>10 million tg	-	6.9%	16.7%
v) >10 million tg	-	24.1%	-
% hh with non-herding income sources*	9.1%	0%	22.2%
Monthly non-food expenditure			
i) >51% income	27.3%	65.5%	33.3%
ii) 31-50% income	30.3%	24.1%	66.7%
iii) 30% or less income	42.2%	10.3%	-
% hh with savings	18.2%	44.8%	40%
Participatory poverty/ livelihood evaluation			
i) Below average(Poor/ very poor)	6.1%	10.3%	30.8%
ii) Average	83.3%	69%	53.8%
iii) Above average/ good	10.6%	20.6%	15.4%
Total livestock nos per hh-mean (min –max)	136 (0-750)	388 (14-1127)	385 (98-821)
Total annual movement by hh (km) – mean (min –max)	82 (20-220)	156 (36-400)	89 (25-150)

*non herding incomes do not include pensions and other forms of state support or subsidy as these are out with herders' control. They also exclude income from informal (ninja) mining, mentioned by only 2 households, as this form of diversification is not supported as a Plan Vivo activity and thus should not form part of the project baseline where monitoring indicators are based on increased diversification (see Table F2.2).

Participatory evaluations showed that most households considered themselves to have at best average or below average livelihoods. The lack of livelihood diversification also indicated a lack of pre PCCA resilience in the face of change, as did the relatively small proportions of households at each site with savings, especially for Hongor Owoo. Livestock numbers are a traditional indicator of wealth. Research and guidance at the time suggested that households with less than 100 animals may be considered poor; households with 101-200, or by some estimates up to 500 animals were average, while those with more than 500 animals were wealthy. However, this offers only a rough rule of thumb and depends also on many other factors such as type of livestock, ecological zone, existence of other sources of household income etc. Government and donor policies are also trying to reduce livestock numbers and therefore to move away from high livestock numbers as an indicator of wealth/ well-being. Other indicators which are becoming widely used as a measure of poverty/ well-being and vulnerability include: proportion of non-food expenditure; existence of savings and non-herding income/ diversity. Overall, across a range of indicators pre PCCA, Hongor Owoo *heseg* appeared to have the poorest/ most vulnerable households, with greater variations in socio-economic status of populations at Ikh Am and Dulaan Khairkhan, both of which *hesegs* included a significant proportion of poor/ vulnerable households. End of Phase 1 PCCA

results show marked progress against a range of socio-economic/ livelihood these indicators, as highlighted in Table F2.2 below, and discussed more fully in the Year 4 Annual Report ([Pastures, Conservation, Climate Action – Documents | Plan Vivo Foundation](https://www.planvivo.org/pastures-conservation-climate-action-documents); Annual Reports, 2018-2019; <https://www.planvivo.org/pastures-conservation-climate-action-documents>).

Energy for heating and cooking was and continues to be derived primarily from wood and/ or dried dung, with households relying on a traditional central stove in the *ger* for both. Low cost solar panels and small wind turbines are also becoming more prevalent on *gers* for the provision of electricity for TV and radio. Even households who have solar/ wind power continue to rely on traditional wood/ dung fuelled stoves for heating and cooking.

C3 Land tenure & ownership of carbon rights

The situation with regards to land tenure is as specified in C1/2 above and I3. A sample Phase I contract is included at Annex 6. For the Phase I PDD, there was no specific legislation relating to ownership of carbon in Mongolia.

Since the initiation of Phase I of the project, the Paris Agreement (2015), to which Mongolia is a signatory, came into force (November 2016). At COP 26 in Glasgow in 2021, rules surrounding carbon trading and international carbon markets (under Article 6) were largely agreed and a rule book published. This has implications for Mongolia, which like other signatories, is moving to operationalise Article 6, for example through its evolving NDCs (Nationally Determined Contributions), national level planning around land use projects and carbon rights. The Government of Mongolia has now defined its Nationally Determined Contributions, with its submission and associated commentary included at Annex 9. LULUCF is at present excluded from mitigation targets, although agriculture is included, and sustainable management of pastureland features as an adaptation target (see Annex 9).

A special department responsible for climate change, related policy and regulatory issues e.g. around NDCs and the implementation of Article 6 and the Paris Agreement, has now been established in the Ministry of Environment and Tourism, Mongolia. As documented in letters of support in Annex 6 and in Section I2, key government staff and departments were familiar with and supported the PCCA project from its inception. These relationships have been maintained by MSRM throughout the project, e.g. through government participation in workshops in Ulaanbaatar in 2019 (see Section I2). More recently, meetings between MSRM and the Director of this Climate Change Department were held e.g. in August 2022 to discuss the PCCA Plan Vivo project in the light of this evolving regulatory and policy framework. The Director confirmed that there are at present no final regulations or instructions issued regarding the voluntary carbon market in Mongolia. She also stated that discussions are ongoing within the Government re support for the further development of this market and associated projects, in conjunction with the development of regulatory frameworks related to Article 6. As stated by MSRM, there are currently no benefit sharing requirements with the Mongolian Government for projects such as PCCA, or indication that these are likely to emerge in the future. MSRM are aware and keeping

abreast of Mongolia's evolving NDCs and the development of regulatory frameworks around these. They will continue to keep key Government personnel informed of PCCA activities and progress, MSRM have extended an invitation to the Director to visit our project sites at any time. A letter of support from the Ministry for Phase II of the project is included in Annex 6, along with those previously received for Phase I.

National level planning around land use continues to be regulated under the provisions of the Land Law of Mongolia (2002), as in Phase I of the PCCA project. These are discussed further in sections I2 and 3, below.

At a local level, under the type of sample agreement included at Annex 6 and signed for each *heseg*/ herder group for Phase 2 as part of the site specific Plan Vivo agreement (Annex 3), *soum* authorities have recognized the rights of local herder groups/ *heseg* to any carbon related benefits accruing through Plan Vivo activities. This applies to all land included in the project areas.

Part D: Project Interventions & Activities

D1 Summary of project interventions

The project interventions focus on improved land use management, as defined by Plan Vivo guidance. However, in line with Version 4 of the Plan Vivo standard (2013), the project interventions pay specific attention to livelihood, socio-economic and biodiversity benefits, which may derive directly from or in parallel with the planned changes in land use/ management practices at the study sites. Project activities and interventions for livelihoods and biodiversity, as well as climate/ carbon benefits are summarized below for Phases I and II. Where protection of key species forms part of planned activities (Phase II) or completed activities (Phase I), these may also be deemed as contributing towards further prevention of ecosystem degradation or ecosystem conversion.

Increasing soil carbon stocks

Project activities that aim to prevent further degradation of rangeland areas and allow soil carbon stocks to increase include:

- Grazing management - Reducing the numbers of livestock grazing for extended periods within project intervention areas within the broader project area, for example by introducing seasonal pasture rotations and/or by reductions in livestock numbers over the duration of the project.
- Fodder or forage cultivation - Planting fodder or forage crops, and changes to the management of existing cultivation practices, for example by planting green fodder, or improving water supply to pasture areas.

Biodiversity conservation

A key aim of nature protection activities is to prevent and reverse reductions in wild species such as gazelle, ibex and deer populations. This can be achieved by activities

that directly reduce pressures on these animal species, and those that prevent degradation of or enhance the habitat they require, as well as protecting other key flora, for example by:

- Establishing herder partnerships to protect the local environment and encourage increased participation in decision-making on environmental issues, for example issuing licences for wood cutting, and controlling illegal hunting activities;
- Protecting forest areas from degradation or deforestation for example by preventing illegal timber harvesting, and including protection of saxaul forests;
- Reforestation of degraded forest areas by producing and planting seedlings
- Reducing grazing pressure & grazing-induced pasture/ habitat degradation, through enhanced seasonal mobility between pastures & reduced livestock nos.

Livelihood improvement

The aim of livelihood improvement activities is to increase herders' income by maximising value from livestock products and developing new sources of income, for example by:

- Increased marketing of milk products – e.g. by forming groups to deliver milk products to local and urban markets;
- Production and sale of wool products – for example felt;
- Gathering and sale of natural resources – for example wild fruit and nuts;
- Production and sale of vegetables.

Sale of PV certificates have to date, and will also continue to, enhance herders' income in the future. Such activities, in conjunction with the biodiversity conservation/ ES service protection activities, are also designed to contribute to wider well-being, resilience and perceptions of security amongst participating herding communities.

D2 Summary of project activities for each intervention (Phases I & II)

Table D2 – Description of activities				
Intervention type	Project Activity	Description	Target group	ES contracted (yes/no)
Improved land management	Seasonal pasture use/ grazing management	Develop and implement schedule for enhanced mobility through seasonal pasture use, linked to reduced grazing pressure and enhanced soil C stocks.	Herders (through heseg/HG)	Yes
Improved land management	Fodder/ forage cultivation	Planting fodder or forage crops	Herders	Yes
Improved land management	Improving water supply to pasture areas	Repairing/constructing hand wells	Herders	Yes
Improved land management (prevention of ecosystem conversion/ degradation)	Biodiversity conservation	Establishing herder partnerships to protect local environment & encourage increased participation in decision-making	Herders	Yes
Improved land management (prevention of ecosystem conversion/ degradation; ecosystem restoration & sustainable resource use)	Biodiversity conservation	Protection of forest areas from degradation or deforestation for example by preventing illegal timber harvesting, and including protection of saxaul forests; production of seedlings for reforestation.	Herders	Yes
Improved land management (prevention of ecosystem conversion/ degradation; ecosystem restoration and sustainable use)	Biodiversity conservation	Reducing grazing pressure and grazing-induced pasture/ habitat degradation, through enhanced seasonal mobility between pastures and reduction in livestock numbers.	Herders	Yes
Improved land management (prevention of ecosystem conversion/ degradation; ecosystem restoration)	Biodiversity conservation	Protecting/conserving key named wild animal populations.	Herders	Yes
Improved land management	Livelihood improvement	e.g. Increased marketing of milk products – forming groups to deliver milk products to local and urban markets; Production and sale of wool products – for example felt; Gathering and sale of natural resources – for example wild fruit and nuts; Production and sale of vegetables; Collaborative repair of key infrastructure such as winter/ spring shelters.	Herders	Yes

D3 Effects of activities on biodiversity and the environment

For all three sites, project activities are designed to make a positive contribution to biodiversity conservation through a) establishment/ consolidation of partnerships between herders for monitoring and protection of key resources, in conjunction with local administration, thus enhancing local participation in biodiversity conservation (a key goal under national CBD commitments); b) monitoring and protection of key named species (e.g. saxaul forest, key fauna); c) prevention of ecosystem degradation/ ecosystem restoration through protection of forest areas, production of seedlings; d) enhancement of rangelands at wider landscape scale, through reduction of grazing pressure and habitat degradation. As part of improved pasture management and livelihood improvement activities, small areas of pasture may be fenced for vegetable production or fodder crops. Such planned activities are very small in scale and have been reviewed in relation to possible impacts on biodiversity. These are not considered to pose a threat to biodiversity at the locations and scales proposed for such activities. Full details of proposed activities, monitoring and indicators are included in Section K and in site specific Management Plans at Annex 5 (Phases I and II).

The activities are also designed to make a positive contribution to local soil and water issues, primarily through enhancing seasonal mobility of livestock and thus reducing seasonal grazing pressures and localized soil erosion, even where there are no significant reductions in overall livestock numbers. Measures to repair wells and enhance water access also help to spread grazing pressure.

Part E: Community participation

E1 Participatory project design

All activities within the project were developed by project participants with the support of the project coordinator, MSRM. During the preparatory phase of the PV PCCA project (Phase I), and as part of the Darwin Initiative ‘Values and Valuation’ project (2012-2015)⁶, MSRM worked with *heseg*/ herder groups to facilitate the participatory development of each group’s own activity plan. These groups self-identified as wishing to take part in the Plan Vivo process, from a wider range of groups involved with the Darwin project. All were in existence and functioning prior to the initiation of the Darwin or PV projects and had worked with the project coordinators (MSRM) or Professor Upton previously. The process of participatory planning with self-identified PV groups is also detailed under Section J1. Similarly, a series of participatory review and planning meetings were undertaken between MSRM and Phase I herder groups on completion of Phase I to review key benefits and lessons learned; establish herder groups’

⁶ The Darwin Initiative funded ‘Values and Valuation: New Approaches to Conservation in Mongolia’ project was instituted by University of Leicester (C. Upton) and MSRM (Professor Dorligsuren and D. Dulmaa) from 2012-2015. Preparation and initiation of Plan Vivo activities formed a key part of the activities under this project.

willingness to continue into Phase II, and to plan activities and indicators for Phase II, given that all herder groups opted to continue. Through a series of meetings with MSRM all members of herder groups have undertaken participatory planning in relation to the following main issues for Phases I and/or II:

- i. **Pasture use planning:** herders have discussed and developed new plans for seasonal movement schedules, use of previously under-used pasture area, resting of certain pasture areas, development of hayfields, as appropriate to specific locations and pasture conditions.
- ii. **Maintenance/ repair of winter and other shelters and hand wells,** through cooperation within the group.
- iii. **Cooperation in livestock/ raw material marketing, felt processing and dairy product manufacturing.** Prior to Phase I, most herders processed products only at the household level, and in some cases only for their own domestic use. More effective manufacturing and marketing, taking account of economies of scale, has the potential to play a big role in income generation and livelihood improvement in the future.
- iv. **Environmental protection/ conservation:** for example in relation to forest protection and deforestation; protection of key fauna, as specified for each participating *heseg* in Section D, above and in more detail in Section K and the site specific Management Plans at Annex 5.

The planning process for both Phases I and II was driven by the requirement to address local needs and priorities, with herders identifying their own lists of planned activities. For Phase I, subsequent discussions with MSRM and, for biodiversity related activities in particular, with Zoological Society of London (ZSL), were then used to filter out activities that may not be admissible under the Plan Vivo process or were unacceptable to Darwin (for example extensive fencing of pasture; planting of non-native species), to arrive at a final agreed list. Herder groups then participated in the development of monitoring plans and indicators for these activities, through repeated field visits by MSRM from 2013 and, specifically for biodiversity, by visits and training events with ZSL over the same period, and culminating in an Ulaanbaatar-based workshop in June 2015. MSRM ensured that agreed indicators were clearly set out in site specific Management plans and linked to the Technical Specification. Herder group leaders also compiled and mapped information on planned activities and secured approval for any planned changes in resource use from local government officials (e.g. *soum* and *bag* governors). The same basic process was followed for Phase II planning and development of *heseg*-specific management plans. Prior to PCCA, the *heseg*/ herder groups were already set up to include poorer, marginalized households, and typically included all households who shared key seasonal pasture areas. Thus, households



were not excluded on the basis of age, gender, income, and ethnicity etc. The target groups participating in the project are as identified in Section C, namely Hongor Ovoo *heseg*, Ikh Tamir *soum*, Arkhangai *aimag*; Ikh Am *heseg*, Undurshireet *soum*, Tuv *aimag*; Dulaan Khairkhan herder group, Bogd *soum*, Bayanhongor *aimag*.

Heseg members working with ZSL, Ulaanbaatar workshop, June 2015

A fourth group, Dert *heseg*, Ulziit *soum*, Dundgov *aimag*, also showed commitment to participating in the PV process and took part in a series of initial planning exercises for Phase I. However, due to adverse climatic and pasture conditions, they were all away from their *heseg* territory on long distance migration (*otor*) in summer/ autumn 2014, the critical period for finalization of Phase I plans. Therefore, they are not included here. Members of Dert *heseg* attended the project training workshop in Ulaanbaatar in June 2015, when they reaffirmed their commitment to participate in the Plan Vivo process at some point in the future.

Prior to the start of Phase I in 2015, participating groups all had their own established structures, with elected leaders, accountants and committees, accountable to all members. These structures and procedures required meetings of all members at least twice per year, with additional meetings of all members to be called as required. Leaders were and are elected by a democratic process involving all members, with elections typically taking place every four years. These structures have enabled the participatory development of Plan Vivos, including all *heseg* members. The final signing of the PES agreements is by members nominated through existing structures and processes, and with the free, prior and informed consent of all *heseg*/ herder group members.

As outlined above, groups typically include all households within shared seasonal pasture areas, and as such do not exclude marginalized or vulnerable groups. Where any local households are not *heseg* members, for example due to financial or labour implications of group membership, they are encouraged to join, for example by waiving any membership fees, to be repaid out of initial PV income.

E2 Community-led implementation

The Plan Vivos & Management Plans (as summarized in Section K and included in full for each sites at Annex 5, for both Phases I and II), were prepared through the processes set out above. For Phase I, these were finalized and GIS versions prepared during an intensive round of meetings and community planning activities in September/ October 2014. These were then approved by the project coordinator, MSRM, for submission as part of this PDD. They were cross-checked and are consistent with the project's Technical Specifications, submitted as part of this PDD, within Section G. A comparable process was undertaken in preparation for Phase II. These Phase I and II Plan Vivos, as submitted, are designed to enhance livelihoods and will not undermine food security. The project coordinator has made this evaluation on the basis of a lengthy track record of working with these communities and through the participatory planning process with the communities themselves. An Ulaanbaatar-based workshop in June 2015 was used to address any revisions required in the first submission of the PDD through detailed discussion with herder groups/ *heseg*. This also provided an opportunity for further training by MSRM on Plan Vivo monitoring and implementation and for mutual learning between all parties. Further training was also provided to government officials through this workshop. These plans were signed off

by local *soum* officials as part of the official inception of Plan Vivo activities.

During the September/ October 2014 planning round a GIS technician from MSRM worked with the *heseg* to record boundary coordinates of all planned Project Intervention Areas and to produce maps, irrespective of whether these exceeded 5 ha. These are appended at Annex 5. Mongolian language versions were made available to participating *heseg*. These were discussed extensively with participating *heseg* during their production in autumn 2014, and again at the June 2015 workshop, as a final check prior to submission of this updated PDD. These maps were further checked and any adjustments made as part of the Phase II preparations.

E3 Community-level project governance

Heseg have been central to development of PVs so far, through the participatory planning process outlined above. During the initial Phase I 4 year commitment period regular *heseg*/ community meetings provided the forum for discussions of the design and running of the PV project. Such discussions were noted/ minuted and shared with MSRM, for their feedback and comment if desired. *Heseg* periodically invited MSRM staff to attend such meetings, where required, for example to discuss and problems or grievances. This same process is being replicated under Phase II.

Any non-participating households are able to raise any problems and grievances through *soum* and *bag khural* (meetings) and the local Citizens' Representative *Khural* (CRK), the usual local channels for discussion and decision-making. Where required the project coordinator can be called to attend these meetings. Otherwise, discussions can be reported back by *soum* or *bag* governors or CRK members. In the planning stage at the start of Phase I it was agreed that any and all grievances received, by whatever channel, would be recorded by MSRM in writing. MSRM would also be required to respond in writing or in person to the appropriate *bag*/ *soum khural* or *heseg*. Grievances and details of their resolution would also be reported to Plan Vivo by MSRM.

However, no such grievances were received during Phase I, or Phase II to date. These procedures will continue to apply throughout Phase II, should any grievances be raised.

Part F: Ecosystem Services & Other Project Benefits

F1 Carbon benefits

For both Phases I and II the climate benefits expected to result from project activities were estimated using the approaches described in the Technical Specification (Part G, and as set out in Annex 8).

In addition, existing sources of data, such as published analyses of biomass and

biomass utilisation rates, in conjunction with site specific measurements of biomass at project sites were assessed in order to determine and contextualise ‘with project’ benefits. Specifically:

i) Hongor Ovoo heseg, Ikh Tamir soum:

The CENTURY model was previously validated for this area of Mongolia prior to PCCA Phase I, based on extensive soil and biomass sampling and analyses, by Values for Development, who also undertook the modelling work in this instance. In accordance with the Annex 8 methodology, the validated CENTURY model was parameterised for this *heseg* area, drawing on site-specific baseline grazing management practices, planned ‘with project’ grazing practices over the initial Phase I 4 year commitment period (spring 2015-19) and subsequent Phase 2 period (2019-2029) and local climate, soil and vegetation data. In Hongor Ovoo, as in all cases, the baseline grazing scenarios were developed by MSRM through repeated discussions with *heseg* members, observation, and cross-checking with *soum* officials and analysis of annual livestock records for each *soum* and *heseg*. Participatory mapping with herder groups enabled spatial analysis of baseline movement patterns and stocking rates for different types of pasture. These data were combined with baseline biomass data, derived from project specific sampling, *soum* pasture reports, other published sources and Values for Development modelled data, to calculate baseline biomass utilisation rates and to determine stocking rates and biomass utilisation rates under planned ‘with project’ scenarios for both Phases I and II. For Hongor Ovoo *heseg*, in Phase I herders undertook to reduce total livestock numbers (converted into sheep units)⁷ by 5% against baseline rates the end of the first four year commitment period. They also undertook to reduce grazing pressure through increased numbers of seasonal camps, in accordance with the indicators summarised in Section K and specified in detail in the Phase I Management Plans at Annex 5. Herders’ planned changes in grazing practices for Phase I were then combined with modelled data to determine carbon sequestration rates per ha for the planned changes in grazing practices. This is the key data here, with reductions in biomass utilisation rates rather than biomass per se being the important parameter and the positive ‘with project’ change. This same approach and process was followed for Phase II. Details of planned changes in Phase II are presented in the Phase II Management Plan at Annex 5.

In accordance with modelled data, and to ensure a conservative approach, only grazing practices and stocking rates equivalent to 50% biomass utilisation or less are considered to make significant contributions to carbon sequestration. Table G5.3 in Section G shows modelled changes in carbon sequestration associated with different ‘with project’ management scenarios (50%, 40% and 30% biomass utilisation rates) for Hongor Ovoo. As for all sites, carbon sequestration calculations relate only to grasslands and to improved grazing management practices. This is a conservative approach, as certain planned activities such as production and planting of tree seedlings

⁷ Sheep units (SU) are based on the following conversions and in accordance with accepted best practice in Mongolia: adult camel: 5 SU; young camel: 1 SU; adult cattle: 6 SU; young cattle: 1.2 SU; adult horse: 7 SU; young horse: 1.4 SU; adult goats: 0.9 SU; young goats: 0.2 SU.

at this site may also reasonably be expected to have positive benefits in relation to carbon sequestration. Nonetheless the technical specification and modelling in relation to carbon (see section G) and subsequent calculations of carbon benefits do not include tree planting. The planned movement patterns, stocking rates and biomass usage are incorporated into the Management Plans and monitoring indicators at Annex 5 for both Phases I and II, and as summarised in Section K.

It should also be noted that this project operates an ex-post approach to actual generation of PV certificates; in other words modelled sequestration rates are presented here, drawing on CENTURY modelling and herders' annual planned stocking rates and movement patterns. However, for each Annual Report, actual stocking rates, movement patterns and biomass figures for the previous year are substituted into the Grazing Management sheets (Annex 5, Table A5 1C, for Hongor Ovoo), to derive actual modelled outputs, reflecting herders' practices on the ground.

ii) Ikh Am Heseg, Undurshireet soum:

Data on actual (Phase I) and planned (Phase II) livestock numbers, stocking rates and mobility for this site are summarised in Table F1a below (equivalent tables for other sites are in Annex 5). The table also links the baseline and these planned 'with project' activities to biomass utilisation rates. Baseline and 'with project' biomass figures are derived from site specific sampling and analysis conducted as part of this project, and from secondary and published sources as highlighted above, which are also used to predict changes in biomass year on year under 'with project' scenarios. For Ikh Am heseg, in Phase I herders originally undertook to reduce total livestock numbers (converted into sheep units) by 30% against baseline rates the end of the first four year commitment period. They also undertook to reduce grazing pressure through increased numbers of seasonal camps, in accordance with the indicators specified in the Management Plans at Annex 5. Whilst planned reductions in livestock numbers were not achieved in full, some reductions in numbers combined with enhanced movement patterns and increased biomass, nonetheless resulted in positive benefits (see Year 4 (2019) Annual report, available online at [Pastures, Conservation, Climate Action – Documents](https://www.planvivo.org/pastures-conservation-climate-action-documents) | [Plan Vivo Foundation](https://www.planvivo.org/pastures-conservation-climate-action-documents); Annual Reports, 2018-2019; <https://www.planvivo.org/pastures-conservation-climate-action-documents>).

As specified for Hongor Ovoo, above, these data were then mapped onto soil carbon and C sequestration through parameters derived from the CENTURY model for comparable landuse, soil and vegetation types and in accordance with published data. The CENTURY model already includes adjustment for uncertainty (see Section G6). For this site and for Dulaan Khairkhan (Bogd), further adjustments were applied, with an increased risk factor of 20% for this site by comparison with Hongor Ovoo, for which the model was originally calibrated. It is also notable that summer pastures are not included in carbon calculations for the Ikh Am site. This reflects established grazing practices over many years, by which usage of summer pastures is highly variable year on year, with many incoming herders and irregular usage patterns of Ikh Am herders, making planning for and calculation of grazing pressure into the future especially

problematic. This is a conservative approach, but given the particularly variable nature of usage of these summer pastures, incoming herders and leakage issues, as identified by Ikh Am *heseg* members, these pastures are conservatively omitted from calculations. Spring pastures are included, as usage by incoming herders is not such a significant issue, even though movement of a proportion of Ikh Am herders to spring pastures outside their *heseg* area is a well-established practice over many years. Monitoring of 'with project' activities is designed to ensure that additional leakage does not occur under the project, especially given planned reductions in livestock numbers.

This same approach and process was followed for Phase II. Details of planned changes in Phase II are presented in the Phase II Management Plan at Annex 5. The planned movement patterns, stocking rates and biomass usage are incorporated into the Management Plans and monitoring indicators at Annex 5, and as summarised in Section K.

Table F1a Grazing Management, Stocking Rates and Biomass Utilisation, Ikh Am heseq, Undurshireet soum.

i) Phase I (verified data) (2015-2019)

	Grazing location	Riparian meadow	Mountain steppe		Steppe	
		Spring	Spring	Winter	Spring	Winter
1.1	description of baseline grazing practices					
	Baseline (2014-2015)					
	number of days grazing in this location	82	82	130	82	130
	average no. of moves (camps) in location	2	2	1	2	2
	average no. sheep units (SU) grazing in location	8046	5168	12589	8154	8779
	area (ha)	851.7	703.3	7804.8	1517.1	7441.3
	yield (kg DM ha)	450	350	350	256	256
	total yield (kg DM)	383256	246155	2731690	388378	1904973
1.2	estimation of biomass utilisation rate					
	<i>kg DM per sheep unit per day</i>	1.4	1.4	1.4	1.4	1.4
	<i>no. days grazing for each plot in this location</i>	41	41	130	41	130
	<i>total biomass demand</i>	461840.4	296643.2	2291198	468039.6	1597778
	<i>estimated biomass utilisation rate (%)</i>	1.2	1.2	0.8	1.2	0.8
2.1	description of with-project grazing					
2.1.1	Year 1 (2015-16)					
	start of grazing season (dd/mm)	1-Mar-15	1-Mar-15	20-Nov-15	1-Mar-15	20-Nov-15
	end of grazing season (dd/mm)	10-Jun-15	10-Jun-15	1-Mar-16	10-Jun-15	1-Mar-16
	number of days grazing in this location	101	101	102	101	102
	average no. of moves (camps) in location	5	5	1	5	1
	average no. SU grazing in location	9501	6102	16641	9627	8578
	area (ha)	851.7	703.3	7804.8	1517.1	7441.3
	yield (kg DM ha)	510	402	402	295	295
	total yield (kg DM)	434367.0	282726.8	3137529.6	447544.5	2195183.5
2.1.2	estimation of sustainable carrying capacity					
	recommended biomass utilization rate (%)	0.5	0.5	0.5	0.5	0.5
	<i>kg DM per sheep unit (SU) per day</i>	1.4	1.4	1.4	1.4	1.4
	<i>no. days grazing for each plot in this location</i>	20	20	102	20	102
	<i>total SU that can be grazed to sequester carbon</i>	7756.6	5048.7	10985.7	7991.9	7686.2
		1.22	1.21	1.51	1.20	1.12
2.1.3	Year 2 (2016-17)					
	start of grazing season (dd/mm)	1-Mar-16	1-Mar-16	20-Nov-16	1-Mar-16	20-Nov-16
	end of grazing season (dd/mm)	10-Jun-16	10-Jun-16	1-Mar-17	10-Jun-16	1-Mar-17
	no. days grazing in this location	101	101	101	101	101
	average no. moves (camps) in this location	6	6	2	6	1
	average no. SU grazing in location	9873	6341	17293	10005	8914
	area (ha)	851.7	703.3	7804.8	1517.1	7441.3
	yield (kg DM ha)	675	525	525	415	415
	total yield (kg DM)	574897.5	369232.5	4097520.0	629506.5	3088139.5
	estimation of sustainable carrying capacity					
	recommended biomass utilization rate (%)	0.5	0.5	0.5	0.4	0.5
	<i>kg DM per sheep unit per day</i>	1.4	1.4	1.4	1.4	1.4
	<i>no. days grazing for each plot in this location</i>	17	17	51	17	101
	<i>total SU that can be grazed to sequester carbon</i>	12197.3	7833.8	28978.2	10686.2	10919.9
		0.81	0.81	0.60	0.94	0.82
	Year 3 (2017-18)					
	start of grazing season (dd/mm)	1-Mar-17	1-Mar-17	20-Nov-17	1-Mar-17	20-Nov-17

end of grazing season (dd/mm)	10-Jun-17	10-Jun-17	1-Mar-18	10-Jun-17	1-Mar-18
no. days grazing in this location	101	101	101	101	101
average no. moves (camps) in this location	8	8	3	8	2
average no. SU grazing in location	7673	4928	13440	7776	6928
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	405	315	315	230	230
total yield (kg DM)	344938.5	221539.5	2458512.0	349539.8	1714475.5
estimation of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.4	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no. days grazing for each plot in this location	13	13	34	13	51
total SU that can be grazed to sequester carbon	7806.2	5013.6	26080.4	7910.4	12125.0
	0.98	0.98	0.52	0.98	0.57
Year 4 (2018-19)					
start of grazing season (dd/mm)	1-Mar-18	1-Mar-18	20-Nov-18	1-Mar-18	20-Nov-18
end of grazing season (dd/mm)	10-Jun-18	10-Jun-18	1-Mar-19	10-Jun-18	1-Mar-19
number of days grazing in this location	101	101	101	101	101
average no. moves (camps) in this location	6	6	3	6	2
average no. SU grazing in location	6847	4398	11993	6938	6182
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	540	420	420	332	332
total yield (kg DM)	459918.0	295386.0	3278018.0	503677.2	2470511.6
estimation of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.4	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no. days grazing for each plot in this location	13	13	34	13	51
total no. SU can be grazed to sequester carbon	10108.1	6492.0	34432.9	11069.8	17300.5
	0.68	0.68	0.35	0.63	0.36

*0.3 denotes 30%; 0.4=40% etc.

ii) Phase II (future modelled data) (2019-2029)

Phase II					
Year 5 (2019-20)					
start of grazing season (dd/mm)	1-Mar-18	1-Mar-18	20-Nov-18	1-Mar-18	20-Nov-18
end of grazing season (dd/mm)	10-Jun-18	10-Jun-18	1-Mar-19	10-Jun-18	1-Mar-19
number of days grazing in this location	101	101	101	101	101
average no of moves (camps) in this location	6	6	3	6	2
average no SU grazing in this location	9427	6055	14749	9553	10286
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	750	533	333	533	333
total yield (kg DM)	638775.0	374858.9	2598998.4	808614.3	2477952.9
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.4	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no. of days grazing for each plot in this location	17	17	34	17	51
total no SU can be grazed to sequester carbon	10842.0	6362.5	27570.7	13724.7	17524.4
	0.87	0.95	0.53	0.70	0.59
Year 6 (2020-2021)					
start of grazing season (dd/mm)	1-Mar-18	1-Mar-18	20-Nov-18	1-Mar-18	20-Nov-18
end of grazing season (dd/mm)	10-Jun-18	10-Jun-18	1-Mar-19	10-Jun-18	1-Mar-19
number of days grazing in this location	101	101	101	101	101
average no of moves (camps) in this location	6	6	3	6	2
average no SU grazing in this location	7805	5013	12211	7909	8516
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	600	450	360	450	350
total yield (kg DM)	511020.0	316485.0	2809728.0	682695.0	2604455.0
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.4	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	17	17	34	17	51
total no SU can be grazed to sequester carbon	8673.6	5371.7	29806.2	11587.5	18419.1
	0.90	0.93	0.41	0.68	0.46
Year 7 (2021-2022)					
start of grazing season (dd/mm)	1-Mar-18	1-Mar-18	20-Nov-18	1-Mar-18	20-Nov-18
end of grazing season (dd/mm)	10-Jun-18	10-Jun-18	1-Mar-19	10-Jun-18	1-Mar-19
number of days grazing in this location	101	101	101	101	101
average no of moves (camps) in this location	6	6	3	6	2
average no SU grazing in this location	4647	3759	8528	7602	7480

area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	676.2	662.4	690	621	634.8
total yield (kg DM)	575919.5	465865.9	5385312.0	942119.1	4723737.2
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.5	0.4	0.3	0.5	0.4
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	17	17	34	17	51
total no. SU can be grazed to sequester carbon	12218.9	7907.2	34277.1	19988.4	26725.5
	0.38	0.48	0.25	0.38	0.28
Year 8 (2022-23)					
start of grazing season (dd/mm)	20-Mar-22	20-Mar-22	10-Nov-22	20-Mar-22	10-Nov-22
end of grazing season (dd/mm)	10-Jun-22	10-Jun-22	20-Mar-23	10-Jun-22	20-Mar-23
number of days grazing in this location	82	82	130	82	130
average no of moves (camps) in this location	6	6	2	6	2
average no. SU grazing in this location	4554	3684	8357	7450	7331
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	608	484	441	430	383
total yield (kg DM)	517578.1	340561.3	3438014.4	652707.0	2846545.3
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.5	0.5	0.5	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	14	14	65	14	65
total no SU can be grazed to sequester carbon	10820.4	8899.7	18890.2	17056.8	15640.4
	0.42	0.41	0.44	0.44	0.47
Year 9 (2023-24)					
start of grazing season (dd/mm)	20-Mar-23	20-Mar-23	10-Nov-23	20-Mar-23	10-Nov-23
end of grazing season (dd/mm)	10-Jun-23	10-Jun-23	20-Mar-24	10-Jun-23	20-Mar-24
number of days grazing in this location	82	82	131	82	131
average no of moves (camps) in this location	6	6	2	6	2
average no SU grazing in this location	4463	3610	8190	7301	7184
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	608	484	441	430	383
total yield (kg DM)	517578.1	340561.3	3438014.4	652707.0	2846545.3
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.5	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	14	14	66	14	66
total no SU can be grazed to sequester carbon	10820.4	8899.7	18746.0	13645.4	15521.0
	0.41	0.41	0.44	0.54	0.46
Year 10 (2024-25)					
start of grazing season (dd/mm)	20-Mar-24	20-Mar-24	10-Nov-24	20-Mar-24	10-Nov-24
end of grazing season (dd/mm)	10-Jun-24	10-Jun-24	20-Mar-25	10-Jun-24	20-Mar-25
number of days grazing in this location	82	82	130	82	130
average no of moves (camps) in this location	6	6	2	6	2
average no. SU grazing in this location	4374	3538	8026	7155	7040
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	608	484	441	430	383
total yield (kg DM)	517578.1	340561.3	3438014.4	652707.0	2846545.3
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.5	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	14	14	65	14	65
total no SU can be grazed to sequester carbon	10820.4	8899.7	18890.2	13645.4	15640.4
	0.40	0.40	0.42	0.52	0.45

Year 11 (2025-26)					
start of grazing season (dd/mm)	20-Mar-25	20-Mar-25	10-Nov-25	20-Mar-25	10-Nov-25
end of grazing season (dd/mm)	10-Jun-25	10-Jun-25	20-Mar-26	10-Jun-25	20-Mar-26
number of days grazing in this location	82	82	130	82	130
average no of moves (camps) in this location	6	6	2	6	2
average no SU grazing in this location	4286	3467	7866	7012	6899
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	608	484	441	430	383
total yield (kg DM)	517578.1	340561.3	3438014.4	652707.0	2846545.3
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.5	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	14	14	65	14	65
total no SU can be grazed to sequester carbon	10820.4	8899.7	18890.2	13645.4	15640.4
	0.40	0.39	0.42	0.51	0.44
Year 12 (2026-27)					
start of grazing season (dd/mm)	20-Mar-26	20-Mar-26	10-Nov-26	20-Mar-26	10-Nov-26
end of grazing season (dd/mm)	10-Jun-26	10-Jun-26	20-Mar-27	10-Jun-26	20-Mar-27
number of days grazing in this location	82	82	130	82	130
average no of moves (camps) in this location	6	6	2	6	2
average no SU grazing in this location	4201	3398	7708	6872	3633
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	608	484	441	430	383
total yield (kg DM)	517578.1	340561.3	3438014.4	652707.0	2846545.3
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.5	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	14	14	65	14	65
total no SU can be grazed to sequester carbon	10820.4	8899.7	18890.2	13645.4	15640.4
	0.39	0.38	0.41	0.50	0.23
Year 13 (2027-28)					
start of grazing season (dd/mm)	20-Mar-27	20-Mar-27	10-Nov-27	20-Mar-27	10-Nov-27
end of grazing season (dd/mm)	10-Jun-27	10-Jun-27	20-Mar-28	10-Jun-27	20-Mar-28
number of days grazing in this location	82	82	131	82	131
average no of moves (camps) in this location	6	6	2	6	2
average no SU grazing in this location	4117	3330	7554	6734	3560
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	608	484	441	430	383
total yield (kg DM)	517578.1	340561.3	3438014.4	652707.0	2846545.3
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.5	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	14	14	66	14	66
total no SU can be grazed to sequester carbon	10820.4	8899.7	18746.0	13645.4	15521.0
	0.38	0.37	0.40	0.49	0.23
Year 14 (2028-29)					
start of grazing season (dd/mm)	20-Mar-28	20-Mar-28	10-Nov-28	20-Mar-28	10-Nov-28
end of grazing season (dd/mm)	10-Jun-28	10-Jun-28	20-Mar-29	10-Jun-28	20-Mar-29
number of days grazing in this location	82	82	130	82	130
average no of moves (camps) in this location	6	6	2	6	2
average no SU grazing in this location	4075	3297	7479	6667	3524
area (ha)	851.7	703.3	7804.8	1517.1	7441.3
yield (kg DM ha)	608	484	441	430	383
total yield (kg DM)	517578.1	340561.3	3438014.4	652707.0	2846545.3
est. of sustainable carrying capacity					
recommended biomass utilization rate (%)	0.4	0.5	0.5	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	14	14	65	14	65
total no SU can be grazed to sequester carbon	10820.4	8899.7	18890.2	13645.4	15640.4
	0.38	0.37	0.40	0.49	0.23

*0.3 denotes 30%; 0.4=40% etc.

iii) Dulaan Khairkhan herder group, Bogd soum:

Detailed data on livestock numbers, stocking rates and mobility for this site, equivalent to the example Table F1a for Ikh Am above, are presented in Annex 5, in conjunction with the site specific management plans for Phases I and II. As for Ikh Am and Hongor Ovoo, the table also links the baseline and the planned ‘with project’ activities for Dulaan Khairkhan to biomass utilisation rates. Baseline and with project biomass figures are derived from site specific sampling and analysis conducted as part of this project, and from secondary and published sources as highlighted above, which are also used to predict changes in biomass year on year under ‘with project’ scenarios. In Phase I,

herders undertook to reduce total livestock numbers (converted into sheep units) by 5% against baseline rates by the end of the first four year commitment period. They also undertook to reduce grazing pressure through increased numbers of seasonal camps, in accordance with the indicators specified in the Management Plans at Annex 5. As specified for Hongor Ovoo, above, these data were then mapped onto soil carbon and C sequestration through parameters derived from the CENTURY model for comparable land use, soil and vegetation types and in accordance with published data. Further adjustments were applied, with an increased risk factor of 20% for this site by comparison with Hongor Ovoo (risk factor of 10%), for which the model was originally calibrated. The planned movement patterns, stocking rates and biomass usage are incorporated into to the Management Plans and monitoring indicators at Annex 5, and as summarised in Section K. Results for Phase I are presented in full in the Year 4 (2019) Annual report, available online at [Pastures, Conservation, Climate Action – Documents | Plan Vivo Foundation](https://www.planvivo.org/pastures-conservation-climate-action-documents); Annual Reports, 2018-2019; <https://www.planvivo.org/pastures-conservation-climate-action-documents>). As for Ikh Am, tables in Annex 5 present actual stocking rates, movement patterns and biomass utilisation for Phase I and modelled rates for Phase II.

The actual (Phase I) and expected (Phase II) climate benefits for the three project sites are summarized in Table F1b.

Table F1b – Summary of Climate benefits: Phase I

Area ID	Total Area (ha)	Maximum Total ER's (Yrs 1-4) acc. to CENTURY model	Maximum Saleable ER's (Yr 1-4)	Estimated % achieved (Yr 1-4)	Total ER's achieved (Yr 1-4) acc. to monitoring results.	Saleable Ers available for issuance (Yr 1-4)	ER's available for buffer contribution (Yr 1-4)	ER's Issued as PVCs (Yr 1-3)	Allocated to Buffer account (Yr 1)	Saleable ER's available for future issuances	ER's available for future buffer allocation
		a	b	c=a*100%	d	e=d* 80 or 90%	f=d* 10 or 20%	g	h	i=e-g	j=f-h
Hongor Ovoo	36756	51139	46025	51139 (100%)	49208	44287	4921	11011	1688	33276	3233
Ikh Am	18241	20055	16044	20055 (100%)	15884	12707	3177	2327	802	10380	2375
Dert (N/A for this commitment period)		n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Dulaan Khairkhan	22485	38375	30700	38375 (100%)	42100	33680	8420	6677	2303	27003	6117
Totals	77482	109569	92769	109569	107192	90674	16518	20015	4793	70659	11725

NB: Risk buffer allocations are different across the three sites (H.O. 10%, L.A. 20%, D.K. 20%)

Summary of Modelled Climate Benefits Phase II

	1	2	3	4	5	2-(1+3+4+5)
Project site	Baseline carbon uptake i.e. without project (t CO ₂ e)	Additional modelled carbon uptake/ emissions reductions with project (t CO ₂ e)	Expected losses from leakage (t CO ₂ e)	Deduction of risk buffer (t CO ₂ e)	Uncertainty adjustment (t CO ₂ e)	Net carbon benefit (t CO ₂ eha)
i) Hongor Ovoo	(see Table G5.3)	76133	(see below)	7613 (10%)	(included in column 2 figures)	68519
ii) Ikh Am	(see Table G5.3)	56592	(see below)	11318 (20%)	As above	45274
iv) Dulaan Khairkhan	(see Table G5.3)	54048	(see below)	10810 (20%)	As above	43238

	1	2	3	4	5	2-(1+3+4+5)
Project site	Baseline carbon uptake i.e. without project (t CO ₂ e)	Additional modelled carbon uptake/ emissions reductions with project (t CO ₂ e)	Expected losses from leakage (t CO ₂ e)	Deduction of risk buffer (t CO ₂ e)	Uncertainty adjustment (t CO ₂ e)	Net carbon benefit (t CO ₂ eha)
i) Hongor Ovoo	(see Table G5.3)	78893	(see below)	7889 (10%)	(included in column 2 figures)	71004
ii) Ikh Am	(see Table G5.3)	56777	(see below)	11355 (20%)	As above	45422
iv) Dulaan Khairkhan	(see Table G5.3)	62247	(see below)	12449 (20%)	As above	49798

A worked example for Ikh Am is included below to show how figures in column 2 are derived from the grazing management plans summarised in Table F1a and the CENTURY modelling of changes in carbon sequestration under different pasture type and grazing pressure scenarios. Equivalent data for the other two sites is included for information at Annex 5.

Table G.5.3, Section G, provides further details of the modelled changes in carbon uptake by pasture type and grazing practices from which the figures in columns 2, 5 and 8, in the following tables are derived. Further information on leakage, risk and uncertainty is included

in Section G.

Phase I

Table F1c – Worked Example of Carbon Uptake Calculations, Ikh Am *heseg*.

Undurshireet Ikh Am	1. Area (ha)	2. Additional carbon uptake per ha pa at 30% grazing pressure (with project) (PE(SOC,m,t))	3. Maximum additional carbon uptake pa for 30% grazing pressure (column 1x2)	4. Actual additional carbon uptake at 30% over 4 year project*	5. Additional carbon uptake per ha pa at 40% grazing pressure (with project) (PE(SOC,m,t))	6. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x5)	7. Actual additional carbon uptake at 40% over 4 year project*	8. Additional carbon uptake per ha pa at 50% grazing pressure (with project) (PE(SOC,m,t))	9. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x8)	10. Actual additional carbon uptake at 50% over 4 year project*
<i>Riparian Meadow</i>		(CENTURY model)			(CENTURY model)			(CENTURY model)		
Mar- June	851.7	1.1600	988	2964	0.5468	466	466	0.0156	13	0
<i>Mountain Steppe</i>										
Mar- June	703.3	0.8923	628	1883	0.323	227	227	0.0656	46	0
Nov-March	7804.8	0.5512	4302	0	0.4528	3534	3534	0.2836	2213	4427
<i>Steppe</i>										
Mar- June	1,517.0	0.8923	1354	1354	0.323	490	980	0.0656	100	0
Nov-March	7,441.3	0.5512	4102	0	0.4528	3369	0	0.2836	2110	4221
Total carbon uptake for 30%, 40% and 50% grazing pressure				6200			5207			8648
Total carbon uptake (For 4 year period without risk deduction)	20055	*these 'actual' figures are calculated from the grazing management spreadsheet F1a, by adding up the number of years at a particular grazing pressure for each pasture type from Year 1-Year 4 (i.e. under 'with project' scenarios), and hence the total area and change in carbon uptake for that pasture type at 30%, 40% and 50% grazing pressure. Where stocking rates exceed 50% grazing pressure, additional carbon uptake against the baseline is conservatively assumed to be zero. The CENTURY modelled figures are those for changes against baseline levels (PE(SOC,m,t))- see Table G5.3 for baselines for various pasture types.								
20% risk deduction	4011									
Total carbon uptake (4 year period with risk deduction)	16044									

The same procedures were followed in calculating planned uptake for **Phase II**:

			2. Additional carbon uptake per ha pa at 30% grazing pressure (with project) (PE(SOC,m,t))	3. Maximum additional carbon uptake pa for 30% grazing pressure (column 1x2)	Rate	4. Actual additional carbon uptake at 30% over 10 year project*	5. Additional carbon uptake per ha pa at 40% grazing pressure (with project) (PE(SOC,m,t))	6. Maximum additional carbon uptake pa for 40% grazing pressure (with project) (column 1x5)	Rate	7. Actual additional carbon uptake at 40% over 4 year project*	8. Additional carbon uptake per ha pa at 50% grazing pressure (with project) (PE(SOC,m,t))	9. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x8)	Rate	10. Actual additional carbon uptake at 50% over 4 year project*
Undurshireet Ikh Am	1. Area (ha)	(CENTURY model)					(CENTURY model)				(CENTURY model)			
Riparian Meadow														
Mar- June	851.7	1.16	988.0	0	0	0.5468	466	6	2794	0.0156	13	2	27	
Mountain Steppe														
Mar- June	703.3	0.8923	627.6	0	0	0.323	227	5	1136	0.0656	46	3	138	
Nov-March	7804.8	0.5512	4302.0	1	4302	0.4528	3534	2	7068	0.2836	2213	6	13281	
Steppe								0						
Mar- June	1,517.00	0.8923	1353.6	0	0	0.323	490	1	490	0.0656	100	4	398	
Nov-March	7,441.30	0.5512	4101.6	4	16407	0.4528	3369	0	0	0.2836	2110	5	10552	
Total carbon uptake for 30%, 40% and 50 % grazing pressure					20709				11488					24395
Total carbon uptake (For 4 year period without risk deduction)	56592													
20% risk deduction	11318													
Total carbon uptake (4 year period with risk deduction)	45274													

*these 'actual' figures are calculated from the grazing management spreadsheet F1a, by adding up the number of years at a particular grazing pressure for each pasture type from Year 1-Year 4 (i.e. under 'with project' scenarios), and hence the total area and change in carbon uptake for that pasture type at 30%, 40% and 50% grazing pressure. Where stocking rates exceed 50% grazing pressure, additional carbon uptake against the baseline is conservatively assumed to be zero. The CENTURY modelled figures are those for changes against baseline levels (PE(SOC,m,t))- see Table G5.3 for baselines for various pasture types.

Undurshireet Ikh Am	1. Area (ha)	2. Additional carbon uptake per ha pa at 30% grazing pressure (with project) (PE(SOC,m,t))	3. Max. additional carbon uptake pa for 30% grazing pressure (column 1x2)	4. Actual additional carbon uptake at 30% over 10 year project*	5. Additional carbon uptake per ha pa at 40% grazing pressure (with project) (PE(SOC,m,t))	6. Max additional carbon uptake pa for 40% grazing pressure (column 1x5)	7. Actual additional carbon uptake at 40% over 10 year project*	8. Additional carbon uptake per ha pa at 50% grazing pressure (with project) (PE(SOC,m,t))	9. Max additional carbon uptake pa for 50% grazing pressure (column 1x8)	10. Actual additional carbon uptake at 50% over 10 year project*
Riparian Meadow		(CENTURY model)			(CENTURY model)			(CENTURY model)		
Mar- June	851.7	1.1600	988	0	0.5468	466	4194	0.0156	13	13
Mountain Steppe										
Mar- June	703.3	0.8923	628	0	0.323	227	681	0.0656	46	322
Nov-March	7804.8	0.5512	4302	4302	0.4528	3534	0	0.2836	2213	19917
Steppe										
Mar- June	1,517.0	0.8923	1354	0	0.323	490	3430	0.0656	100	300
Nov-March	7,441.3	0.5512	4102	0	0.4528	3369	6738	0.2836	2110	16880
Total carbon uptake for 30%, 40% and 50 % grazing pressure			4302				15043			37432
Total carbon uptake (For 10 year period without risk deduction)	56777	*these 'actual' figures are calculated from the grazing management spreadsheet F1a, by adding up the number of years at a particular grazing pressure for each pasture type from Year 5-Year 14 (i.e. under 'with project' scenarios), and hence the total area and change in carbon uptake for that pasture type at 30%, 40% and 50% grazing pressure. Where stocking rates exceed 50% grazing pressure, additional carbon uptake against the baseline is conservatively assumed to be zero. The CENTURY modelled figures are those for changes against baseline levels (PE(SOC,m,t))- see Table G5.3 for baselines for various pasture types.								
20% risk deduction	11355									
Total carbon uptake (10 year period with risk deduction)	45422									

F2 Livelihoods benefits

The project activities are have (Phase I) and are expected to (Phase II) benefit the livelihoods of project participants in a number of ways. Table F2.1 (overleaf) relates to the main social group for all three sites (Khalkh Mongol, herders).

In addition to these general benefits, the expected impacts of project activities on key livelihood indicators were also assessed for each project site (see Table F2.2, overleaf, for Phase I). This provides a clear indication to those purchasing Plan Vivo certificates from the project of how the project affects local livelihoods. Assessing whether expected changes have been achieved at the end of the Phase I (again included in Table F2.2) has provided valuable information for refining project activities and assessing expected livelihood benefits ahead of subsequent project periods – in line with the approaches used for the assessment of climate benefits.



Table F2.1 – Livelihoods Impacts

Food and agricultural production	Financial assets and incomes	Environmental services (water soil etc.)	Energy	Timber & non-timber forest products	Land & tenure security	Use-rights to natural resources	Social and cultural assets
<p>Benefits: Enhanced livelihood and food security through:</p> <ul style="list-style-type: none"> i) better seasonal use of pasture, thus enhancing long term sustainability of livelihoods and managing risk; ii) added value through processing and marketing of livestock products – especially milk and wool products iii) diversification e.g. into small scale vegetable production; iv) collaborative haymaking and production of fodder crops. <p>Negative livelihood impacts: None expected. Activities have all been developed by the <i>heseg</i>/ herder groups on the clear understanding that these should in any case, be designed to have positive impacts on livelihoods, irrespective of any Plan Vivo funding. (See further comment below)</p>	<p>Benefits: Enhanced income through:</p> <ul style="list-style-type: none"> i) added value through processing and marketing of livestock products; ii) livelihood diversification e.g. into small scale vegetable production. <p>Risk management and financial security will also be enhanced through contributions to <i>heseg</i>/ herder groups' revolving funds from PV income, thus enabling more low cost loans to be made to low income families/ female headed households, at critical times in the seasonal cycle.</p> <p>Negative livelihood impacts: None expected. See comments under 'Food and Agricultural Production'.</p>	<p>Benefits: Enhanced access to good quality environmental services – through better pasture use and reduction of soil erosion/ degradation through overgrazing; repair of hand wells. Also protection of cultural ES through proposed landscape/ species conservation measures- which link to wider notions of well-being.</p> <p>Negative livelihood impacts: None expected. New sources of low cost wind and solar technology are coming on stream all the time and are providing herders with important access to electricity for light, refrigeration and an ever- expanding range of applications. Benefits from this project will help to bring such innovations within the reach of a wider range of households.</p>	<p>Benefits: The planned interventions do not specifically target energy provision. However, enhanced financial assets and incomes will enable a higher proportion of participating household to purchase low cost solar panels and wind turbines, in turn reducing pressure on local forest resources.</p> <p>Negative livelihood impacts: None expected. New sources of low cost wind and solar technology are coming on stream all the time and are providing herders with important access to electricity for light, refrigeration and an ever- expanding range of applications. Benefits from this project will help to bring such innovations within the reach of a wider range of households.</p>	<p>Benefits: Managed offtake and sale of wild fruits through PV project.</p> <p>Negative livelihood impacts: None expected. Existing <i>heseg</i>/ herder group governance mechanism and agreed procedures for benefit sharing (see Section 15 and Annex 3 agreements) should ensure inclusion and equitable allocation of benefits from such activities.</p>	<p>Benefits: Tenure rights and security are explicitly recognized for all participating herder groups/ <i>heseg</i> through agreement with local <i>soum</i> authorities (see Annex 6). The PV project thus serves to strengthen and make more legible existing tenure rights.</p> <p>Negative livelihood impacts: None expected. Risks related to leakage/ displacement and the need to maintain traditional practices of long distance migration outwith project areas are considered further in Section H. This sets out how balance will be struck between these two issues, given that any attempt to impose rigid boundaries which herders cannot cross in times of need would, in all probability, lead to negative livelihood impacts for participating and neighboring herding households. Thus under PV herders will enjoy more secure and legible rights, whilst maintaining traditional norms of flexibility and reciprocity (see Section H).</p>	<p>Benefits: Use rights to key natural resources, particularly grasslands and water resources are already established through customary norms, supported by specific legal provision such as the 2002 Land Law. Through the specific PV management plans and agreement developed by the participating herder groups/ <i>heseg</i>, requirements for fair and equitable access, including for the poorest and most vulnerable have been further emphasised and enshrined.</p> <p>Negative livelihood impacts: None expected. See also comments under 'Land and tenure security'.</p>	<p>Benefits: The development of PVs has taken place in parallel with examination of ES values and well-being amongst participating groups. This process has highlighted the importance of cultural norms and cultural ES (aesthetic and spiritual values, linked to landscape and biodiversity, for example) as well as more tangible provisioning services. These have shaped herders' identification of key PV activities. Similarly well-being reflects a range of factors, including financial security, environmental quality etc. as well as income. These have shaped the participatory indicators, as well as the PV activities (see Section K and Annex 5).</p> <p>Negative livelihood impacts: None expected.</p>

For 'Food and Agricultural Production', as for other benefits across Phases I and II, PV activities have been designed by participating herders to build on traditional/ established notions of best practices, for example in relation to seasonal mobility and seek to facilitate and support these. Added value for livestock products will offer the prospect of better livelihoods without the need to increase livestock numbers *ad infinitum*. The whole package of measures which together form this Plan Vivo ensure that the adverse ecological and carbon related impacts of increasing stocking rates are also factored into herders' decision making and act as an additional disincentive for increasing livestock numbers. Markets for 'added value' livestock products are already well established in Mongolia – but much of this added value at present goes to people other than the producers (herders). Government policy for the livestock sector is supportive of attempts to enhance local processing and market access. Diversification is designed to support livelihoods and spread risk, while not undermining livestock production as the core source of livelihoods.

Livelihood benefit assessment

Expected livelihood benefits for Phase I were assessed using six key indicators (Table F2.2) that were selected to align with indicators used in national assessment criteria and poverty reports and in discussion with herder groups at project sites. Livelihood indicators were designed to capture important components of herders' livelihoods, as derived both from participatory development of indicators with HG/ *heseg* and drawing on national criteria and poverty/ well-being assessments. The 'own life evaluation' indicator (6) was an important component of the participatory evaluation, with herders explaining that they based this on a balance of factors including income, livestock numbers, judgment of livelihood security, options for diversification, opportunities for children and good environmental quality. Elsewhere, livestock numbers does not feature as a standalone indicator, as increasing grazing pressure is often detrimental to pasture and biodiversity, with government and donor efforts typically focused on improved well-being through, for example, added value of livestock products, fewer high quality animals and diversification opportunities. Disposable income/ savings are an important aspect of well-being/ good livelihoods, as is the interlinked ability to spend on non-food items.

Potential negative livelihood impacts were (Phase I) and have (Phase II) also been considered as part of this assessment. These are explained more fully in relation to diverse aspects of livelihoods in Table F2.1 above. Overall, it is not expected that negative livelihood impacts will arise from project activities and there is no evidence of this from Phase I Annual Reports and herders' feedback. Nonetheless, the interim monitoring indicators and procedures, as set out in Annex 5 and summarized in Section K, were designed to provide an ongoing assessment of livelihood impacts, which will not only trigger disbursement of PV payments (assuming targets are met), but have and will serve to flag up any unexpected/ adverse impacts amongst participating households. For non-participating households, they have been made aware of PV activities and provisions through *soum/ bag* and citizen's representative *khural*

(meetings) (see Section J). These meetings took place on a regular basis throughout the first PV commitment period (Phase I) and are expected to do so throughout Phase II, and will thus continue to offer a forum for non-participants to highlight any concerns as the project proceeds. Elected leaders of citizen's representative *khural* participated in the Phase I June 2015 Ulaanbaatar-based training workshop, together with *heseg* leaders and members and local government officials.

Table F2.2 Initial indicator values (baseline, 2015), expected indicator values (end 1st commitment period, Phase I 2019) and actual end of Phase I results

	HONGOR OVOO			IKH AM			DULAAN KHAIRKHAN		
	Baseline data (2015)	2019 target	2019 actual	Baseline data (2015)	2019 target	2019 actual	Baseline data (2015)	2019 target	2019
1) Livelihood diversification % hh with non-herding income sources	9.1%	30%	11.1%	0.0%	25%	0.1%	22.2%	65%	25.5%
2) Financial capital % hh with savings	18.2%	60%	51.3%	44.8%	75%	74.1%	40.0%	70%	78.6%
3) Household income % of hh with annual income > 3 million tg	13.6%	40%	94.9%	58.6%	80%	100%	66.7%	85%	92.9%
4) Mobility Mean heseg mobility (km/pa)	82	92	102	156	165	167	89	95	209
5) Income availability % hh spending >50% income on non-food expenditure	27.3%	50%	66.7%	65.5%	80%	78%	33.3%	65%	64.3%
6) Own life evaluation % of hh with 'good' or 'very good' own life evaluation score.	10.6%	50%	49%	20.6%	60%	52%	15.4%	55%	57.1%

The baseline values in Table F2.2 were determined for all sites through household surveys conducted during the preparatory Darwin Initiative funded project, and in the summers of 2013/14. A realistic assessment of the expected impact of Phase I project activities on the indicator values was then made, based on repeated socio-economic surveys to confirm trends, multiple meetings and discussions with participating *heseg*/herder groups and review of wider *soum/aimag* trends.

As shown above, these indicators were monitored at the end of the first four year commitment period (Phase I), to check progress and adjust as necessary before any second commitment period. In the event, good progress was made in Phase I against the majority of indicators, and exceeded expectations in many cases. It is expected that progress will continue in Phase II and again will be monitored at the end of that

commitment period. Annual reports available this far for Phase II (Years 5, 6 and 7), as available on the PV website, provide detailed evaluations of activities in the first few years of Phase II. Forthcoming ARs will continue to do so. Other specific Phase II livelihood indicators for various sites, which will be monitored on an annual or biannual basis, are included in management plans at Annex 5. These various indicators operate in parallel with but do not replace the activity-based, participatory monitoring indicators set out in Section K, which together with the Annex 5 management plan indicators, will be the triggers for disbursement of payments from sale of PV certificates.

As explained in Section C2 and F2 (above), the indicators in Table F2.2 were designed to capture diverse components of herders' livelihoods/ well-being, as derived from herder groups/ *heseg* themselves during preparatory meetings and evaluations prior to Phase I, and also to align with aspects of national and common donor assessment criteria. The predicted improvements or gains in relation to these indicators over Phase I, as set out in Table F2.2 reflected a) current site specific issues and contexts at the time and b) planned activities under Phase I Plan Vivo, as detailed in Management Plans. These may be summarised for the three participating sites as follows. Comments here relate to the pre project (pre Phase I) situation in 2014/15:

i) Hongor Ovoo heseg

Levels of livelihood diversification at this site are currently low. Proposed activities under Plan Vivo focus more on improved income from herding, particularly through collaborative marketing and processing of livestock products, rather than on diversification *per se*. Hence the expected improvement against this indicator over the four year period is deliberately modest, but will nonetheless prove significant to local families. The large number of households in this *heseg* (71 households in 2015) also make improvement of percentages for various indicators more challenging than for some smaller *heseg*, as it requires a greater number of families to experience significant change for overall improvements to be seen. However, enhanced income will, of course, provide opportunities for further livelihood diversification in the future, while activities such as sale of wild nuts and fruits will provide one source of non-herding income. Following from the above the expected gains in relation to financial capital (savings) and increased income (indicators 2 and 3 in Table F2.2) are more ambitious, constituting up to half of the maximum potential improvement for each of these indicators. The proposed livelihood improvement activities under Plan Vivo (see Annex 5) can reasonably be expected to generate additional livestock-based income through better marketing and economies of scale in processing and selling products. Such activities also fit well with emergent government policy initiatives and support for the livestock sector, for example through the National Livestock Programme, and linked to better and more stable prices for livestock products. The PV activities proposed will not duplicate such initiatives, but will enable the herders of Hongor Ovoo (and other participating *heseg*/ herder groups) to engage with and derive maximum benefit from them. Increased income over the four year period will also enable increased expenditure on non-food income (Indicator 5: income availability). Expected gains in annual mobility, as evaluated both at household and *heseg* level, are based on the currently relatively low levels of annual mobility, and taking account of a) the need to avoid leakage; b) the size of and distribution of pastures in the *heseg* territory and c) plans for increased numbers of camps within seasonal pasture areas under 'with

project' scenarios (Figure 2, Section B and Annex 5). This improved pasture rotation is designed to enhance mobility both through better use of currently undergrazed pasture areas and through more frequent movements within currently grazed areas. Stocking rates and numbers of seasonal camps are summarised for with and without project scenarios in Annex 5. It may also reasonably be expected that support and cooperation between *heseg* members, and their shared commitment to the new schedules for pasture use, as developed in the Plan Vivo, will translate into assistance for poorer and weaker *heseg* members to move and to comply with these schedules, hence the significant expected improvement in individual HH mobilities, against indicator 4b, above. The significant expected improvements in the own life evaluation indicator reflect the fact that the majority of Hongor Ovoo HH (83.3%) had an own life evaluation score of "moderate", thus necessitating relatively modest improvements to move them up to categories "good" and "very good". On the basis of the diverse, locally specific nature of this indicator, as previously explained (Section F2, above), not only socio economic/ risk management activities, but biodiversity conservation, ES values and pasture management also feed into this indicator. Given the suite of proposed activities and benefits under PV, it is reasonable to expect a significant proportion of *heseg* households to move from "moderate" to "good" or "very good" over the first commitment period.

ii) Ikh Am heseg.

Existing levels of livelihood diversification for this *heseg*, currently with 50 member households signed up to the PV process, are low to negligible. This is despite the good transport/communication links of Undurshireet *soum* and its proximity to Ulaanbaatar, which should facilitate access to markets and other livelihood opportunities, by comparison with other sites⁸⁵. Predicted improvements need to be balanced against the fact that specific non-herding livelihood activities do not feature as a priority in the *heseg*'s Plan Vivo management plan (Annex 5). Nonetheless, it may reasonably be expected that, given the nature and location of the site, improved income and income availability, as derived from other PV activities, will facilitate livelihood diversification over the PV commitment period. Livestock-based income generating activities feature quite prominently in Ikh Am *heseg*'s Plan Vivo. Again, good market links and access will facilitate realisation of livelihood gains through planned activities and, as in the case of Hongor Ovoo, in the context of emergent government policy initiatives and support for the livestock sector, through the National Livestock Programme, and linked to better and more stable prices for livestock products. Expected improvements across indicators 2, 3 and 5 thus reflect the above conditions and contexts, whilst also taking account of the starting point (baseline) of *heseg* households in relation to these indicators: for example non-food expenditure is currently already quite high for a significant proportion of households, thus relatively modest changes will be needed to move households above the 50% threshold. This is reflected in the expected gains against this indicator in Table F2.2.

The expected improvements in the mobility and own life evaluation indicators are derived from the same analyses and judgements as explained for Hongor Ovoo,

⁸ Ikh Am *heseg* members reported pensions, loans and various forms of state subsidies as non-herding income sources. As stated previously (Table C2) these are not included for the purposes of this assessment as they are outwith herders' control.

above, and set out in Annex 5 (see also Figure 3, Section B).

iii) Dulaan Khairkhan herder group

For this herder group, levels of livelihood diversification are quite high by comparison with other sites. Further diversification activities are proposed explicitly in the Plan Vivo, in this case through vegetable production. This is reflected in the expected improvement, in conjunction with possible future opportunities arising from increased herding-related income from Plan Vivo activities. As the smallest participating herder group (21 households), changes for a modest number of households will bring significant improvements for the profile of the herder group as a whole. In addition, opportunities for alternative income exist through tourism – a tourist camp was previously located in the area (although now defunct) and the area also attracts tourists through the birdlife at Orog Nuur (lake) and the recently designated Ikh Bogd protected area. The recently revived ovoо ceremonies (traditional Buddhist spiritual ceremonies) at Ikh Bogd also attract visitors to the area. A number of herder group members have expressed interest in engaging with these opportunities in the future, although it was considered too ambitious to include specific tourism related activities and indicators in the first phase of Plan Vivo commitments. As for the other sites, expected improvements in relation to income-based indicators reflect wider contexts (such as the National Livestock Programme), and existing baselines. For example, for both indicators 3 and 5, a large percentage of Dulaan Khairkhan herders are currently just below the desired improvement threshold (see Tables C2 and F2.2, above). Hence movement above this threshold over the four year initial Plan Vivo commitment period appears feasible for a large majority of households. As for other sites, mobility changes reflect both local contexts and pasture use plans, and the increased support for poor/less mobile households under these collaborative arrangements.

F3 Ecosystem & biodiversity benefits

The ecosystem and biodiversity benefits are specified below, where intervention types are taken to denote specific planned activities, rather than the three generic categories of intervention types specified under PV requirements 2.1.1 – 2.1.4.

Table F3.1 – Ecosystem impacts

Intervention type	Biodiversity impacts	Water/ watershed impacts	Soil productivity/ conservation impacts	Other impacts
Biodiversity Conservation: Protection of key fauna e.g. Argali, ibex, Mongolian and goitered gazelle, red deer, marmot.	Benefits: Argali, ibex, gazelle, marmot and red deer populations increase. Potential negative impacts: none foreseen. Planned conservation activities have been developed in conjunction with Zoological Society of London (ZSL) and their local partners at National University of Mongolia (NUM), who are recognised experts in conservation planning and practice in Mongolia. Planned livelihood activities (Table F2.1) have been checked by ZSL/NUM for any adverse biodiversity impacts. No such impacts have been identified. Indicators set out in Annex 5 Management Plans are designed to track biodiversity improvements through the project commitment period. These will also pick up any unexpected negative impacts, should these arise, enabling corrective measures to be undertaken.	(see Table F2.1)	Improved soil structure and nutrient cycling reduction in grassland degradation.	Seed dispersal and grassland grazing will improve the health of grasslands. Potential to reduce wolf predation of livestock as natural wild prey increases.
Biodiversity Conservation/ Livelihood Improvement: Plant Sea Buckthorn.	Benefits: Small scale Sea buckthorn plantation established, with appropriate permissions and to complement existing areas. Habitat for numerous insect, bird, small mammal and raptor species. Potential biodiversity increase. Potential negative impacts: The sea buckthorn plantation (Dulaan Khairkhan herder group, Bogd only) will be <2ha in total at the end of the 4 year commitment period. This area will no longer available for use by livestock or wildlife but is small relative to the area of the herder group. A condition of planting is that there is a signed and stamped letter of authorisation by local administration head –to indicate previous uses of sites and confirm no loss of significant areas for biodiversity conservation. The location of the planted area will also be approved by ZSL.	(as above)	Greater soil moisture retention, reduction in loss of nutrients, and desertification.	(Existing wild habitat will not be altered to generate farmed agricultural land in its place).
Biodiversity Conservation: Protection of saxaul forest.	Benefits: Improved status of important native saxaul forest which is declining throughout Asia. Saxaul is a keystone species in the Gobi Desert, so its conservation has impacts well beyond the species; it is an obligate host for one parasitic plant species and is an important forage species for several desert wildlife species. The species is also important in soil conservation, such that increases in sand-storms in recent years have been attributed to the loss of saxaul and its associated vegetation Potential negative impacts: None foreseen- see above.	(as above)	Improved soil structure, nutrient cycling. Reduction in loss of nutrients and reduction in impacts of desertification.	Regeneration of habitat for numerous wildlife species. Regeneration of regionally threatened habitat type; saxaul forest.

(Table F3.1 – Ecosystem impacts continued)

Intervention type	Biodiversity impacts	Water/ watershed impacts	Soil productivity/ conservation impacts	Other impacts
Biodiversity Conservation (governance): i) Establish herder partnerships to protect local environment at mountain passes in herder group area ii) Increased herders' participation in decision making on environmental issues - e.g. licences for wood cutting.	Benefits: Reduced poaching at mountain passes leading to healthier local wildlife populations. Potential negative impacts: None foreseen- see above.	(as above)		The wider impact on ES/ biodiversity of this intervention is also likely to be through increased participation and capacity building of local herders, linked to more effective implementation of enhanced management/ conservation measures across all other interventions.
Biodiversity Conservation: Cooperate in groups to implement forest clean-up and protection activities.	Benefits: Reduced loss of habitat and therefore directly contribute to reducing threats to native species. Potential negative impacts: Excessive clearing of the undergrowth may result in the loss of undergrowth species such as invertebrates, small mammals and birds. This will be prevented through careful development of plans between hesegs and ZSL and regular monitoring (see Annex 5).	(as above)	Improved forest soil structure, water and nutrient content in the soil.	Reduced risk of forest fire through forest management activities.
Biodiversity Conservation: Develop tree seedlings for community reforestation.	Benefits: Preventing the loss of forest habitat, reducing the threat of desertification and erosion. Potential negative impacts: None foreseen- see above. Nursery areas for production of tree seedlings (planned in Hongor Ovoo site only) will require fencing, of a small area ; benefits of reforestation will outweigh the enclosure of this very small area, and will be located in the forest steppe zone, not in open pasture areas.	(as above)	Soil structure maintenance, moisture retention and nutrient cycling. Improved habitat for numerous species.	
Biodiversity Conservation: Take under protection bushes at Ovootiin Aral, Ikh Am.	Benefits: Provide nesting habitat for a number of small mammals, passerines and raptors. Potential negative impacts: None foreseen- see above. The area will not be fenced, but instead it is planned that trees will be collared, to ensure no impacts on mobility for grazing livestock or wild animals on the steppe, whilst protecting the trees.	(as above)	Maintaining soil structure, moisture, and nutrients.	Maintaining key habitat for rich biodiversity.

Biodiversity benefit assessment

Biodiversity benefits are assessed in part using the presence or absence and estimated population size of the flagship species listed in Table F3.2 (prior to Phase I). These species were selected as they are all keystone species and/or indicators of broader habitat quality, as well as being national conservation priorities. They are also species whose presence or absence, and population size can be estimated with relatively simple survey approaches.

Table F3.2. Flagship species to be assessed for presence/ absence, or population size in each project intervention area (Phase I)

Species and conservation status
Black tailed (goitered) gazelle (VU) <i>Gazella subgutturosa</i> numbers were estimated at 120,000-140,000 in Mallon and Kingswood (2001) and the taxon has a very wide distribution across the Middle East and Asia. However, populations throughout the range are subject to illegal hunting and habitat loss. Declines are widely reported and continuing. In Mongolia, a substantial proportion of the known global population remained until recently, but heavy poaching has wiped out almost all the large herds and cut the numbers by well over 50%. Overall the rate of decline is now estimated to have exceeded the figure of 30% over 10 years that qualifies for Vulnerable under criterion A2 of the IUCN Red List
Mongolian Gazelle <i>Procapra gutturosa</i> listed on the regional Red Lists as Endangered in Mongolia, with a population of up to 4.75 million in Mongolia in the early 1900s. Exploitation in the mid-1990s reduced the population to less than 500,000, while drought and disease in 1980 drove the population as low as 150,000. The current population size is not clear, with estimates of 8-900,000 from a ground-based survey in 2002 and more recent aerial survey estimates of >2.5 million. However, the range of the species in 2000 was less than one quarter of the area known to be occupied in the mid-1990s. There is heavy illegal hunting of the species for meat, on top of the legal annual hunting quota: the total estimated harvest in 2004 was in excess of 250,000 gazelles. The species is also threatened by habitat loss, degradation and fragmentation, competition for resources and human disturbance, the latter particularly related to disruption of migratory patterns by extensive fences along borders and along the Ulaanbaatar-Beijing railway,
Red deer <i>Cervus elaphus</i> listed on the regional Red Lists as Critically Endangered in Mongolia. The Mongolian population in 1986 was estimated at 130,000, which declined to 8-10,000 by 2004 (92% over 18 years). The species is primarily targeted for its antler velvet (highly valued in regional traditional medicine), but has also suffered habitat loss and fragmentation, and human disturbance resulting from mining activity and infrastructure development.
Siberian ibex (LC/NT) <i>Capra sibirica</i> . The species inhabits rocky habitats in several countries in Central Asia. Globally it is listed as Least Concern but the species is considered Near Threatened in Mongolia. The population is probably less than 100,000 individuals and is thought to be declining, primarily due to exploitation for meat, skins and trophies. There is an annual permitted hunting quota but some additional illegal hunting occurs (scale unknown).
Argali sheep <i>O. ammon</i> . The species inhabits mountain habitats in several countries in Central Asia. Globally it is listed as Vulnerable but the species is considered Endangered in Mongolia. The population in Mongolia was estimated at 50,000 in 1975, 60,000 in 1985 and at 13-15,000 in 2001, representing a 72% decline over 26 years. The principle threat to the species is illegal/unsustainable hunting, but increased competition for resources and degradation of habitat due to increased livestock numbers, and high mortality during recent periods of drought have also contributed to declines.
Siberian Marmot <i>Marmota siberica</i> listed on the regional Red Lists as Endangered in Mongolia. Widely distributed the population of marmots in Mongolia was estimated at 20 million in 1990 and had declined by 75%, to 5 million, when last estimated in 2001. There is (now illegal) trade in marmot fur, meat and medicine, both national and international, with as many as 3 million marmots removed from the population in 2004, alone. Marmots live in communal burrow systems and, as bioengineers, can have important positive impacts on local soils provide shelter for a variety of small-medium sized animals.
Saxaul <i>Haloxylon ammodendron</i> is widely distributed across arid and semi-arid Central Asia. Over the past several decades, saxaul forests have shrunk dramatically in many areas across its range, including Mongolia, both in terms of coverage and growth rate. Forests of saxaul -- the most important native plant in the Gobi region -- have contracted by some 50 percent over 25 years. This decline is believed to have contributed to the increasing frequency of harmful sandstorms in recent years in Mongolia. Saxaul is used for fuel and in some areas is an important livestock fodder. The species is declining because of exploitation by growing human populations and their livestock and it may also be declining as a result of climate change. White and Black Saxaul are the obligate hosts for the parasitic plant <i>Cistanche deserticola</i> , which is highly prized for medicinal uses, and saxaul is an important food-plant for many Gobi wildlife species.

Phase I of the project aimed to contribute to the conservation of these wildlife species in several ways. Some specific actions were designed to directly benefit species, such as saxaul and forest tree species, through protection and propagation. Conservation of the Flagship animal species was designed to be enhanced through i) direct protection of wildlife by herders from illegal hunting, ii) enhanced herders' collaboration

for conservation of key sites and habitat protection, and iii) perhaps most importantly, agreement among herders to better manage the pasture through enhanced seasonal mobility, some reduction in livestock numbers and, therefore, reduction in grazing pressure on pasturelands also used by these wildlife species. Positive results across these issues were achieved in Phase I (see [Pastures, Conservation, Climate Action – Documents | Plan Vivo Foundation](#); Annual Reports, 2018-2019 for details).

Biodiversity conservation actions for Phase I and going forward into Phase II include those related to governance and herders' participation in decision-making (see Table F3.1 above, Section G and Section K, plus site specific management plans in Annex 5). Enhanced herders' participation in governance and decision-making are key goals in National conservation planning and CBD commitments. These are addressed through enhanced herders' collaboration for conservation of key sites and species, in conjunction with the local administration (LA). Furthermore, as highlighted above, measures to restore seasonal mobility and reduce grazing pressure will contribute to wider conservation of rangeland vegetation associations. Monitoring details for ES and biodiversity benefits are provided as part of management plans at Annex 5.

Part G: Technical Specifications

G1 Project intervention and activities

This Technical Specification was developed for Phase I PCCA. Following the successful project verification by an independent third party in 2021/2 it is unchanged for Phase II. It is applicable to Mongolian rangeland areas that:

- i. Meet the applicability conditions for quantification of climate benefits of grazing and forage management described in Section 1.1.1 of the Plan Vivo Climate Benefit Quantification Methodology - *Carbon sequestration through improved grassland and natural resources management in extensively managed grasslands Version 1.0* (CBA, included at Annex 8); and
- ii. Are managed by individuals or entities that lack capacity to improve pasture management, and carry out nature protection and livelihood improvement activities.

It is not applicable to areas where introduction of regulations on livestock numbers or seasonal pasture rotation would result in displacement of grazing to non-grassland areas, or negatively affect the livelihoods or wellbeing of local communities.

The climate benefits are expected to accrue through the grazing management fodder or forage cultivation, nature protection, and livelihood improvement activities described in Section D. Management plans that describe the specific activities to be carried out and the resources required are developed for each project site (Annex 5).

Increasing soil carbon stocks

Project activities that aim to prevent further degradation of rangeland areas and allow soil carbon stocks to increase include:

- Grazing management - Reducing the numbers of livestock grazing for extended periods within project intervention areas within the broader project area, for example by introducing or enhancing seasonal pasture rotations and/or reducing overall livestock numbers.
- Fodder or forage cultivation - Planting fodder or forage crops, and changes to the management of existing cultivation practices, for example by planting green fodder, or improving water supply to pasture areas.

Biodiversity conservation

A key aim of nature protection activities is to prevent and reverse reductions in wild species such as gazelle, ibex, deer, marmot and Argali sheep populations. This can be achieved by activities that directly reduce pressures on these animal species, and those that prevent degradation or enhance the habitat they require, as well as protecting other key flora, for example by:

- Establishing/ consolidating herder partnerships to protect the local environment and encourage increased participation in decision-making on environmental issues, for example issuing licences for wood cutting, and controlling illegal hunting activities;
- Protecting forest areas from degradation or deforestation for example by preventing illegal timber harvesting, and including protection of saxaul forests;
- Reforestation of degraded forest areas by producing and planting seedlings;
- Reducing grazing pressure and grazing-induced pasture/ habitat degradation

Livelihood improvement

The aim of livelihood improvement activities is to increase herders' income by maximising value from livestock products and developing new sources of income, for example by:

- Increased marketing of milk products – forming/consolidating groups to deliver milk products to local and urban markets;
- Production and sale of wool products – for example felt;
- Gathering and sale of natural resources – for example wild fruit and nuts;
- Production and sale of vegetables.

Such activities, in conjunction with the biodiversity conservation/ ES service protection activities, are also designed to contribute to wider well-being and perceptions of security amongst participating herding communities and as evidenced through participatory well-being indicators.

G2 Additionality and Environmental Integrity

Regulatory surplus

In Mongolia the principal legislation guiding rangeland management remains the Land Law (2002). This does not specify particular regulations on herders themselves in respect of grazing management, although giving rights to local governors in relation to

timing of seasonal movements and allocation of spring and winter campsites. In practice, decisions over localised seasonal movements in specific *bags* (sub district areas) are typically (partially) devolved to herder groups, who may negotiate and agree specific movement schedules for their group with local governors, within the wider framework of *soum* (district) pasture use planning. This is the case for the *heseg* (herder groups) who are part of this Plan Vivo project. The Land Law does not require herders to engage in fodder or forage cultivation, biodiversity conservation, wildlife species protection or livelihood improvement activities. The activities described in this Technical Specification are therefore additional to legal requirements on herders throughout Mongolia.

Barrier analysis

This Technical Specification is only applicable in project areas where, prior to the start of the project, the local communities lacked capacity to improve pasture management, and carry out nature protection and livelihood improvement activities (see Applicability Conditions, above). Mongolian herder groups that meet the applicability criteria face financial, technical and institutional barriers to the implementation of improved land use management practices. A summary of these barriers and the actions the project has/will take to overcome these is included in Table G2.

Table G2: Barriers to sustainable land management in potential target communities

Barrier	Actions to overcome barrier
<p>Financial</p> <p>Short term opportunity costs of improved pasture management, and nature protection mean these activities are unlikely to be financially viable in their own right; and target communities lack financial resources to support them on an ongoing basis.</p> <p>The costs of establishing and maintaining livelihood improvement activities are also prohibitive to most Mongolian herder groups.</p> <p>Financial incentives currently tend to drive herders to increase livestock numbers, with adverse effects on local environments and little benefit for livelihoods.</p>	<p>Through the sale of Plan Vivo certificates, the project will aim to provide the finance necessary to incentivise and sustain improved pasture management and nature protection activities; and to establish and maintain livelihood improvement activities.</p>
<p>Technical</p> <p>Herders in the target communities lack some technical expertise to develop, implement and sustain improved pasture management, nature protection and livelihood improvement activities, and grazing and pasture management practices.</p>	<p>MSRM will work with herder groups to raise awareness of linkages between livelihoods and conservation activities, and develop capacity to implement, sustain and monitor improved pasture management, nature protection and livelihood improvement activities.</p>
<p>Institutional</p> <p>Herders in the target communities are members of <i>heseg</i>/ herder groups, derived from previous donor projects. These provide a good basis for initiation and continuation of Plan Vivo activities. Nonetheless, pre Phase I they lacked robust and representative management institutions designed to deal specifically with the environmental protection activities proposed under this Plan Vivo project.</p>	<p>MSRM will support the establishment and subsequent activities of herder partnerships from amongst the existing <i>heseg</i> and through development of links to the <i>soum</i> administration, in order to protect the local environment and encourage increased participation in decision making on environmental issues, for example issuing licences for wood cutting, and preventing illegal hunting activities.</p>

Avoidance of double counting

Mongolia is a focal country of the UN-REDD programme, but pre PCCA there were no initiatives affecting the participating herder groups/*heseg* and Plan Vivo project areas that generated credits specifically for climate benefits or other ecosystem services included herein. The project coordinator will continue to monitor the local and national situation, and review this at the end of the project period so that any necessary agreements can be put in place prior to the commencement of subsequent project periods.

Environmental integrity

This technical specification is not applicable to areas of grassland that have been deliberately degraded for the purpose of meeting the applicability conditions stated above, or to areas covered by other projects or initiatives providing financial support for Improved Land Use Management or Ecosystem Restoration/Rehabilitation.

G3 Project Period

The climate benefits from grazing and forage management activities are expected to accrue from reduced grazing pressure and increased vegetation in degraded grassland areas that will result in increases in soil carbon stocks. The expected climate benefits will be estimated at the start of each project period using the Plan Vivo Climate Benefit Quantification Methodology - *Carbon sequestration through improved grassland and natural resources management in extensively managed grasslands Version 1.0* (Annex 8). This approach estimates average annual climate benefits over a 20 year period. The climate benefits over the years immediately after the change in management practices are greatest however, and these diminish over time as soil carbon stocks approach an equilibrium level. The approach therefore provides a conservative estimate of climate benefits, particularly over the initial four year project period. It is these conservative figures that are used in calculations of carbon benefits for 2015-19 (Phase I) and 2019-2029 (Phase II) in Tables F1b-d and the linked Table F1a for Ikh Am and in equivalent tables for other sites at Annex 5.

The length of the initial Phase I project commitment period was 4 years, from 1st April 2015 to 31st March 2019. This was agreed with participating herder groups to be an appropriate length of time for the initial commitment period. On completion of this four year period, the project evaluated whether expected climate benefits were achieved, and used this information to inform estimations of climate benefits for the subsequent Phase II project period. Management plans and expected climate benefits were therefore revised prior to the start of Phase II and will be for each subsequent project period, following the approaches described in Section K.

G4 Baseline Scenario

Carbon pools and emission sources

The carbon pools and emission sources, and climate benefit methodology used to quantify expected climate benefits are described in Annex 8 Modules 1.2 and 2.2

Baseline emissions

A baseline scenario (i.e. – the most likely land use scenario in the absence of the project intervention) must be described for each project intervention area. In some cases, the most likely baseline scenario may be that pre-project land use will not change, but in other cases the baseline scenario may involve a change in pre-project land use.

The applicability conditions in Annex 8 Section 1.1.1 require that project intervention areas are grasslands that are degraded and will continue to degrade in the absence of project intervention; but Annex 8 conservatively assumes that there will be no change in grassland soil carbon stocks in the baseline scenario (Annex 8 Module 1.3 and 2.3). The baseline scenario should therefore demonstrate that the drivers of degradation (e.g. grazing management practices) will be present throughout the project period under the most likely future land use scenario.

Information that characterises the land use practices under the baseline scenario is recorded in the Management Plan for the project intervention area for each of the three sites in Annex 5. The management practices in the baseline are specific to the project intervention area and are characterised with an appropriate set of parameters.

These land use parameters, as used to characterise the baseline scenario, typically include:

- The number and type of livestock that would graze within the project intervention area during each season;
- The area that would be cultivated with nitrogen fixing species each year, if any.

Information on baseline scenario land use practices (pre Phase I) has been obtained from surveys carried out at the project sites and from existing secondary data. Full details are provided in the site specific management plans at Annex 5 and summary tables such as F1a for Ikh Am and equivalent tables in Annex 5 for other sites. Table G5.3 shows the baseline carbon stocks by various pasture types, as derived from the Annex 8 methodology and explained in the Annex 9 pilot study report.

Socio-economic baselines, including for key indicators are set out in Tables C2 & F2.2.

Data sources

Baseline scenario emissions for grasslands are calculated using Equation 2 in Annex 8 Module 1. The parameters used in this equation are summarised in Table G4.

Table G4. Parameters for estimation of baseline scenario emissions

Parameter	Symbol and units	Value/Source	Use
Baseline scenario emissions within the project intervention area during quantification period	$BE_{G,a}$ (tCO ₂ e)	0 (CBAA M1 Eq.2)	CBAA Eq.5
Baseline scenario emissions from cultivation of	$BE_{NF,fo,a}$	0 (CBAA M1.3)	CBAA Eq.2

nitrogen fixing plants in the project intervention area during the quantification period	(tCO ₂ e)		
Baseline emission from soil organic carbon in the project intervention area during the quantification period	$BE_{SOC,g,a}$ (tCO ₂ e)	0 (CBAA M1 Eq.3)	CBAA Eq.2

G5 Ecosystem service benefits

Climate benefits methodology

The climate benefits from grazing management and forage or fodder cultivation activities etc. are estimated for each project intervention area using the approved approach “*Plan Vivo Climate Benefit Quantification Methodology - Carbon Sequestration Through Improved Grassland and Natural Resources Management in Extensively Managed Grasslands Version 1.0*” (Annex 8). Annex 8 provides a set of methodologies and quantification tools to be applied for ex-ante estimation of climate benefits from individual project intervention areas, based on defined changes to management activities. These tools include a tool to quantify leakage emissions due to displacement of grazing activities from within the project boundary. The main steps involved are summarized in Table G5.1, with more detailed information on specific project sites, management plans and project intervention areas in Annex 5.

Table G5.1. Main steps in estimating climate benefits from improved grazing management and forage cultivation in a project intervention area

Step	Description	Key outcome
1. Check the project intervention area meets the relevant applicability conditions	The applicability conditions for quantification of climate benefits of grazing and forage management activities can be found in Annex 8 Section 1.1.1.	Checklist comparing conditions in the project intervention area against the applicability conditions.
2. Map the project intervention area and describe its environmental conditions, initial land use and land cover and the management interventions that will be made	This technical specification estimates climate benefits under specific site conditions and management interventions. Each project intervention area should therefore have similar a soil type and initial land use and land cover throughout its whole area; and the same management intervention must be applied to the entire project intervention area.	Map of the project intervention area; and a description of environmental conditions, initial land use and land cover, and the management interventions that will be made.
3. Define the baseline scenario for the project intervention area	Climate benefits of management interventions are estimated by comparing the greenhouse gas emissions with the management intervention to those expected if the intervention was not made. A description of the most likely land use scenario in the absence of the management intervention is therefore required.	A description of the baseline scenario for the project intervention area – describing the most likely land use scenario in the absence of the project intervention.
4. Estimate the greenhouse gas emissions under the baseline scenario	Using the approaches in Annex 8 Module 1.3 will give a conservative estimate of greenhouse gas emissions under the baseline scenario, for project intervention areas that meet the applicability conditions.	A conservative estimate of the greenhouse gas emissions expected during the project period under the baseline scenario.

5. Estimate the greenhouse gas emissions and removals under the project scenario	The greenhouse gas emissions and removals that are expected to result from the management interventions described in the Management Plan are estimated using default values derived using the approaches described in Annex 8 Module 1.4.	A conservative estimate of the greenhouse gas emissions and removals expected during the project period, if the specified management interventions are carried out.
--	---	---

6. Estimate leakage emissions that are likely to result from displacement of livestock grazing	If the management interventions will displace livestock to areas that are not heavily grazed, the emissions expected to result from this displacement are estimated using the approach in Annex 8 Module 3. These are then subtracted from the climate benefit for the project intervention area.	A conservative estimate of emissions expected from displacement of livestock grazing as a result of the project intervention.
7. Estimate expected climate benefits	The climate benefits from the management activities in the project intervention area described in the Management Plan are estimated by subtracting the project scenario emissions and leakage emissions from the baseline scenario emissions as described in Annex 8 Section 3.	A conservative estimate of the climate benefits expected during the project period, as a result of the project intervention.

Data sources

The climate benefits from the management activities in the project intervention area as described in the various Management Plans (Annex 5) are estimated by subtracting the project scenario emissions and leakage emissions from the baseline scenario emissions.

The greenhouse gas emissions from management activities in the project intervention area are calculated using Equation 4 in Annex 8 Module 1, and approaches described in Appendixes I and II to Annex 8. The parameters used in these equations are summarised in Table G5.2.

Table G5.2. Parameters for estimation of project scenario emissions

Parameter	Symbol and units	Value/Source	Use
Project scenario emissions within the project intervention area during the quantification period	$PE_{G,a}$ (tCO ₂ e)	CBAA M1 Eq.4	CCBA Eq.5
Project scenario emissions from cultivation of nitrogen fixing plants in the project intervention area during the quantification period	$PE_{NF,fo,a}$ (tCO ₂ e)	CBAA Eq.I.4	CCBA M1 Eq.4
Project scenario removals by soil organic carbon in the project intervention area during the quantification period	$PE_{SOC,g,a}$ (tCO ₂ e)	CBAA Eq.II.10	CCBA M1 Eq.4
Project scenario N ₂ O emissions from nitrogen-fixing species in the project intervention area during year t	$PE_{NF,fo,a,t}$ (tCO ₂ e)	CBAA Eq.I.1	CBAA Eq.I.4
Amount of N in additional nitrogen-fixing species (above and below ground) returned to soils in project year t	$PE_{NF,fo,i,t}$ (t N)	CBAA Eq.I.2	CBAA Eq.I.1
Emission factor for N ₂ O emissions from N inputs of N-fixing species to soil	EF_{NF} (kg N ₂ O-N/kg N input)	0.01 (IPCC 2006a Table 11.1) or other appropriate default	CBAA Eq.I.1
Global warming potential for N ₂ O	GWP_{N2O} (tCO ₂ e/tN ₂ O)	310 (IPCC 2006a)	CBAA Eq.I.1
Total annual area of N-fixing species g in year t	$Area_{g,i,t}$ (ha)	Management plan	CBAA Eq.I.2
Annual dry matter, including aboveground and below ground, returned to soils by N-fixing species g in project year t	$Crop_{g,t}$ (t dm/ha)	Locally relevant yield data	CBAA Eq.I.2
Fraction of N in dry matter in N-fixing species g	N_g (tN/t dm)	0.027 (IPCC 2006a Table 11.2)	CBAA Eq.I.2
Annual change in SOC stocks per hectare in the project intervention area during project year t	$\Delta SOC_{m,i,t}$ (tC/ha/year)	Table G5.3 or site specific modelling	CBAA Eq.II.8

A calculated deduction to the estimate of the change in soil organic removals carbon for the specified land use stratum and management practice in year t	$\Delta SOC_{Deduct,m,i,t}$ (%)	CBAA Eq.II.2 to II.7; or 50% if using a default value from Table 5	CBAA Eq.II.8
Estimate of annual change in SOC stocks per hectare in the project intervention area during year t	$\Delta SOC_{c,m,i,t}$ (tC/ha/year)	CBAA Eq.II.8	CBAA Eq.II.9
Project emissions due to changes in SOC in project year t	$PE_{SOC,m,i,t}$ (tCO ₂ e)	CBAA Eq.II.9	CBAA Eq.II.10
Duration of the quantification period	T_{QP} (years)	3 (Section G3)	CBAA Eq.II.10
Project scenario emissions per hectare due to change SOC stocks in the project intervention areas during the whole quantification period	$PE_{G,SOC,i,QP}$ (tCO ₂ e/ha/year)	CBAA Eq.II.10	CBAA Eq.II.11
Area of the project intervention area in year t	A_i (ha)	Management plan	CBAA Eq.II.11
Project scenario emissions due to change in SOC stocks in the project intervention area during the whole quantification period	$PE_{G,SOC,a}$ (tCO ₂ e/ha/year)	CBAA Eq.II.11	CCBA M1 Eq.4

Expected climate benefits

The expected climate benefits estimated for each project intervention area are calculated with Equation 1.

$$CB_{G,a} = BE_{G,a} - PE_{G,a} - L_{QP}$$

(Equation 1)

Where:

$CB_{a,a}$ = The expected climate benefits from grazing and forage management in the project intervention area during the project period (tCO₂e);

$BE_{a,a}$ = Baseline scenario emissions within the project intervention area during the quantification period (tCO₂e);

$PE_{a,a}$ = Project scenario emissions within the project intervention area during the project period (tCO₂e); and

$LE_{a,a}$ = Potential leakage emissions due to displacement of grazing activity during the project period (tCO₂e).

Default values for parameters used in the estimation of climate benefits are provided in Table G5.3.

Table G5.3.

CENTURY modelled data for changes in carbon sequestration (PE (SOC,m,t) by grassland type and according to diverse grazing practices Δ SOC

Grassland type	Baseline grazing time	SOC(s,base) (tC ha)	With-project management options	SOC(m,2035) (tC ha)	Δ SOC(m,t) (tC / ha / yr)	Uncertainty(%)	Δ SOC deduct _{m,i,t} (tC ha yr)	Δ SOC C,m,I,t (tC ha yr)	PE(SOC,m,t)	
Riparian meadow	Apr-Aug; 80%	30.7000	Apr-Aug; 30%	37.6000	0.3450	0.2330	0.0286	0.3164	-1.1600	
			Apr-Aug; 40%	33.9000	0.1600	0.2180	0.0109	0.1491	-0.5468	
			Apr-Aug; 50%	30.8000	0.0050	0.2970	0.0007	0.0043	-0.0156	
	Jun-Aug; 80%	32.7000	Jun-Jul; 30%	38.7000	0.3000	0.3160	0.0198	0.2802	-1.0274	
			Jun-Jul; 40%	36.8000	0.2050	0.2650	0.0236	0.1814	-0.6652	
			Jun-Jul; 50%	34.9000	0.1100	0.3330	0.0091	0.1009	-0.3699	
	Mountain meadow	Oct-Mar; 70%	62.5000	Oct-Mar; 30%	63.8000	0.0650	0.2550	0.0068	0.0582	-0.2133
			Oct-Mar; 40%	63.1000	0.0300	0.3370	0.0026	0.0274	-0.1004	
			Oct-Mar; 50%	62.9000	0.0200	0.2560	0.0021	0.0179	-0.0656	
	Jun-Oct; 80%	46.5000	Jun-Oct; 30%	55.5000	0.4500	0.2270	0.0347	0.4154	-1.5230	
			Jun-Oct; 40%	50.7000	0.2100	0.3250	0.0158	0.1943	-0.7123	
			Jun-Oct; 50%	46.1000	-0.0200	0.2440	-0.0019	-0.0181	0.0664	
	Oct-May; 80%	52.8000	Nov-Apr; 30%	59.1000	0.3150	0.2820	0.0416	0.2734	-1.0025	
			Nov-Apr; 40%	58.7000	0.2950	0.3420	0.0271	0.2679	-0.9822	
			Nov-Apr; 50%	58.4000	0.2800	0.3250	0.0210	0.2590	-0.9497	
Mountain steppe	Aug-Oct; 80%	26.7000	Aug-Sep; 30%	31.1000	0.2200	0.2160	0.0145	0.2055	-0.7534	
			Aug-Sep; 40%	29.2000	0.1250	0.3470	0.0121	0.1129	-0.4139	
			Aug-Sep; 50%	27.4000	0.0350	0.2080	0.0020	0.0330	-0.1209	
	Jun-Oct; 80%	23.7000	Jun-Oct; 30%	28.9000	0.2600	0.2140	0.0166	0.2434	-0.8923	
			Jun-Oct; 40%	25.7000	0.1000	0.2690	0.0119	0.0881	-0.3230	
			Jun-Oct; 50%	23.3000	-0.0200	0.2610	-0.0022	-0.0178	0.0652	
	Oct-May; 80%	29.3000	Oct-May; 30%	32.8000	0.1750	0.2910	0.0247	0.1503	-0.5512	
			Oct-May; 40%	31.9000	0.1300	0.2000	0.0065	0.1235	-0.4528	
			Oct-May; 50%	31.0000	0.0850	0.2400	0.0077	0.0774	-0.2836	

Expected biodiversity benefits

As wildlife populations are allowed to increase ecosystem services associated with bioengineering, such as soil aeration, nutrient cycling, soil water retention, and seed dispersal will increase accordingly. Wildlife population sizes at the study sites are predicted to increase against baselines as specified on a site/ species specific basis in Annex 5 Management plans. Further benefits will accrue through enhancement of rangeland vegetation and habitats, associated with enhanced grazing management, and through enhanced participation of herders in governance (as summarised in Tables F3.1 and 3.2 above, and set out in Annex 5 management plans).

G6 Leakage & Uncertainty

Leakage

Potential leakage from displacement of livestock grazing is accounted for using Annex 8 Module 3. The parameters used for the assessment of leakage are summarised in Table G6.

Table G6. Parameters for estimation of potential leakage emissions

Parameter	Symbol and units	Value/Source	Use
Dry matter intake requirement of the reference type and class of animal	$DMI_{daily,ref}$ (kg)	Locally relevant intake data	CBAA Eq.15
Baseline scenario livestock grazing activities in project intervention area in year b	$LGA_{baseline,a,b}$ (AUM)	CBAA Eq.10	CBAA Eqs.11,14
Baseline scenario livestock grazing activities by animals owned by project participants grazing in project intervention area in year b	$PPI_{baseline,a,b}$ (AUM)	Management plan	CBAA Eq.10
Baseline scenario livestock grazing activities by animals owned by project non-participants grazing in project boundary implementation area in year b	$NPI_{baseline,a,b}$ (AUM)	Management plan	CBAA Eq.10
Project scenario livestock grazing activities in project intervention area in year t	$LGA_{project,a,t}$ (AUM)	CBAA Eq.12	CBAA Eqs.13,14
Project scenario livestock grazing activities by animals owned by project participants grazing in project intervention area in year t	$PPI_{project,a,t}$ (AUM)	Management plan	CBAA Eq.12
Project scenario livestock grazing activities by animals owned by project non-participants grazing in project boundary implementation area in year t	$NPI_{project,a,t}$ (AUM)	Management plan	CBAA Eq.12
Net displacement of livestock grazing attributed to the project activities in year t	GD_t (AUM)	CBAA Eq.14	CBAA Eq.15
Planned off-take of animals owned by project participants in the project scenario	$PO_{project,t}$ (AUM)	Management plan	CBAA Eq.14
Area of grassland required to support the displaced livestock	$Area_{GD}$ (ha)	CBAA Eq.15	CBAA Eq.16
Above ground net primary productivity of grasslands in the project region	$ANPP_{ref}$ (kg/ha)	1800 (IPCC 2006b Table 3.4.2)	CBAA Eq.15
Leakage emissions due to loss of soil carbon caused by displacement of grazing activities outside the project boundary in project year t	$L_{a,t}$ (tCO2e)	CBAA Eq.16	CBAA Eq.17

Soil organic carbon stocks in grasslands in the project region	SOC_{REF} (tC/ha)	Locally relevant value	CBAA Eq.16
Carbon stock change factor for management regime for severely degraded grasslands	$F_{MG,SD}$	0.7 (IPCC 2006a)	CBAA Eq.16
Leakage emissions due to displacement of grazing activity during the quantification period	L_{QP} (tCO2e)	CBAA Eq.17 (or 0 if negative)	Section 4.4.3

* An animal unit month is calculated by multiplying the number of animal units by the number of months of grazing

In the context of this project, leakage denotes grazing of *heseg* members' livestock outside the defined *heseg* grazing areas. As noted in Section H, Table H1, mobility between seasonal grazing areas is a well-established, integral aspect of traditional Mongolian pastoralism, and one which the project is seeking to support/ restore. Although mobile, seasonal grazing will typically occur within each *heseg*'s designated pasture areas, these lands are not privately owned and the practice of long distance movements (*otor*) outside these areas in times of natural disaster (*dzud*) is well established and an important aspect of traditional risk management. The project does not and should not seek to curtail this. However, the pasture use plans included in the Management Plans and for Ikh Am in Table F1a do not incorporate leakage as part of normal, everyday grazing practices. The figures for biomass utilisation and carbon sequestration presented in the tables above are based on *heseg* livestock grazing within *heseg* boundaries. Pastures are excluded from calculations where incoming herders and off site migrations preclude reasonable estimates of stocking rates and carbon sequestration (e.g. summer pastures in Ikh Am). If any households move outside the project area for significant periods of time, and where this was not established practice under the baseline scenario, this will be negotiated with local administrations in the appropriate areas. LA in receiving areas will be made aware of the incomers' Plan Vivo commitments and may wish to negotiate a proportion of PV benefits as compensation for pasture use in non-project areas under such circumstances. This issue was not raised by receiving administrations during Phase I.

Uncertainty

There are three main sources of uncertainty in the climate benefits estimated with this Technical Specification: i) The expected climate benefits are estimated based on a description of planned management interventions, so there is a chance that these interventions will not be carried out as planned; ii) Expected changes in soil organic carbon stocks are determined using a biogeochemical model, the outcomes of which are dependent on the quality of data used to parameterise the model; and iii) Default values derived from other areas may not fully represent the site conditions in the project intervention area. The approaches employed to account for these sources of uncertainty are described below.

Project interventions

The most significant way in which the risk that project interventions are not carried out as planned is managed is through the participatory design of project activities. Since the herder groups decide the activities they wish to carry out based on a full understanding of the inputs required and the expected benefits, there is a high likelihood that management plans will be upheld. This is not taken as read however.

To ensure that management interventions are carried out as planned, activity-based monitoring is used that clearly links management plans to performance indicators with thresholds for the receipt of payments or support financed by the sale of Plan Vivo certificates. This mechanism provides an incentive to the project participants to carry out the planned activities throughout the project period. The activity-based monitoring approach is described in Part K.

Model predictions

The tool for estimation of soil organic carbon removals from improved grazing and perennial forage management (Annex 8, Appendix II) uses the CENTURY model to estimate changes in soil organic carbon stocks under different management practices. With any modelling approach there is the potential for errors in model predictions if the model or input data are inaccurate. The tool therefore includes an approach for estimating the uncertainty in model predictions and making an appropriate adjustment to changes in carbon stocks to ensure that climate benefits are not over estimated. For details of the approach see Annex 8, Appendix II Equations II.2 to II.8.

Default values

The default values employed in the Technical Specification and the sources from which they were obtained are described in the Tables in Part G. With the exception of Table G5.3 all are widely used values that are not expected to vary greatly and are therefore used without an adjustment for uncertainty, in line with common practice. The values for expected changes in soil organic carbon stocks in Table G5.3 were derived from modelling outcomes carried out at intensively studied pilot sites in Mongolia (see Annex 8 and 9).

The research effort required to obtain site specific estimates of changes in soil organic carbon stocks with an acceptable level of uncertainty using the modelling approaches in Annex 8, Appendix II, means that this approach cannot feasibly be implemented in all project intervention areas. The resource requirements would outweigh any potential benefits from the sale of Plan Vivo certificates, or at least divert a significant proportion of available finance away from supporting the management interventions. This technical specification therefore provides projects with the opportunity to use default values derived from pilot studies as an alternative to site specific modelling.

In acknowledgement of the fact that it is not possible to assess the uncertainty of default values for changes in soil organic carbon stocks that are employed outside the areas from which they were obtained, this Technical Specification requires an additional adjustment equivalent to a 20% reduction in expected climate benefits from changes in soil organic carbon stocks to all project intervention areas using the default values in Table G5.3. This is incorporated into the risk buffer adopted by the project (see Section H).

Part H: Risk Management

H1a Identification of risk areas

Risk	Level of risk	Management/ mitigation measures
Drought/ <i>dzud</i> ¹	Varies by project area. Medium to low across project sites	A selection of PV activities are designed to help participating groups manage climatic risk. Climate variability is endemic in project areas. Activities such as hay cutting for winter, fodder preparation, maintenance and repair of winter shelters, livelihood diversification will help herders maintain their own well-being and livestock herds under these conditions. Enhanced seasonal mobility and better use of pasture areas is also an important adaptation, to be facilitated by PV activities. As indicators include the % of households who comply with new plans for seasonal pasture use and distances moved (see Section K), intra-group/ <i>heseg</i> cooperation to assist weaker or poorer members in moving is expected, which will increase the resilience of these members in the face of adverse climatic conditions. Cooperation will also enhance groups' ability to maintain 'static' interventions such as vegetable production, while other members may take livestock to better pasture areas, as necessary. Better market links and processing of livestock products will not only enhance income, but give herders the opportunity to sell livestock in adverse climatic conditions, rather than lose them to drought etc. The efficacy of these risk mitigation measures will be assessed biannually as part of standard monitoring practices (see Section K and Annex 5 Management Plans). The Technical Specification for soil carbon is designed to take account of climatic variability.
Population increase/ variability (human and/ or livestock)	Medium	Spatial variability of human and especially livestock populations is a feature of mobile herding practice. Key project interventions have been specifically designed to enhance this variability in order to reduce/ spread grazing pressure, with impact on soil carbon stocks. This only becomes a risk where a) resident herders increase their livestock holdings significantly over time and/ or b) herders from other areas come into the project area in response to drought/ <i>dzud</i> in their own home territories. In relation to a), PV project activities are designed to support decrease reliance on livestock nos <i>per se</i> over time, through promoting livelihood diversification, and improved income from high quality livestock products. A number of participating herder groups have expressed interest in reduction of livestock numbers over time to protect pasture resources, but feel unable to commit to significant reductions at present, due to lack of income from livestock products and other sources. Livestock numbers, as well as improved livelihoods/ income from other sources, will be monitored as part of standard monitoring practices during each commitment period (see Annex 5). They were also reviewed at the end of the first project commitment period (as reported in Year 4 (2019) Annual report (available online at Pastures, Conservation, Climate Action – Documents Plan Vivo Foundation ; Annual Reports, 2018-2019; https://www.planvivo.org/pastures-conservation-climate-action-documents)). They will also be

		reviewed at the end of Phase II and any subsequent commitment periods. For b) this relates to issues of leakage and displacement (See below and Section G6).
Leakage/ displacement		Mobility between seasonal grazing areas is an integral -and desirable- aspect of Mongolian pastoralism, and one which PV activities are seeking to enhance/ restore. This does traditionally include long distance migration outside a households'/ herder groups' own customary areas when climatic conditions necessitate (e.g. in times of drought/ <i>dzud</i>). Thus there is the risk of participating herders moving to other non-project areas and of herders from outside moving into project areas in particular circumstances. This cannot – and arguably should not – be prevented, as it constitutes a core aspect of traditional reciprocity. However, such in/out migration is usually temporary and not without control and management, from local administrations and herders themselves. PV agreements should strengthen the ability of resident herders to negotiate with incomers and to minimize any adverse impacts on project activities. Indicators (see Section K and Annex 5 Management Plans), where related specifically to the participating herders, should not be affected by any temporary incomers. Others, e.g. protection of medicinal plants etc. rely on the capacity of <i>heseg</i> / herder groups to enforce agreements in conjunction with the local administration. Cooperation and capacity building through PV can only enhance this. With regard to outmigration of resident herders, none of the planned activities require or promote this.
Pests/ diseases	Low/ Medium	Degradation of pasture by pests; loss of forest cover due to pests and disease. Impact on pasture by species such as Brandt's Vole is an endemic issue in parts of Mongolia, including in some of the project areas, as previously specified. Evidence of impact of pests and diseases will be reported annually, in conjunction with the monitoring of specific indicators (Section K; Annex 5).
Forest fire	Low	The majority of activities do not in any case relate to forests or to maintenance/ enhancement of forest cover. The development of herder environmental protection partnerships will also include working with local administrations on fire alert and monitoring systems where applicable. Activities such as forest cleaning and maintenance will work to reduce risk of forest fire.
(Mining related) land loss/ alienation	Medium / Low	Prior to Phase I PCCA, was not an issue at the three participating sites. To the best of our knowledge, there are no existing plans for significant mining developments, or widespread <i>ninja</i> (informal) mining at these sites. The recognition of herders' rights under MSRM/ PV activities will strengthen abilities to resist uncompensated land alienation in the future should this become an issue.

External factors driving wildlife population nos	Medium	Changes in wildlife population sizes are being used to monitor the impacts of changed pasture management and forest management practices on biodiversity. However, wildlife populations also respond to many of the risk factors already mentioned above – drought, fire, pests/diseases, human disturbance – both inside and outside of the project areas. These need to be taken into account in overall analysis of project contributions, for example through attention to wider trends and contexts. ..
Legislative/administrative changes	Low	Pastureland law in Mongolia has been in discussion by various incumbent governments, since the 2002 Land Law. This remains the situation at present. The tenure provisions under the planned PV activities reflect local administrations' recognition and support for <i>heseg</i> /herder groups' land rights (Annex 6), in accordance with their interpretation of and devolved rights under the Land Law. It is always possible that significant legislative changes may occur in the future which contradict these provisions, but this is unlikely. All discussions point towards a strengthening of the type of provisions developed herein.
Inadequate management	Low	The <i>heseg</i> /herder groups involved in PV activities are already well established with well-developed working procedures and mechanisms. The <i>heseg</i> have also worked closely with MSRM over a number of years and have benefitted from training and capacity building over this time. The participating <i>heseg</i> are amongst the most successful of those who originally formed with the assistance of MSRM. They have a good track record of collaboration and management of group activities. All completed Phase I successfully and have chosen to continue forward into Phase II. Further support and training will be available from MSRM as required during the ongoing PV activities.
Over reliance on external support	Low/medium	Capacity building activities and training to date have equipped <i>heseg</i> /herder groups to discharge the planned activities effectively and independently (albeit with further training from MSRM as requested). All PV activities have been developed with the clear awareness and proviso that any financial income through PV may be very limited or even absent, should it not be possible to sell the certificates. Hence activities must be designed to be self-supporting where possible and to be beneficial to livelihoods, environment and biodiversity, irrespective of any additional PV-derived income. The long term sustainability of project interventions will be reviewed annually throughout the PV crediting period, with support to link to further initiatives and funding sources (e.g. through national conservation planning; donor initiatives on local protected areas).

1 *Dzud* is the Mongolian term for natural disaster.

Risks specifically to climate benefits are managed with the following approach:

- Identification of the risks that expected climate benefits will not be realized within the project period, the risk that climate benefits will not be maintained beyond the project period, and approaches that will be taken to mitigate these risks;
- Assessment of the impact the risk would have if it is realized, and the likelihood of the risk being realized; and
- Assigning a proportion of climate benefits that will be held in a risk buffer that is proportional to the identified risks.

Table H1b Factors that put the delivery or maintenance of climate benefits at risk

Risk factor and risk level	Potential impact	Mitigation	Likelihood
Social			
Low Land tenure and/or rights to climate benefits are disputed	Moderate If the rights of the community groups to manage their pasture areas are not upheld land uses that lead to reversals of climate benefits could be introduced.	The participating community groups have recognized land tenure rights in accordance with traditional land use rights and practices and the 2002 Land Law.	Low Pastureland law in Mongolia has been in discussion by various incumbent governments, since the 2002 Land Law. It is always possible that significant legislative changes may occur in the future which contradict these provisions, but this is considered unlikely.
Low Political or social instability	Moderate Disputes among different groups within the communities could lead to management plans not being followed, and/or a failure to coordinate project activities.	Project activities include the formation of herder partnerships that represent the interests of all members of the community, and that have mechanisms for resolution of conflict or disputes.	Low If representative and functional herder partnerships are maintained these should be able to respond to and address threats to management activities that arise from political or social instability.
Low Maintenance of community support	Moderate The success of project activities requires members of the community to uphold controls on grazing within pasture areas, otherwise climate benefits from soil carbon sequestration will not be realised	The participatory planning process is designed to ensure that the interests of all members of the community are reflected in management plans, and that sufficient incentives are in place to encourage their implementation	Low If management plans are well designed, and communities receive performance-based support throughout the project period, the likelihood that community support will not be maintained is low. The continuation of all 3 sites to Phase II show demonstrate continued community support.
Economic			
Low Insufficient finance secured to support project activities	Moderate Without sufficient finance it may not be possible to support the full range of activities needed to bring about long term changes in pasture management.	New pasture areas will only have Plan Vivo certificates issued against them once sufficient finance is available to support activities throughout the project period; low cost activities will form an integral part of Plan Vivos.	Low By managing the expansion of project areas in line with available finance, and ensuring management plans are achievable with the funding available, the risk that insufficient funding will prevent project activities being carried out is low.

Low Alternative land uses become more attractive to the local community	Moderate It is possible that herder groups will decide to increase grazing intensity in pasture areas, or that herders from other areas could graze their livestock within project areas for example during periods of drought. Mining operations could also threaten some project areas where valuable minerals are present.	Project activities are designed to decrease reliance on livestock numbers by promoting livelihood diversification, and improving income from high quality livestock products; Mobility between seasonal grazing areas is an integral, and desirable, aspect of Mongolian pastoralism. However, such migration is usually temporary and controlled by local administrations and herders. Plan Vivo management plans will strengthen the ability of resident herders to negotiate with incomers and to minimize any adverse impacts temporary migration on project activities; and to prevent mining activities through the enforcement of existing legislation around land restoration and land rights	Low Since project activities are expected to decrease reliance on livestock and strengthen capacity to manage the in-migration, and resist mining operations, the risk that alternate grazing arrangement will become more attractive is expected to be low.
---	---	---	--

Environmental			
Low Fire	Moderate Fires that affect large areas of pasture land could undermine the benefits from reduced grazing pressure, if a large proportion of above-ground biomass is burned.	The project does not include any fire management activities.	Low Wildfires that affect large areas of pasture are infrequent.
Low/medium Pest and disease attacks	Low Species such as Brandt's Vole can cause degradation in Mongolian pastureland. However impacts are usually localised.	No project activities are targeted at addressing this risk	Moderate There is a moderate risk that some patches of pastureland will be affected by pests such as Brandt's vole, but these are unlikely to be significant in relation to the entire project area.
Low (variable) Extreme weather or geological events	Moderate Prolonged drought could prevent the realisation of expected climate benefits if it prevents biomass growth in pasture areas.	Climatic variation is factored into expected soil carbon sequestration under baseline and project scenarios.	Low An increase in drought frequency may be expected over the long term as a result of climate change, but during the project period significant alterations to drought frequency beyond usual levels of variation are not expected.
Technical			

Low/Moderate Project activities fail to deliver expected climate benefits	Low/Moderate If modelling results are inaccurate climate benefits may be overestimated, but significant bias is unlikely. The risk of bias is higher for project areas where local parameters are not used for modelling expected climate benefits.	The modelling approach used to estimate climate benefits includes adjustments to account for uncertainty and is inherently conservative. Additional risk deductions are applied where uncertainty is higher.	Low/Moderate The likelihood that estimated climate benefits are significantly overestimated is low if locally derived parameters are used for modelling, however if local parameters are not then uncertainty cannot be assessed so the likelihood of bias increased to a moderate level.
Low Project activities fail to deliver expected livelihood benefits	Moderate If new livelihood activities are not successfully implemented the expected livelihood benefits may not be fully realised.	Livelihood activities are targeted at scaling up existing activities, or gaining access to existing markets.	Low Since the planned livelihood activities make use of local skills and practices and are targeted at proven markets, the risk that project activities will not result in expected livelihood benefits is low.
Low Technical capacity to implement project activities is not maintained	Moderate The project activities are not highly technical, but do require some training to support their implementation. If a sufficient number of trained individuals are not maintained realization of climate benefits could be undermined.	Training of individuals in herder partnerships will be carried out as required throughout the project period. Annual performance indicators are used to assess whether herder groups have the capacity to implement their management plans.	Low Since projects are required to demonstrate that individuals have received necessary training and that the likelihood that capacity to implement project activities will not be maintained is low.

Administration			
Low Capacity of the project coordinator to support the project is not maintained	Moderate Achieving climate benefits will require the ongoing support of the project coordinator. If this is not maintained throughout the project period, the ability of community groups to carry out project activities could be undermined, especially if mechanisms for delivery of PES are not maintained.	The project coordinator MSRM is a well-established organisation with a long history of effective project and programme management.	Low Given the proven track record of the project coordinator the likelihood that their capacity to deliver the project will be maintained is high.

H2 Risk buffer

The highest risk level for each type of risk factor in Table H1b, is summarised in Table H2. A risk buffer, proportional to these risk levels was determined by assigning buffer percentages of 20% for a high risk level, 10% for a moderate risk level, and 1% for a low risk level in each category. A total risk buffer was then calculated by summing the percentages under each risk category.

Table H2 Risk buffer calculation

Risk type	Sites with modelled with local parameters		Sites modelled with default parameters	
	Risk level	Risk buffer	Risk level	Risk buffer
Social	Low	2%	Low	2%
Economic	Low	2%	Low	2%
Environmental	Low	2%	Low	2%
Technical	Low	2%	Moderate	10%
Administration	Low	2%	Low	2%
TOTAL		10%		18%

For sites modelled with default parameters the risk buffer was conservatively increased to 20% to make additional allowance for uncertainties and hence risk associated with modelling.

Part I: Project Coordination & Management

I1 Project Organisational Structure

The Mongolian Society for Range Management (MSRM) is the in-country project coordinator and manager. It is a non-governmental and non-profit organization established and registered in 2006 in accordance with Mongolian legislation on NGOs. It has the stated mission to support and contribute to all endeavours promoting sustainable use of Mongolian grasslands and to ensure sustainable livelihoods for Mongolian herdsmen. It is engaged in grassland research and monitoring, community development, project cycle management, marketing, information technology and public relations. It has previously worked extensively with herder groups (*heseg*) throughout Mongolia, and through acting as the lead in- country partner for a series of international development projects, such as Peri-Urban Range Land Project of MCA, Market and Pasture Management Development Project of IFAD, the Swiss Development Corporation (SDC) Green Gold project and others. Prior to the PCCA project, MSRM had worked with local herders in two of the three Plan Vivo project sites – Hongor Ovoo and Ikh Am *hesegs* – in the original formation of these groups, and in their subsequent development, capacity building and organisation. This latter work is ongoing. MSRM are therefore uniquely placed to work with these groups in developing and delivering the Plan Vivo project (Phases I and II), not least through established relations of trust and well developed working relationships.

Key MSRM staff with responsibility for the Plan Vivo project are:

- i) **D. Dorligsuren**, Executive Director, MSRM. Will manage all funds received through

Plan Vivo, and distribute to participating *heseg* in accordance with the agreed procedures (see Part J). He is also responsible for external coordination e.g. with key Mongolian government ministries, local government and its agencies. Together with the project manager, Uilst Dorligsuren, he is responsible for working with herder groups/ *heseg* to develop and update planned activities, and providing necessary support and training.

ii) **U. Dorligsuren**, Project manager, MSRM. Reporting on and monitoring main project activities at sites, supporting implementation of *heseg* plan with local leaders at project sites, managing the Plan Vivo Markit account and liaising with purchasers of PV certificates.

Other:

Caroline Upton, University of Leicester. Informal provision of external advice. Dr Upton was the PI for the Darwin Initiative 'Values and Valuation: New Approaches to Conservation in Mongolia' project (2012-2015), which worked extensively with the participating *heseg*/ herder groups in collaborative design of the proposed Plan Vivo projects and activities for Phase I. Darwin funding was used to support a series of workshops and training events with the *heseg*, to develop and agree the detailed Phase I Plan Vivo proposals provided in this document. She continues to provide occasional support for MSRM in analysing project data and reporting to Plan Vivo.

Roles of key partners may be further summarised as follows:

Table I1 PV Organisational Structure and Responsibilities

Key function	Organization involved	Legal status	Description of activities
Project Coordination & Administration	Mongolian Society of Range Management	Independent Non-Governmental Organization engaged in pasture management and herder livelihood improvement	<ul style="list-style-type: none"> • Overseeing project implementation and development • Negotiation and recording carbon sales with buyers • Managing Plan Vivo payments to <i>heseg</i> based on annual monitoring • Management of Plan Vivo certificates • Reporting to Plan Vivo Foundation (with C. Upton, Phase I) • Coordination of external reviews e.g. verification • Liaising with project team • Interacting with state and local Governments • Securing donor funds and/ or income from sale of PV certificates to make PES payments.
Project Implementation	Plan Vivo Project Team	Plan Vivo project implementation team from MSRM	<ul style="list-style-type: none"> • Overseeing development and initial implementation of project activity (with CU for Phase I) • Improving local organizational capacity • Organising project meetings for participants • Conducting workshops/training with project participants (with CU for Phase I) • Monitoring
Project Technical Operations	Mongolian Society of Range Management	Independent Non – Governmental organization engaged in pasture and herder livelihood improvement	<ul style="list-style-type: none"> • Participated in development of Plan Vivos with <i>heseg</i> (with C. Upton for Phase I) • Evaluation of Plan Vivos (with C. Upton for Phase I) • Review of internal annual monitoring • Overseeing project implementation on an ongoing basis (with C. Upton for Phase I) • Organisation of ongoing training/ workshops with project participants. • Ongoing provision of technical support

Key stakeholders comprise the participating *heseg*/ herder groups, as listed above, and their constituent households. Since the inception of the Darwin Initiative project in 2012, MSRM have met with these groups on multiple occasions (see Annex 7 for further details for Phase I) to explain the nature of the Plan Vivo process and work with *heseg* to develop agreed activities and indicators, and to ensure Free, Prior and Informed Consent. Other key stakeholders include government ministries and officials, as listed in the project organizational structure above. Again, meetings and consultations with these officials have been held and letters of support provided, as appended (see Annex 6). In each project area, meetings and consultations were held with *soum* governors prior to project inception and approval received (e.g. see Annex 7). Examples of meetings include those held in March 2014 in Bogd *soum*, June 2014 in Undurshireet *soum* and again in September 2014 in Bogd, Undurshireet and Ikh Tamir *soums*. Subsequent meetings were held through the training workshop in Ulaanbaatar in June 2015 and on site with *heseg* also in summer 2015, in order to finalise Phase I design and activities. Non-*heseg* member herders in adjacent areas should not be directly affected by the planned activities, as these take place within the *hesegs*' own land area, with activities designed to avoid leakage. Nonetheless, in

recognition of the flexible nature of seasonal movement patterns and periodic need for *otor* (traditional risk management strategy of long distance migration out of their own area in search of grazing), planned activities under Plan Vivo for participating groups have and will be presented at local *bag* and *soum* meetings to ensure full, ongoing awareness of other local residents.

I2 Relationships to national organizations

As highlighted above, MSLRM staff and C. Upton met with key government bodies and officials during the development of the Plan Vivo project and the inception of Phase I in 2015 and secured their support. These bodies included the Administration of Land Affairs, Ecology, Geodesy and Cartography implementation agency of the Government of Mongolia, the Ministry of Environment and Green Development of Mongolia and the Ministry of Industry and Agriculture of Mongolia. Letters of support, where provided, are appended at Annex 6. A training workshop including herders and government officials was held in June 2015, funded through the Darwin Initiative 'Values and Valuation: New Approaches to Conservation in Mongolia' project, through which the Plan Vivo process, outcomes to date and policy lessons were presented. Further feedback was provided through an end of Phase I meeting in Ulaanbaatar in July 2019 and through provision of briefing materials. This approach was designed to facilitate incorporation of the Plan Vivo approach in future policy development and planning. Relationships to national organisations are thus already well developed and will be further developed and strengthened throughout the lifetime of the Plan Vivo project.

Section C3 provides updated information on Mongolia's NDCs in relation to the Paris Climate Agreement and the implementation of Article 6 re international trade of credits and carbon markets. As confirmed in Section C3, MSLRM have continued to liaise with key Government of Mongolia staff in relation to the PCCA project and to ensure continuing government support. Most recently, this took the form of a meeting between MSLRM's Director, Professor Dorligsuren, and the Director of the Climate Change Department in the Ministry of Environment and Tourism, Sh.Tserendulam. A letter of support for PCCA into Phase II arising from this meeting is included at Annex 6, along with letters of support previously received for Phase I.

Prior to Phase I, MSLRM and local state representatives in project areas also agreed to sign a triple contract of cooperation (MSLRM - Local Government – *heseg*/ herder groups) within the framework of the Plan Vivo project (sample *soum* administration – herder group pasture management agreement at Annex 6, an example of a final PV specific version for participating herder group Dulaan Kharkhaan for Phase II is also included in English language versions. English and Mongolian language versions for all three sites are available on request).

The project will also aim to collaborate with, for example, the Swiss Development Agency Green Gold Project, the National Livestock Programme of the Mongolian Government, national level biodiversity planning and initiatives, emergent REDD-iness planning and other climate- related initiatives and other international and domestic activities on environmental protection and herders' income generation activities, as

these emerge.

I3 Legal compliance

Pastureland cannot be held under private ownership in Mongolia under current legislation, notably the 2002 Land Law. However, chapter 52.2 of the Land Law (2002) permits a group of herders to jointly possess winter and spring campsites. Pre PCCA, this was widely interpreted as extending to surrounding pasture also, where approved by the *Soum* Governor after submission of a pasture use request and its discussion at a *Soum* Representative meeting (*khural*). So in this way, prior to PCCA Phase I, *heseg* or other herder groups in parts of the country had begun to manage winter and spring pasture based on a Pasture Use Agreement approved by *Soum* Governors. In some instances local *Soum* Governors extended this agreement to include all four seasonal pasture areas, thus including summer and autumn pastures also. These are the strongest level of rights currently available in Mongolia and reflect state recognition of herders' customary rights and usage of wider pasture, linked to possession of campsites and shelters. A replacement draft Pastureland Law has been under debate for many years, but has yet to be agreed. Pre PCCA, expert opinion and drafts under debate indicated that the type of herder group contract attached at Annex 6 will be further strengthened and supported under any future legislative changes. *Soum* administration in participating Plan Vivo project areas are supportive of these types of contracts and the rights of herders to resources in designated areas, including carbon or other benefits accrued under Plan Vivo. Other legislation relating specifically to carbon ownership does not currently exist in Mongolia. The possible implications of the Paris Agreement and measures to achieve Mongolia's NDCs are discussed in Sections L2 and C3 above. At present there continue to be no specific regulatory provisions for the voluntary carbon market. A letter of support for PCCA Phase II from the Ministry of Environment and Tourism, Government of Mongolia, is included at Annex 6.

Where activities pertain specifically to wildlife protection/ conservation, these will be undertaken in full accordance with the Mongolian Law on Forests, specifically article 29.1.1., which states that cutting or otherwise destroying saxaul trees is prohibited. The Mongolian Law on Animals, article 9, relates to the hunting bans on species present at the project sites such as goitered gazelle, Mongolian gazelle, argali sheep and Pallas's cat. In addition to these wildlife laws The Mongolian Law on Soil Protection and the Prevention of Desertification, article 7.1.4, highlights the importance of adhering to livestock capacity and rotation. This same law, article 6.2.2, also supports the plantation of forest patches as a technique to help prevent grassland desertification. The Law on Environmental Protection is relevant in relation to the overuse of medicinal plants. Article 15.1.4. states the plenary power of the Central State Administration is to establish off-take or harvest limits in accordance with the legislation on the annual use of forest resources, plants or animals and to restrict the use of certain natural resources taking into account known reserves.

Where employment opportunities may arise during the Plan Vivo project, the Executive Director of MSRM as the in-country coordinator, shall ensure equal employment

opportunities for community participants or other community members according to the Constitution of Mongolia and related law of Mongolia. This requirement will be discharged in discussion and in conjunction with *heseg*, and through established *heseg* constitutions.

I4 Project management

The officially project start date for Phase I was 1st April 2015, with the first monitoring against established baselines taking place in September 2015 (see Section K and Annex 5 Management Plans for details). Project establishment was ongoing since the inception of the Darwin Initiative project in April 2012, through the identification of target communities, and subsequent work with and facilitation of these communities to design their own Plan Vivos. From spring 2015, communities and the Plan Vivo team followed the agreed monitoring schedules and indicators as set out in Part K. These are reported on in detail in Phase I Annual Reports (available on the PV website at [Pastures, Conservation, Climate Action – Mongolia | Plan Vivo Foundation](#)). As agreed at the outset, Phase I site specific activities, as detailed herein, took place for an initial period of 4 years (until end March 2019). On completion of Phase I, all participating herder groups, with support from MSRM, reviewed activities and opted to continue into Phase II (2019-2029). Activities and indicators for Phase II are also included in Management Plans at Annex 5.

The project record keeping system will be maintained and continuously updated by MSRM. This will entail recording all Plan Vivos submitted by participants, PES agreement, monitoring and disbursements in accordance with agreed procedures, as specified in Part J. These records will be regularly backed up and copies held at an independent location to protect against data loss.

I5 Project financial management

MSRM have established an account solely for the management and disbursement of PV funds and separate from their general operational finances. For Phase I, seed funding for establishment of Plan Vivo activities was provided through the Darwin Initiative project 'Values and Valuation: New Approaches to Conservation in Mongolia'. This did not take the form of direct payments to participating *heseg*/ groups, but rather was used to fund workshops, community meetings and training events, through which PVs were developed and agreed by *heseg* and through enabling herders' attendance at these meetings. Subsequent funds derived from the sale of PV certificates and any other sources of income (donor funding etc.) were and will continue to be held in this separate account, with funds released to participants following MSRM's review and approval of each periodic monitoring report. Payments have been, and will continue to be, made into the existing accounts of the participating herder groups/ *heseg*. *Heseg* have their own structures and procedures for management and disbursement of funds to members (Part J). Full records are kept a) by MSRM of income and its disbursement to specific *heseg* and b) by each *heseg* through their existing accounting system, to ensure transparency and fairness of disbursements, in accordance with agreed benefit

sharing procedures.

Since its inception, the project has therefore received funding from Darwin Initiative, which has been invested in the development of the Plan Vivos through training and capacity building of participant communities, participatory planning and discussions.

The shares of carbon credit revenues generated during the project implementation phase are divided as follows, as per the Plan Vivo Standard, and for both wholesale and retail sales:

- 70% to participating communities
- 30% to MSRM to cover organizational, coordination, monitoring and administration costs.

I6 Marketing

For Phase I, a marketing plan was prepared for the project in conjunction and with advice from Plan Vivo. Preliminary discussions were also held with resellers such as Zeromission on marketing PV project certificates. The project team also identified a number of other potential purchasers of the certificates. These included i) companies/stores who purchase and stock cashmere goods sourced from Mongolia; ii) (eco) tourism/travel companies, both within Mongolia, where there are a number of domestic travel agencies (e.g. Nomad Tours) and international companies and hotel chains with business interests in Mongolia (Kempinski Hotels; Exodus Travel; Cox and Kings; Responsible Travel; British Horse Society, who run horse-riding tours in Mongolia). For Phase I the majority of certificates were sold to a number of resellers, who subsequently passed them on to their own clients. Marketing and sales for Phase II are underway, managed by U. Dorligsuren, MSRM.

I7 Technical Support

MSRM has already conducted extensive training with participating *heseg*/ herder groups, both under the auspices of the Darwin project and PV preparation, and prior to this (excepting Dulaan Khairkhan), in the sites where they were involved in the initial creation of the herder groups. These trainings have variously addressed issues such as reseeding; pasture management and rotational pasture use; processing and marketing of livestock products; accounts/ financial management; vegetable growing etc. MSRM will continue to provide technical support and training to PV *heseg*/ herder groups, throughout the period of their commitment to the project. This may entail further training in any of the above topics. It will also include ongoing training in management of the PV process; especially monitoring against agreed indicators, disbursement of benefits and record keeping. The initial monitoring period against the baselines, conducted from September 2015, was undertaken by MSRM staff in conjunction with *heseg*/ herder group members, to ensure the latter were fully trained and able to conduct the monitoring on their own in the future. ZSL training was also undertaken

with *heseg* members prior to Phase I, and will be followed up in the future to enable them for example to undertake manned surveys of key species (see management plans, Annex 5). Key PV *heseg* members, as selected by the other members of their group, have already taken part in Darwin project workshops/ training event for herders and for government staff in the capital, Ulaanbaatar (June 2015, July 2019), and in the development of training materials.

Part J: Benefit sharing

J1 PES agreements

PES agreements have been developed with participating *heseg*/ herder groups (template for Phase I at Annex 3). These were derived from a lengthy series of meetings between the Project Coordinators, MSRM, and each *heseg*/ group since 2012 to a) explain and discuss the PV process; b) facilitate *heseg*/ groups in developing proposed activities and their own Plan Vivo; c) develop and agree indicators and monitoring plans, d) agree mechanisms for benefit sharing and disbursement. In accordance with PV requirements, these procedures have taken full account of the need for Free Prior and Informed Consent (FPIC) (Annex 7). The same process was undertaken in preparation for Phase II in that MSRM conducted a number of meetings with *heseg* to discuss Phase I, establish whether they wished to go forward into Phase II, and to plan activities and monitoring for the latter. These PES agreements are designed to generate ecosystem services, as specified in Sections D and F. MSRM have worked with *heseg*/ groups to identify these ES, trends and monitoring requirements and to ensure that planned activities meet livelihood needs and do not endanger food security. They have also been designed to avoid leakage/ displacement into adjacent land areas. Interim targets, which will trigger payments, have been agreed and specified, as have procedures where targets are not met, and conflict resolution procedures (see below). Agreements for Phase II have been signed and dated by all parties (Annex 3). These are backdated to the start of Phase II in spring 2019, for herders' activities and for resultant carbon sequestration and issuance of certificates. The latter are as justified and requested in Annual Reports for Phase II (to be made available on PV website as these are approved on an annual basis throughout Phase II) Throughout the PV preparation period MSRM have been in discussion with local officials (e.g. *soum* governors) and national officials of pertinent agencies and regulatory bodies to ensure their support for the scheme and their recognition of herders' land rights and rights to any benefits accrued during the PV activities (sample letters of support and contracts at Annex 6; further information at Annex 7). This support has been a condition for entering into PES agreements with participating groups.

The project coordinator (MSRM) will continue to ensure that obligations are met. Specifically, all participating *heseg*/ herder groups are aware that any payments a) are performance -based and b) are also dependent upon sale of certificates and any income accrued through this process. It has been made very clear to all participants

that payments are not guaranteed and will only be triggered when *both* a) and b) are met. This is clearly set out in the sample agreement at Annex 3. Participating *heseg*/groups will be kept fully informed by the project coordinator of sales and income accrued throughout this process. It has also been made very clear to participating groups that all activities planned under PV should be designed to be beneficial for herders' livelihoods and/or for local environments, irrespective of any additional funding secured under PV.

PV agreements are in line with current legislation around land tenure and pasture use, and with local *soum* level planning mechanisms and responsibilities, as previously outlined. They have also been shared with adjacent herders for example and *soum khural* (meetings) to ensure wider local support and awareness of their provisions. They will not remove, diminish or threaten participants' land tenure, but rather will serve to strengthen it.

Should additional groups wish to enter PES agreements with the coordinator in the future, this will depend on a) funding having been secured through sale of certificates and/or state/ donor/reseller support and b) the ability to secure additional funding for any new participants. Any new participants will also have to meet the conditions for entering into PES agreements as outlined above. Where more groups wish to join than can be funded and all other conditions are met, applications will be decided by the project coordinator. Preference will be given to groups with higher proportions of low income and/ or female-headed households and the greatest potential for environmental as well as livelihood benefits through PV.

J2 Payments & Benefit Sharing

Payments for sale of certificates will be received initially by the project coordinator, MSLRM, who have set up a dedicated bank account for these payments, as set out in Section I5. Funds are released to participants at the agreed intervals, as set out in the individual PV agreements and following MSLRM's review and approval of each periodic monitoring report. Payments are made into the existing accounts of the participating herder groups/ *heseg*. *Heseg* already have their own established structures and procedures for management and disbursement of funds to members, which are designed to ensure equitable and fair sharing of benefits. For most groups, this will be based on equal distribution of benefits to all participating households. Where variations are proposed, for example a higher percentage of payments to be made to poor or female headed households, these are as specified in the relevant PV agreement (template at Annex 3). Full records are kept a) by MSLRM of income and its disbursement to specific *heseg* and b) by each *heseg* through their existing accounting system, to ensure transparency and fairness of disbursements, in accordance with agreed benefit sharing procedures. Payments will be withheld where agreed targets, as evaluated by agreed interim monitoring indicators, are not met (see Section K). In such cases, payments will be deferred until the *heseg* can demonstrate that targets for the specific period have been met, at which point payments will be released by the project coordinator.

Overall the benefit sharing mechanism allocates 70% of income from sale of certificates or other sources to participating communities. 30% is retained by MSRM to cover organizational, coordination, monitoring and administration costs. This has been agreed and is incorporated clearly within PV agreements (Annex 3). This benefit sharing arrangement remained in place throughout the initial 4 years of the project (Phase I). There have been no requests to renegotiate this on completion of Phase I and hence it will continue into Phase II also. The benefit sharing mechanism, as part of the sample PES agreement, is available to all participants in Mongolian. Agreed payments to participating *heseg/* groups are made as cash, not in kind. The benefit sharing mechanism described above was developed with participating *heseg/* groups in the run up to Phase I, through a series of meetings, as outlined above. Specifically, this issue was discussed in detail and finalized at meetings in September/ October 2014 (details at Annex 7). At the meetings with *heseg/* herder groups at project sites, in preparation for both Phases I and II, project participants have understood and agreed with project requirements and benefits. As the activities in the Plan Vivos were initiated and developed by participants themselves, with support and guidance from MSRM, project activities are reliable and workable, and have support from the *heseg/* herder groups involved.

Part K: Monitoring

During the project period (Phases I and II), achievement of the expected climate, biodiversity and livelihood benefits is assessed with activity-based monitoring linked to the specific activities planned at each project site. This activity-based approach provides a cost-effective method for monitoring, and only requires participant communities to collect and report information that is directly relevant to their management activities. A brief summary of the approach and of thresholds is given in Table K1. A detailed breakdown of activities and indicators is provided in the site specific management plans at Annex 5.

According to the PV process, the assumption that expected Phase I climate, biodiversity and livelihood benefits will be achieved by the activities described in the management plans must be validated using evidence from the project area prior to the start of a second (or subsequent) project period. In addition to activity-based monitoring, the PCCA project collected data to assist with this validation. This is discussed further under 'Assessment of expected benefits' below.

K1 Activity-based monitoring

Activity-based indicators are used to demonstrate whether the project is on track to

achieve the expected climate, biodiversity and livelihood benefits. The specific indicators for each activity and for each site are as detailed in the management plans at Annex 5. Table K1 and the text below merely summarise a number of these and also explain thresholds for three levels of performance:

- Green – indicating that the project is on track to achieve the expected climate, biodiversity and livelihood benefits, and that any performance related payments or in kind support should be made in full.
- Orange – indicating that project activities have fallen short of those required to achieve the expected climate, biodiversity and livelihood benefits. If projects have one or more indicator at the orange performance level, corrective actions may be required and part of the performance related payment or in kind support for that monitoring period should be withheld until it can be demonstrated that the a green performance level has been reached for all indicators.
- Red – indicating that project activities have fallen far short of those required to achieve expected climate benefits. If projects have one or more indicator at the red performance level, corrective actions are required and no performance -related payments or in-kind support should be made until a green performance level has been reached for all indicators.

These approaches were (Phase I) and will continue to be applied (Phase II) in relation to 1: evidence for ongoing support from herder groups for continuation of project activities: 2. Progress against specific indicators related to site specific project activities, as detailed in Annex 5; 3: evidence for the continuing capacity of the group to carry out project activities (see Table K1).

Table K1. Annual performance indicators and thresholds to be assessed throughout the project period

Indicator	Thresholds			Means of Verification
1. Project area	<ul style="list-style-type: none"> Green – There is evidence of ongoing support from the herder group, for project activities 	<ul style="list-style-type: none"> Orange – There are no obvious objections to continuation of project activities, but evidence of ongoing support is not sufficient to determine if the whole herder group is in favour them. 	<ul style="list-style-type: none"> Red – It has been clearly indicated that some or all of the herder group do not wish to continue with project activities 	Meeting reports
2. Project activities	<ul style="list-style-type: none"> Green – In the last 12 months: Pasture management; and Biodiversity conservation; and Livelihood improvement activities meet or exceed the minimum requirements described in the management plans. In summary these activities may include: <ul style="list-style-type: none"> Compliance with annual pasture management plans designed to achieve modelled reductions in grazing pressure and hence carbon sequestration. Establishment of herder partnerships for environmental protection Annual mammal, bird and vegetation surveys – with increases in populations as specified in Annex 5 Processing of named livestock products and sale – with indicators linked to improved household income and/ or volumes of named products produced per <i>heseg</i> per year <p>Full details of activities, monitoring and indicators are given in Annex 5 management plans.</p>	<ul style="list-style-type: none"> Orange – In the last 12 months: Pasture management; and/or Biodiversity conservation; and/or Livelihood improvement activities have mostly been carried out as described in the management plan, but there have been some minor infringements or omissions 	<ul style="list-style-type: none"> Red – In the last 12 months there have been significant infringements or omissions of activities described in the management plan for: Grazing and fodder management; and/or Biodiversity conservation; and/or Livelihood improvement 	Monitoring reports (see Annex 5)
3. Project management	<ul style="list-style-type: none"> Green – The Herder Partnership: Has met at least once every three months for the last year; and has the capacity and resources required to carry out all activities in the management plan, or a feasible plan for appropriate capacity building and/or resource procurement 	<ul style="list-style-type: none"> Orange – The Herder Partnership: has met less than once every three months in the previous year; and/or Lacks the capacity or resources to carry out all of the activities in the management plan, and has no feasible plan for appropriate capacity building and/or resource procurement 	<ul style="list-style-type: none"> Red – The Herder Partnership has not met in the last six months 	Meeting reports; Training/ Resource needs assessments

The monitoring plans for each project intervention are summarized by site and by type (e.g. overall ES benefits, specific environmental and biodiversity impacts; socio economic benefits) in the specific management plans (Annex 5). In some instances specific participatory indicators are designed to contribute to wider benefits – for example a number of the biodiversity indicators are not only about populations of key species but also relate to improved participation in management and governance of biodiversity (e.g. establishment of herders' partnerships; enhanced participation in environmental decision-making). These are key goals in themselves under national biodiversity planning and CBD commitments, as well as creating the context for enhanced protection and conservation of key habitats and species.

Assessment of expected benefits

Prior to the start of a second or subsequent project period, it is a PV requirement that the effectiveness of the project activities described in the management plan must be assessed, and the expected benefits updated accordingly, as part of the independent verification process. In this case this entailed measurements against 2019 targets for socio-economic indicators in spring 2019, and as set out in Table F2.2. Validation of carbon benefits was achieved through annual monitoring of above ground biomass from summer 2016 and at the end of the initial commitment period, in addition to annual monitoring of grazing management practices, to ensure compliance with figures on which the modelling is based. The independent verification process also confirmed this.

Changes to soil carbon stocks in the pilot project areas were not assessed directly at the end of the first commitment period e.g. by limited sampling of soils in selected areas to determine whether they were in line with the model predictions for the project period. This was not deemed necessary by the independent verifiers. However, grazing management templates (Section F) were updated to reflect planned activities and stocking rates for Phase II. The impact of project activities on the livelihoods of herder groups was assessed using the framework described in Part F2, and impacts on livelihoods updated accordingly (Table F2.2).

Community involvement

Reporting activity-based indicators is the responsibility of the herder partnerships, who are trained and supported by the project coordinator. Copies of all monitoring reports will be held by the herder partnerships and will be presented and discussed annually at a community meeting.

Annexes

Annex 1. List of key people involved with contact information

The main in-country Project Co-ordinators are the Mongolian Society for Range Management (MSRM):

- D. Dorligsuren: Executive Director (d.dorlig@yahoo.com)
- D. Uilst: Project Officer (uilst@yahoo.com)

Website: <http://www.msrm.mn>. Tel: 976-11-11453757

At the University of Leicester, UK:

C. Upton: External informal project support (PI of Darwin 'Values and Valuation: New Approaches to Conservation in Mongolia' project). (cu5@le.ac.uk)

Webpage: <http://www2.le.ac.uk/departments/geography/people/cu5>.

Tel: +44 (0)1162523824.

Phase I: Bioclimate project development support:

Nicholas Berry; Rob Harley; Mike Riddell: nicholas.berry@brdt.org; rob.harely@brdt.org; Mike.Riddell@brdt.org.

Bioclimate is no longer trading in Phase II. Key personnel, Nick Berry and Mike Riddell are now supporting the project from Landscape and Livelihoods.

Phase II: Landscape and Livelihoods

Nick Berry: nick@landscapesandlivelihoods.com

Mike Riddell: mike@landscapesandlivelihoods.com

Annex 2. Information about funding sources

Since its inception, the project has received funding from the Darwin Initiative 'Values and Valuation: New Approaches to Conservation in Mongolia' project (2012-2015), worth £235,000 over the three year project period. A proportion of this budget has been invested in the development of the Plan Vivos through training and capacity building of participant communities, participatory planning and discussions.

Prior to Phase I, a marketing plan for the project was prepared in conjunction and with advice from Plan Vivo. We have had preliminary discussions with a number of resellers, who were some of the main purchasers of certificates in Phase I. The project team also identified a number of other potential purchasers of the certificates in Phase I. These included i) companies/ stores who purchase and stock cashmere goods sourced from Mongolia (e.g. Edinburgh Woollen Mills); ii) (eco) tourism/ travel companies, both within Mongolia, where there are rapidly growing numbers of domestic travel agencies (e.g. Nomad Tours) and international companies and hotel chains with business interests in

Mongolia (Kempinski Hotels; Exodus Travel; Cox and Kings; Responsible Travel; British Horse Society, who run horse-riding tours in Mongolia).

MSRM are leading the marketing campaign. We are also continuing to explore opportunities for additional/ matching funding through donor funds and through state sources.

Annex 3. Producer/group agreement template (Phase I & II examples)

Phase I: “Values and Valuation: New Approaches to Conservation in Mongolia”. Plan Vivo PES project in Mongolia.

This agreement is made this day of in the year between the **Mongolian Society for Range Management (MSRM)** of Ikh Toiruu 49, khoroolol 12, 13381, Bayanzurkh district, Precinct 3, Ulaanbaatar, Mongolia hereinafter referred to as the **“Project Coordinator”** AND Hongor Ovoo *heseg* (herder group) of Ikh Tamir *soum*, Arkhangai *aimag*, Mongolia. Its purpose is to provide terms and conditions agreed on by the above parties for the sale of ecosystem services under the Plan Vivo project “Values and Valuation: New Approaches to Conservation in Mongolia”.

WHEREAS the **Project Coordinator** has **agreed** to facilitate marketing and sale of carbon credits on behalf of the **Producer** to (*particulars of a-yet-to-be-identified buyer*) hereinafter referred to as the **“Buyer”** who has **agreed** to buy (*indicate quantity of credits*) at (*indicate price*) on conditions set out in this agreement.

WHEREAS the **Producer** has long term use rights over the piece of land described in **TABLE A** of this agreement and in the site specific Management Plan at Annex 5 of this document, with the approved attached Plan Vivo number and **agrees** to sell carbon credits to (*particulars of buyer identified above*) facilitated by MSRM, generated through implementing the land-use system described in the attached Plan Vivo (see Management Plan at Annex 5) for the period stipulated herein.

IT IS FURTHER AGREED AS FOLLOWS:

1. The agreement shall remain in force for 3 years (2015-2018) from the date of signature.

The Project Coordinator agrees:

1. To carry out monitoring of the participant's land/livelihood/ biodiversity conservation activities over the period, on a biannual or annual basis and against the targets agreed in the site specific **Management Plan (Annex 5, Table A5 1a for Hongor Ovoo heseg)** and the end of project indicators (Tables F1, F2.2, F3.2).

2. To coordinate the purchase of carbon credits as demanded by the buyer from the Producer at a price agreed with the buyer and to pay the resultant amount (less 30% for MSRM's organisational and project management costs) to the Producer in instalments based on achievement of annual and biannual targets as set out in the site specific **Management Plan (Annex 5)** where results of monitoring show that the corresponding targets have been met. It is proposed to allocate 40% of total payments in year 1, with 30% each in Years 2 and 3. These will be disbursed twice per year in equal amounts and dependent on achievement of the specific agreed targets as set out in the **Management Plan (Annex 5)**. Where one or more targets are not fully met, part of the performance related payment may be withheld, in accordance with the procedures and triggers set out in Section K.

The Producer agrees:

1. To implement activities (summarized in **Management Plan, Annex 5**) and carry out management actions, monitoring and reporting as set out in their Plan Vivo number.....(Management Plan, Annex 5) and to implement any corrective actions prescribed during the monitoring process.
2. To deposit **10%** of their credits as stipulated in **Table A** in a risk buffer maintained by the Project Coordinator.
3. To refrain from entering into any ecosystem service/ carbon sale agreement with any other party in respect of the same plan vivo and its associated activities.
4. To inform the project coordinator of any circumstances arising which prevent them from continuing with any of the management activities in their Plan Vivo.

Table A: Plan Vivo details (to be completed for each site using information from PDD)

Participant:	Hongor Ovoo <i>heseg</i>
Location:	
Plan Vivo ID number	
Total C benefit	
Biodiversity benefits	
Livelihood benefits	
Buffer	
Total benefits eligible for payment (C, biodiversity and livelihood benefits, minus buffer and MSRM allocation)	
Price	
Total payment (\$)	
Account/ other payment details	

Phase II, Dulaan Khairkhan

Annex 3. Producer/group agreement

"Pastures, Conservation and Climate Action, Mongolia". Plan Vivo PES project in Mongolia.

This agreement is made this 10 day of March in the year 2012 between the Mongolian Society for Range Management (MSRM) of Ikh Toiruu 49, khoroolol 12, 13381, Bayanzurkh district, Precinct 3, Ulaanbaatar, Mongolia hereinafter referred to as the "Project Coordinator" AND Dulaan Khairkhan heseg (herder group) of Bogd soum, Bayankhongor aimag, Mongolia. Its purpose is to provide terms and conditions agreed on by the above parties for the sale of ecosystem services under the Plan Vivo project "Pastures, Conservation and Climate Action, Mongolia".

WHEREAS the Project Coordinator has agreed to facilitate marketing and sale of carbon credits on behalf of the Producer to (particulars of a-yet-to-be-identified buyer) hereinafter referred to as the "Buyer" who has agreed to buy (indicate quantity of credits) at (indicate price) on conditions set out in this agreement.

WHEREAS the Producer has long term use rights over the piece of land described in TABLE A of this agreement and in the site specific Management Plan at Annex 5 of this document, with the approved attached Plan Vivo number..... and agrees to sell carbon credits to (particulars of buyer identified above) facilitated by MSRM, generated through implementing the land-use system described in the attached Plan Vivo (see Management Plan at Annex 5) for the period stipulated herein.

IT IS FURTHER AGREED AS FOLLOWS:

1. The agreement shall remain in force for 10 years (1st April 2019-31 March 2029).

The Project Coordinator agrees:

1. To carry out monitoring of the participant's land/livelihood/ biodiversity conservation activities over the period, on a biannual or annual basis and against the targets agreed in the site specific Management Plan (Annex 5, Table A5 3a for Dulaankhairkhan heseg) and the end of project indicators (Tables F1, F2.2, F3.2).
2. To coordinate the purchase of carbon credits as demanded by the buyer from the Producer at a price agreed with the buyer and to pay the resultant amount (30% for MSRM's organisational and project management costs) to the Producer in instalments based on achievement of annual and biannual targets as set out in the site specific Management Plan (Annex 5) where results of monitoring show that the corresponding targets have been met. Total payments received in given year will be disbursed twice per year in equal amounts and dependent on achievement of the specific agreed targets as set out in the Management Plan (Annex 5). Where one or more targets are not fully met, part of the performance related payment may be withheld, in accordance with the procedures and triggers set out in Section K.

The Producer agrees:

1. To implement activities (summarized in Management Plan, Annex 5) and carry out management actions, monitoring and reporting as set out in their Plan Vivo

Table A: Plan Vivo details

Participant location:	Dulaankhairkhan herseg Bogd sum, Bayankhongor aimag (plan showing boundaries attached)
Plan Vivo ID number:	(lbc)
Total C benefit:	
Biodiversity benefits	(the number of certificates is based on carbon, with 1 certificate denoting sequestration of 1t carbon. Biodiversity benefits are diverse in nature and quantity. See Management Plan. A single figure for biodiversity benefits can therefore not be calculated. However, meeting biodiversity targets is linked to disbursement of payments, see Section K. The price of certificates to purchasers also reflects these co-benefits)
Livelihood benefits	(the number of certificates is based on carbon, with 1 certificate denoting sequestration of 1t carbon. Livelihood benefits are diverse in nature and quantity. See Management Plan. A single figure for livelihood benefits can therefore not be calculated. However, meeting livelihood targets is linked to disbursement of payments, see Section K. The price of certificates to purchasers also reflects these co-benefits)
Buffer	Buffer: 10%
Total benefits eligible for payment (C, biodiversity and livelihood benefits, minus buffer and MSLR allocation)	53725 (t CO ₂ eqha)
Price	(lbc)
Total payment (\$)	Example payments: £5/certificate = £161066; £8/certificate = £257740
Account/ other payment details	

Signed (MSRM)

D. Dorligsuren

2022.03.10

Signed (Dulaankhairkhan Herseg & IOTIHR)

A. Amarsanaa

Amarsanaa Date
2022.03.10

ИАНЧИН БОРД
100%



Phase II, Hongor Ovoo

Annex 3. Producer/group agreement

"Pastures, Conservation and Climate Action, Mongolia". Plan Vivo PES project in Mongolia.

This agreement is made this 10 day of March in the year 2022 between the Mongolian Society for Range Management (MSRM) of Ikh Töruu 49, khoroolol 12, 13381, Bayanzurkh district, Precinct 3, Ulaanbaatar, Mongolia hereinafter referred to as the "Project Coordinator" AND Hongor Ovoo *heseg* (herder group) of Ikh Tamir soum, Arkhangai *aimag*, Mongolia. Its purpose is to provide terms and conditions agreed on by the above parties for the sale of ecosystem services under the Plan Vivo project "Pastures, Conservation and Climate Action, Mongolia".

WHEREAS the Project Coordinator has agreed to facilitate marketing and sale of carbon credits on behalf of the Producer to (particulars of a yet-to-be-identified buyer) hereinafter referred to as the "Buyer" who has agreed to buy (indicate quantity of credits) at (indicate price) on conditions set out in this agreement.

WHEREAS the Producer has long term use rights over the piece of land described in TABLE A of this agreement and in the site specific Management Plan at Annex 5 of this document, with the approved attached Plan Vivo number and agrees to sell carbon credits to (particulars of buyer identified above) facilitated by MSRM, generated through implementing the land-use system described in the attached Plan Vivo (see Management Plan at Annex 5) for the period stipulated herein

IT IS FURTHER AGREED AS FOLLOWS:

1. The agreement shall remain in force for 10 years (1st April 2019-31 March 2029).

The Project Coordinator agrees:

1. To carry out monitoring of the participant's land/livelihood/ biodiversity conservation activities over the period, on a biannual or annual basis and against the targets agreed in the site specific Management Plan (Annex 5, Table A5 1a for Hongor Ovoo *heseg*) and the end of project indicators (Tables F1, F2 2, F3.2).

2. To coordinate the purchase of carbon credits as demanded by the buyer from the Producer at a price agreed with the buyer and to pay the resultant amount (30% for MSRM's organisational and project management costs) to the Producer in instalments based on achievement of annual and biannual targets as set out in the site specific Management Plan (Annex 5) where results of monitoring show that the corresponding targets have been met. Total payments received in given year will be disbursed twice per year in equal amounts and dependent on achievement of the specific agreed targets as set out in the Management Plan (Annex 5). Where one or more targets are not fully met, part of the performance related payment may be withheld, in accordance with the procedures and triggers set out in Section K.

The Producer agrees:

1. To implement activities (summarized in Management Plan, Annex 5) and carry out management actions, monitoring and reporting as set out in their Plan Vivo

prescribed during the monitoring process.

2. To deposit 10% of the credits as stipulated in Table A in a risk buffer maintained by the Project Coordinator.
3. To refrain from entering into any ecosystem service/ carbon sale agreement with any other party in respect of the same plan vivo and its associated activities.
4. To inform the project coordinator of any circumstances arising which prevent them from continuing with any of the management activities in their Plan Vivo.

Table A: Plan Vivo details

Participant	Hongor Ovoo herseg
Location	Ikh Tamir soum, Arkhangai aimag (plan showing boundaries attached)
Plan Vivo ID number	(b6)
Total C benefit	
Biodiversity benefits	(the number of certificates is based on carbon, with 1 certificate denoting sequestration of 1t carbon. Biodiversity benefits are diverse in nature and quantity. See Management Plan. A single figure for biodiversity benefits can therefore not be calculated. However, meeting biodiversity targets is linked to disbursement of payments, see Section K. The price of certificates to purchasers also reflects these co benefits)
Livelihood benefits	(the number of certificates is based on carbon, with 1 certificate denoting sequestration of 1t carbon. Livelihood benefits are diverse in nature and quantity. See Management Plan. A single figure for livelihood benefits can therefore not be calculated. However, meeting livelihood targets is linked to disbursement of payments, see Section K. The price of certificates to purchasers also reflects these co benefits)
Buffer	Buffer 10%
Total benefits eligible for payment (C, biodiversity and livelihood benefits, minus buffer and MSRM allocation)	80545 (1 CDEha)
Price	(b6)
Total payment (\$)	Example payments: £5/ certificate =£161088 ; £8/ certificate = £257740
Account/ other payment details	(b6)

Signed (MSRM)

D.Dorligsuren

Date 20.03.10

Signed (Khongor Ovoo PUG)

Ts.Sengee

Date 20.03.10

(signatures have been collected for most participating households. The final few signatures are awaited from households away from the soum at present. This applies for all 3 sites).

Phase II, Ikh Am

Annex 3. Producer/group agreement

"Pastures, Conservation and Climate Action, Mongolia". Plan Vivo PES project in Mongolia.

This agreement is made this 10 day of March in the year 2022 between the Mongolian Society for Range Management (MSRM) of Ikh Toiruu 49, khoroolol 12, 13381, Bayanzurkh district, Precinct 3, Ulaanbaatar, Mongolia hereinafter referred to as the "Project Coordinator" AND Ikh Am *heseg* (herder group) of Undurshireet soum, Tuv aimag, Mongolia. Its purpose is to provide terms and conditions agreed on by the above parties for the sale of ecosystem services under the Plan Vivo project "Pastures, Conservation and Climate Action, Mongolia".

WHEREAS the Project Coordinator has agreed to facilitate marketing and sale of carbon credits on behalf of the Producer to (particulars of a-yet-to-be-identified buyer) hereinafter referred to as the "Buyer" who has agreed to buy (indicate quantity of credits) at (indicate price) on conditions set out in this agreement.

WHEREAS the Producer has long term use rights over the piece of land described in **TABLE A** of this agreement and in the site specific Management Plan at Annex 5 of this document, with the approved attached Plan Vivo number..... and agrees to sell carbon credits to (particulars of buyer identified above) facilitated by MSRM, generated through implementing the land-use system described in the attached Plan Vivo (see Management Plan at Annex 5) for the period stipulated herein.

IT IS FURTHER AGREED AS FOLLOWS:

1. The agreement shall remain in force for 10 years (1st April 2019-31 March 2029).

The Project Coordinator agrees:

1. To carry out monitoring of the participant's land/livelihood/ biodiversity conservation activities over the period, on a biannual or annual basis and against the targets agreed in the site specific Management Plan (Annex 5, Table A5 2a for Ikh Am *heseg*) and the end of project indicators (Tables F1, F2.2, F3.2).

2. To coordinate the purchase of carbon credits as demanded by the buyer from the Producer at a price agreed with the buyer and to pay the resultant amount (30% for MSRM's organisational and project management costs) to the Producer in instalments based on achievement of annual and biannual targets as set out in the site specific Management Plan (Annex 5) where results of monitoring show that the corresponding targets have been met. Total payments receiving in given year will be disbursed twice per year in equal amounts and dependent on achievement of the specific agreed targets as set out in the Management Plan (Annex 5). Where one or more targets are not fully met, part of the performance related payment may be withheld, in accordance with the procedures and triggers set out in Section K.

The Producer agrees:

1. To implement activities (summarized in Management Plan, Annex 5) and carry out management actions, monitoring and reporting as set out in their Plan Vivo

number..... (Management Plan, Annex 5) and to implement any corrective actions prescribed during the monitoring process.

2. To deposit 10% of the credits as stipulated in Table A in a risk buffer maintained Project Coordinator.
3. To refrain from entering into any ecosystem service/ carbon sale agreement with a party in respect of the same plan vivo and its associated activities.
4. To inform the project coordinator of any circumstances arising which prevent the continuing with any of the management activities in their Plan Vivo.

Table A: Plan Vivo details

Participant	Ikh am heseg
Location	Undurshireet soum, Tuv aimag (plan showing boundaries attached)
Plan Vivo ID number	(tbc)
Total C benefit	
Biodiversity benefits	(the number of certificates is based on carbon, with 1 certificate denoting sequestration of 1t carbon. Biodiversity benefits are diverse in nature and quantity. See Management Plan. A single figure for biodiversity benefits can therefore not be calculated. However, meeting biodiversity targets is linked to disbursement of payments, see Section K. The price of certificates to purchasers also reflects these co benefits).
Livelihood benefits	(the number of certificates is based on carbon, with 1 certificate denoting sequestration of 1t carbon. Livelihood benefits are diverse in nature and quantity. See Management Plan. A single figure for livelihood benefits can therefore not be calculated. However, meeting livelihood targets is linked to disbursement of payments, see Section K. The price of certificates to purchasers also reflects these co benefits).
Buffer	Buffer 10%
Total benefits eligible for payment (C, biodiversity and livelihood benefits, minus buffer and MSRM allocation)	28078 (1 COzeha)
Price	(tbc)
Total payment (\$)	Example payments: £5/ certificate = £140390 ; £8/ certificate = £257740
Account/ other payment details	(tbc)
Signed (MSRM)	 Ministry of Environment and Natural Resources of Mongolia Ministry of Environment and Natural Resources of Mongolia
Signed (Ikh Am PUG)	 T. Oyun 2022.03.10 Date

Annex 4. Database template

The project will use the Plan Vivo database template.

Annex 5. Example Management Plans/ Plan Vivos

Management plans for each project site describe the project activities and locations (including the maps in Part B1 of the Project Design Document and produced again here). These GIS maps are the Plan Vivos developed with participating herder groups/ *heseg*, as finalized and confirmed in September/ October 2014. Further evidence of the participatory process by which these and the overall management plans were developed is included at Annex 7. Some of the planned activities lack a specific spatial component (e.g. processing of felt; increased herders' participation in environmental decision-making). These are described further in the following management plans and summarized in the following site specific tables.

Specific monitoring indicators (including indicators of ES benefits, specific environmental and biodiversity impacts; socio-economic benefits) and thresholds for each site are also described. In some instances specific participatory indicators are designed to contribute to wider benefits – for example a number of the biodiversity indicators are not only about populations of key species, but also relate to improved participation in management and governance of biodiversity (e.g. establishment of herders' partnerships; enhanced participation in environmental decision-making). These are key goals in themselves under national biodiversity planning and CBD commitments, as well as creating the context for enhanced protection and conservation of key habitats and species.

Development of detailed plans and indicators with Dert *heseg*, Ulziit are scheduled to take place during 2015-16, with a view to including them in the PV mechanism from summer 2016 if possible, or if not then in the next round of commitments.

For the remaining three sites, tables below summarise the planned activities, activity-based indicators and monitoring plans. For socio-economic indicators these include interim indicators which are readily measured and tracked by participating HG/ *heseg* – for example numbers of shelters/ fences repaired each year, % of households preparing hay for the winter, volumes of felt. These are therefore complementary to the end of the 1st four year commitment period indicators set out in Part F. The latter Part F indicators are not repeated below, except where they also form part of interim monitoring. Some indicators will be monitored biannually, others annually only, depending on the nature of the activity and as specified overleaf.

Data on seasonal grazing pressure, stocking rates and biomass utilization under baseline and with project scenarios has been used to calculate carbon benefits for sites, through the methodology and pilot study report in Annexes 8 and 9 respectively, and with due account of uncertainties and default values, as set out in Section G6. Site specific data tables for stocking rates and associated carbon benefits are appended here, after the relevant management plans.

Management Plans for both Phases I and II are included here for all three sites.

Phase I

Table A5. 1a): Management plan by project intervention, Hongor Ovoo heseg, Ikh Tamir, Arkhangai aimag

Project Interventions	Specific Activities (2015-2019)	Result/ Outcome	Monitoring details/ protocols	Indicator (1) & targets	Indicator (2/3):
Pasture management (incl. C sequestration)	Develop & implement annual schedule for seasonal pasture use (rotation).	Herder group (HG)/ <i>heseg</i> members have annual schedule for seasonal camps/ pasture use approved by HG meeting, local administration (LA) and MSRM. Herder group members comply with schedule. From Year 1 'with project' schedule to be equivalent to 50% grazing pressure or less across seasonal pasture areas and taking account of pasture biomass etc. to meet carbon sequestration targets in accordance with carbon modelling (Tables 1c, 1d).	2 x p.a. Self-reported by <i>heseg</i> members, subject to biannual confirmation by MSLRM August/ September 2015, February/ March 2016, then repeated at same intervals for PV project duration.	<ul style="list-style-type: none"> Development of agreed annual schedule (approved by HG members & LA (by end March each year), and which is equivalent to 50% grazing pressure or less for seasonal pasture areas and in accordance with carbon modelling. Any subsequent updates/ changes also agreed and approved by same parties. 1% reduction in livestock (sheep units) against baseline by end March 2017; 3% by end March 2018; 5% by end March 2019. % of HG households that comply with schedule (70% in summer and winter 2015; 80%, 2016, 90% 2017, 90-100% 2018/19). 	<ul style="list-style-type: none"> Average annual mobility (km pa) by household. Baseline developed through socio-economic survey. Indicators will be year in year increase in <i>heseg</i>/ HG mean km pa.
	Organise seasonal camping in underused areas (Khanuin gol, Khukh <i>nuur</i>).	Improved pasture conservation through using reserve (less used) pasture and camping.	Built into pasture use planning – above. No other specific indicators or monitoring for this activity.		
Biodiversity conservation	Establish herders' partnership to protect local environment at each mountain pass in the herder group area.	Objectives, work plans, responsibilities, mission statements and registration documents for herder groups produced. Herder groups able to conduct collaborative work to protect local habitat, through collaboration with LA.	Herder groups will report to local administration on planned and conducted activities at quarterly meetings. Copies of reports, with LA confirmation of activities to be supplied to MSLRM biannually (June, Dec).	MoUs signed by herder group partnerships by end 2015.	Work plans and objectives of herder groups are documented by the project and completed according to agreed work plans, according to biannual targets set out in MoU. (indicators can be updated for 2016 onwards once indicator 1 is achieved and according to targets agreed therein).
	Cooperate in groups for forest cleaning and protection.	Reduced decline of forest habitat and target mammal and plant species.	Annual bird and vegetation surveys, highlighting improved population of target species conducted by <i>heseg</i> . Self-reported 'cleaning' (removal of dead	July/ August 2015: forest patrol routes established, baseline vegetation and bird surveys completed (ZSL). By end 2015 cleaning of initial 2ha area. Summer 2016 – 1 repeat vegetation survey and bird survey conducted and reported against baselines. Cleaning of	Statistically significant increase in populations of key species by 2019 against 2015 baselines.

			undergrowth to encourage natural regeneration) of target 2 ha per year	further 2ha area by end 2016. Summer 2017- repeat vegetation and bird surveys conducted and reported against baselines. Cleaning of further 2ha area by end 2017. Summer 2018 –repeat vegetation and bird surveys conducted. All surveys will use agreed protocols supplied by ZSL. ZSL will train <i>heøeg</i> members in vegetation surveys in 2015/16. Other surveys to be carried out by ZSL.	
	Increased herders' participation in decision-making on environmental issues - e.g. licenses for wood cutting.	Develop a herder representative committee to liaise with local administration (may be linked to herders' partnership, above).	Meeting minutes, as supplied by the committee to show input into decision making process by <i>heøeg</i> . Independently validated on annually by LA/ MSRM.	By September 2015 herder committees are established and recognised and integrated into local administration decision making process for environment issues.	Subsequent indicators are annual/ biannual targets met, as set by the committee. (Indicators can be updated for 2016 onwards once indicator 1 is achieved & according to targets agreed therein).
	Production of tree seedlings (native species) for reforestation.	Nurseries established to produce birch, fir and larch seedlings. Initial planting activities completed. Enhanced provision of forest habitat to native species.	Each planted sapling will be mapped and surveyed to indicate successful development into maturation.	By end 2016 nursery is established and has produced first year of seedlings ready for planting.	By end 2017 200 saplings have been replanted in soum forest area. By end 2018 1000 saplings have been planted.
Socio-economic (incl. risk management)	Repair fences & winter/spring shelters.	20 shelters/ fences repaired.	Self-reported. Annual verification by MSRM.	5 fences/ shelters p.a. 1 st monitoring spring 2018.	
	Collaborative production & marketing of local brand milk products.	Increased income through marketing milk products.	Self-reported; <i>heøeg</i> accounts and meeting minutes. Annual verification by MSRM.	Local brand named milk products produced end 2015. Collaboration on processing & marketing within <i>heøeg</i> by end 2016- reported in meeting minutes. Cooperative established end 2017.	Enhanced household income by end 2016 and in subsequent years – (% households with increased income, against baseline).
	Gathering and sale of wild fruit & nuts.	Increased income.	Self-reported; <i>heøeg</i> accounts and meeting minutes. Annual verification by MSRM.	Enhanced household income by end 2016 and in subsequent years (% households with increased income, evaluated against baseline)	
	Comb yak wool & deliver to markets.	Increased income through marketing wool/ wool products.	Self-reported; <i>heøeg</i> accounts and meeting minutes. Annual verification by MSRM.	Enhanced household income by end 2016 and in subsequent years – (% households with increased income, evaluated against baseline; year on year increase).	

For all activities – see also end of project indicators, to be monitored against existing baselines in 2019 only (except where otherwise specified above) – as set out in Table F2.2 (livelihoods), F3.2 (biodiversity) and Section G/ Annex 8 (carbon benefits)

Phase II

Table A5. 1a): Phase II Management plan by project intervention, Hongor Ovooheseg, Ikh Tamir, Arkhangai aimag					
Project Interventions	Specific Activities (2019-2029)	Result/ Outcome	Monitoring details/ protocols	Indicator (1) & targets	Indicator (2/3):
Pasture management (incl. C sequestration)	Develop & implement annual schedule for seasonal pasture use (rotation).	Herder group (HG)/ <i>heseg</i> members have annual schedule for seasonal camps/ pasture use approved by HG meeting, local administration (LA) and MSRM. Herder group members comply with schedule. From Year 1 'with project' schedule to be equivalent to 50% grazing pressure or less across seasonal pasture areas and taking account of pasture biomass etc. to meet carbon sequestration targets in accordance with carbon modelling (Tables 1c, 1d).	2 x p.a. Self-reported by <i>heseg</i> members, subject to biannual confirmation by MSRM August/ September 2019, February/ March 2019, then repeated at same intervals for PV project duration.	<ul style="list-style-type: none"> Development of agreed annual schedule (approved by HG members & LA (by end March each year), and which is equivalent to 50% grazing pressure or less for seasonal pasture areas and in accordance with carbon modelling. Any subsequent updates/ changes also agreed and approved by same parties. 5% reduction in livestock (sheep units) against baseline by end March 2019; further 3% by end March 2020; 3% by end March 2021.1% by end 2022,2023 Starting from 2024 (0% reduction), the number of livestock will reach stable levels in accordance with carbon modelling. Take measures to ensure that no livestock exceeds the carrying capacity. % of HG households that comply with schedule (80% in summer and winter 2019; 85%, 2020, 90% 2021, 95-100% 2022/29). Decrease in number of livestock 	<ul style="list-style-type: none"> Average annual mobility (km pa) by household. Baseline developed through socio-economic survey. Indicators will be year in year increase in <i>heseg</i>/ HG mean km pa.
	Assist selling livestock over pasture carrying capacity	Increased pasture capacity	Spending certain amount of the project financing to buy and sell livestock over pasture carrying capacity		The number of livestock sold by households
	Organise seasonal camping in underused areas (Khanuin gol, Khukh <i>nuur</i>).	Improved pasture conservation through using reserve (less used) pasture and camping.	Built into pasture use planning – above. No other specific indicators or monitoring for this activity.		

Biodiversity conservation	Establish herders' partnership to protect local environment at each mountain pass in the herder group area.	Objectives, work plans, responsibilities, mission statements and registration documents for herder groups produced. Herder groups able to conduct collaborative work to protect local habitat, through collaboration with LA.	Herder groups will report to local administration on planned and conducted activities at quarterly meetings. Copies of reports, with LA confirmation of activities to be supplied to MSLRM biannually (June, Dec).	MoUs signed by herder group partnerships by end 2015.	Work plans and objectives of herder groups are documented by the project and completed according to agreed work plans, according to biannual targets set out in MoU. (Indicators can be updated for 2019 onwards once indicator 1 is achieved and according to targets agreed therein).
	Cooperate in groups for forest cleaning and protection.	Reduced decline of forest habitat and target mammal and plant species.	Annual vegetation surveys, highlighting improved population of target species conducted by <i>heseg</i> . Self-reported 'cleaning' (removal of dead undergrowth to encourage natural regeneration) of target 2 ha per year	Forest patrol activities will be continued. Vegetation surveys will be conducted and reported. Cleaning of 2ha area by the end of each year.	Statistically significant increase in populations of key species by 2029 against 2019 baselines.
	Increased herders' participation in decision-making on environmental issues - e.g. licenses for wood cutting.	Develop a herder representative committee to liaise with local administration (may be linked to herders' partnership, above).	Meeting minutes, as supplied by the committee to show input into decision making process by <i>heseg</i> . Independently validated on annually by LA/ MSLRM.	By September 2019 herder committees are established and recognised and integrated into local administration decision making process for environment issues.	Subsequent indicators are annual/ biannual targets met, as set by the committee. (Indicators can be updated for 2016 onwards once indicator 1 is achieved & according to targets agreed therein).
	Production of tree seedlings (native species) for reforestation .	Nurseries established to produce birch, fir and larch seedlings. Initial planting activities completed. Enhanced provision of forest habitat to native species.	Each planted sapling will be mapped and surveyed to indicate successful development into maturation.	By end 2021 nursery is established and has produced first year of seedlings ready for planting.	By end 2024 200 saplings have been replanted in <i>soum</i> forest area. By end 2025 1000 saplings have been planted.

Socio-economic (incl. risk management)	Repair fences & winter/spring shelters.	20 shelters/ fences repaired.	Self-reported. Annual verification by MSRM.	5 fences/ shelters p.a. 1 st monitoring spring 2019.	
	Collaborative production & marketing of local brand milk products.	Increased income through marketing milk products.	Self-reported; <i>heseg</i> accounts and meeting minutes. Annual verification by MSRM.	Local brand-named milk products produced end 2019. Collaboration on processing & marketing within <i>heseg</i> by end 2019- reported in meeting minutes. Cooperative established end 2022.	Enhanced household income by end 2019 and in subsequent years – (% households with increased income, against baseline).
	Gathering and sale of wild fruit & nuts.	Increased income.	Self-reported; <i>heseg</i> accounts and meeting minutes. Annual verification by MSRM.	Enhanced household income by end 2019 and in subsequent years (% households with increased income, evaluated against baseline)	
	Establish a herders' market	Increase income through selling livestock products	Self-reported. Annual verification by MSRM	The amount of revenue from sales - Number of participating households	Enhanced participating household income by the end of each year
	Comb yak wool & deliver to markets.	Increased income through marketing wool/ wool products.	Self-reported; <i>heseg</i> accounts and meeting minutes. Annual verification by MSRM.	Enhanced household income by end 2019 and in subsequent years – (% households with increased income, evaluated against baseline; year on year increase).	
	Enroll herders participate actively in project activities	Improved herd structure upon collaboration with animal breeding technology unit	Enroll all herders in trainings on improving livestock health and quality as well as providing information on projects being implemented; all households will pay attention to limiting their livestock number and improving their livestock health and productivity.	<ul style="list-style-type: none"> - Number of herders participated in projects and trainings - Improved herd structure 	List of projects being implemented by <i>heseg</i> and participating herders
	Sewing	Increase non-livestock income	Self-reported. Annual verification by MSRM	Job creation	Enhanced participating household income by the end of each year
	Plant perennials for green fodder	Sow perennials in spring/winter camps	Photographic evidence	3 household in 2019, 10 household in 2023,20 household in 2029	Increase the amount of animal green fodder
	Experiment and introduce soilless green fodder cultivation	Reduction of pasture load	Photographic evidence	3 household in 2022, 15 household in 2025, 25 household in 2028	Risk reduction

For all activities – see also end of project indicators, to be monitored against existing baselines in 2019 only (except where otherwise specified above) – as set out in Table F2.2 (livelihoods), F3.2 (biodiversity) and Section G/ Annex 8 (carbon benefits)

Table A5. 1b): Project Intervention Areas, Hongor Ovoo heseg, Ikh Tamir, Arkhangai aimag

	Data requirement i)	Data requirement ii)	Data requirement iii)
Pasture management	<p>a) Area in hectares (ha) of each key pasture area, according to planned grazing activities (summer, winter, autumn pastures etc.): Winter-Spring pasture (15 Oct-25 May) /Ha/-7883.2 Summer pasture (15 May- 20 Aug) /Ha/-4030.85 Autumn pasture (20 Aug-15 Oct) /Ha/-2345.</p> <p>b) Areas/ boundaries of underused pasture (Khanuin gol and mountain area of Khukh nuur), where camping is planned under PV: see pasture area map.</p>	<p>Coordinates for each key pasture area</p> <p>a)</p> <p>Winter-Spring pasture Lat 47°29'30.78"N Long 101° 4'18.49"E</p> <p>Summer pasture 1 Lat 47°30'42.69"N Long 100°58'47.22"E 2 Lat 47°31'44.63"N Long 101° 8'21.90"E</p> <p>Autumn pasture 1 Lat 47°30'0.80"N Long 100°59'25.11"E 2 Lat 47°29'23.40"N Long 101° 6'57.85"E</p> <p>Summer- Autumn pasture Lat 47°28'37.04"N Long 100°52'27.29"E</p>	<p>Map showing boundaries of each key pasture area (jpeg), supported by GIS file. (a and b)</p>
Forest cleaning/ protection	Planned area and locations where forest protection will take place: To be confirmed in planning meetings of herder partnerships with soum administration, April 2015.	Coordinates for planned areas to be taken under protection: (tbc April 2015)	
Herders partnership for protection of environment at mountain pass areas	Coordinates for the mountain pass areas: Ikh Ulunt Partnerships Lat 47°27'17.93"N Long 101° 5'19.60"E Khalun Us Partnerships Lat 47°26'55.65"N Long 100°54'31.80"E	Mandal Partnerships Lat 47°27'12.99"N Long 100°57'49.78"E Neg sanaa Partnerships Lat 47°27'51.65"N Long 47°27'51.65"N Shiree bulan Partnerships Lat 47°25'51.56"N Long 100°52'4.57"E	

Table A5 1C: Grazing management, stocking rates and biomass utilisation, Hongor Ovoo heseg, Ikh Tamir soum

Phase I

1	Grazing location	Riparian meadow		Mountain meadow			Mountain steppe		
		spring/summer	summer	winter	summer/fall	winter/spring	fall	winter/spring	summer/fall
1.1	description of baseline grazing practices								
	Baseline (2014-2015)								
	number of days grazing in this location	148	87	161	143	222	56	222	143
	average number of moves (camps) in location	2	1	1	2	2	1	2	2
	average no sheep units grazing in location	4931	8561	8328	1429	3894	2995	8045	2350
	area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
	yield (kg DM ha)	757	735.4	1000	414	1000	414	1000	414
	total yield (kg DM)	1123009.5	1949699.8	4639370.0	325569.6	2169100.0	682214.0	4481800.0	535144.7
1.2	estimation of biomass utilisation rate								
	kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	no days grazing for each plot in this location	74	87	161	71.5	111	56	111	71.5
	total biomass demand	510851.6	1042729.8	1877131.2	143042.9	605127.6	234808	1250193	235235
	estimated biomass utilisation rate (%)	0.45	0.53	0.4	0.44	0.28	0.34	0.28	0.44
2.1	description of with-project grazing								
2.1.1	Year 1 (2015-16)								
	start of grazing season (dd/mm)	25-Mar-15	12-Jun-15	15-Oct-15	25-May-15	1-Nov-15	20-Aug-15	15-Oct-15	25-May-15
	end of grazing season (dd/mm)	20-Aug-15	20-Aug-15	25-Mar-16	1-Nov-15	25-May-16	15-Oct-15	25-May-16	15-Oct-15
	number of days grazing in this location	148	69	162	160	206	56	223	143
	average no of moves (camps) in this location	4	2	1	3	2	2	3	3
	average no sheep units grazing in this location	5051	8769	8531	1464	3989	3068	8241	2407
	area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
	yield (kg DM ha)	757	735.4	1000	414	1000	414	1000	414
	total yield (kg DM)	1123009.5	1949699.8	4639370.0	325569.6	2169100.0	682214.0	4481800.0	535144.7
2.1.2	estimation of sustainable carrying capacity								
	recommended biomass utilization rate (%)	0.3	0.3	0.5	0.5	0.5	0.5	0.3	0.5
	kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	no days grazing for each plot in location	37	35	162	53	103	28	74	48
	total no SU can be grazed to sequester carbon	6503.9	12109.9	10227.9	2180.2	7521.2	8701.7	12920.0	4009.6
		0.78	0.72	0.83	0.67	0.53	0.35	0.64	0.60
2.1.3	Year 2 (2016-17)								
	start of grazing season (dd/mm)	25-Mar-16	12-Jun-16	15-Oct-16	25-May-16	1-Nov-16	20-Aug-16	15-Oct-16	25-May-16
	end of grazing season (dd/mm)	20-Aug-16	1-Aug-16	25-Mar-17	1-Nov-16	1-May-17	15-Oct-16	25-May-17	15-Oct-16
	number of days grazing in this location	148	50	161	160	181	56	222	143
	average number of moves (camps) in this location	4	2	1	3	2	2	3	3
	average number of sheep units grazing in this location	5832	10124	9849	1691	4605	3543	9514	2779
	area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
	yield (kg DM ha)	946.3	919.3	1250.0	517.5	1250.0	517.5	1250.0	517.5
	total yield (kg DM)	1403761.9	2437124.8	5799212.5	406962.0	2711375.0	852767.6	5602250.0	668930.9
	estimation of sustainable carrying capacity								
	recommended biomass utilization rate (%)	0.3	0.3	0.4	0.4	0.3	0.3	0.3	0.3
	kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
	no days grazing for each plot in this location	37	25	161	53	91	28	74	48
	total no SU can be grazed to sequester carbon	8129.9	20889.6	10291.4	2180.2	6420.0	6526.3	16222.7	3007.2
		0.72	0.48	0.96	0.78	0.72	0.54	0.59	0.92

Year 3 (2017-18)								
start of grazing season (dd/mm)	25-Mar-17	12-Jun-17	15-Oct-17	25-May-17	1-Nov-17	20-Aug-17	15-Oct-17	25-May-17
end of grazing season (dd/mm)	20-Aug-17	1-Aug-17	25-Mar-18	1-Nov-17	1-May-18	15-Oct-17	25-May-18	15-Oct-17
number of days grazing in this location	148	50	161	160	181	56	222	143
average no of moves (camps) in this location	6	4	3	6	4	4	5	5
average no SU grazing in this location	5043	8756	8518	1462	3982	3064	8228	2403
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	681.3	662	900	372.6	900	372.6	900	372.6
<i>total yield (kg DM)</i>	1010708.6	1754729.9	4175433.0	293012.6	1952190.0	613992.6	4033620.0	481630.2
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
<i>No days grazing for each plot in this location</i>	25	13	54	27	45	14	44	29
total no SU can be grazed to sequester carbon	8780.3	30081.1	16672.1	2354.6	9244.8	9397.8	19467.3	3608.6
	0.57	0.29	0.51	0.62	0.43	0.33	0.42	0.67
Year 4 (2018-19)								
start of grazing season (dd/mm)	25-Mar-18	12-Jun-18	15-Oct-18	25-May-18	1-Nov-18	20-Aug-18	15-Oct-18	25-May-18
end of grazing season (dd/mm)	20-Aug-18	1-Aug-18	25-Mar-19	1-Nov-18	1-May-19	15-Oct-18	25-May-19	15-Oct-18
number of days grazing in this location	148	50	161	160	181	56	222	143
average no of moves (camps) in this location	6	3	3	6	3	3	4	5
average no sheep units grazing in this location	4940.0	8576.0	8343.0	1432.0	3901.0	3001.0	8060.0	2354.0
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	832.7	808.9	1100.0	455.4	1100.0	455.4	1100.0	455.4
<i>total yield (kg DM)</i>	1235310.5	2144669.8	5103307.0	358126.6	2386010.0	750435.4	4929980.0	588659.1
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
<i>No days grazing for each plot in this location</i>	25	17	54	27	60	19	56	29
total no SU can be grazed to sequester carbon	10731.5	27574.3	20377.0	2877.8	8474.4	8614.7	19034.7	4410.5
	0.46	0.31	0.41	0.50	0.46	0.35	0.42	0.53

Phase II

Year 5 (2019-20)								
start of grazing season (dd/mm)	25-Mar-19	12-Jun-19	15-Oct-19	25-May-19	1-Nov-19	20-Aug-19	15-Oct-18	25-May-19
end of grazing season (dd/mm)	20-Aug-19	1-Aug-19	25-Mar-20	1-Nov-19	1-May-20	15-Oct-19	25-May-19	15-Oct-19
number of days grazing in this location	148	50	162	160	182	56	222	143
average no of moves (camps) in this location	6	4	3	5	4	4	4	5
average no of sheep units grazing in this	6448	11195	10890	1869	5092	3917	10520	3073
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	568.00	661.86	1000.00	393.00	900.00	393.00	900.00	407.00
total yield (kg DM)	842628.0	1754729.9	4639370.0	309055.2	1952190.0	647609.0	4033620.0	526096.3
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.5	0.4	0.5	0.5	0.5	0.4	0.5	0.4
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	25	13	54	32	46	14	56	29
total no SU can be grazed to sequester carbon	12200.2	40108.1	30683.7	3449.3	15323.3	13216.5	25956.4	5255.7
	0.53	0.28	0.35	0.54	0.33	0.30	0.41	0.58
Year 6 (2020-2021)								
start of grazing season (dd/mm)	25-Mar-19	12-Jun-19	15-Oct-19	25-May-19	1-Nov-19	20-Aug-19	15-Oct-18	25-May-19
end of grazing season (dd/mm)	20-Aug-19	1-Aug-19	25-Mar-20	1-Nov-19	1-May-20	15-Oct-19	25-May-19	15-Oct-19
number of days grazing in this location	148	50	162	160	182	56	222	143
average no of moves (camps) in this location	6	4	3	5	4	4	4	5
average no of sheep units grazing in this	5149	8939	8696	1493	4066	3128	8401	2454
area (ha)	1483.5	2651.2	4639.4	786.4	2169.1	1647.9	4481.8	1292.6
yield (kg DM ha)	513.00	552.00	900.00	360.00	858.00	370.00	858.00	400.00
total yield (kg DM)	761035.50	#####	4175433.00	283104.00	1861087.80	609708.20	3845384.40	517048.00
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.5	0.4	0.5	0.5	0.5	0.4	0.5	0.4
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	25	13	54	32	46	14	56	29
total no SU can be grazed to sequester carbon	11018.9	33450.7	27615.3	3159.6	14608.2	12443.0	24745.1	5165.3
	0.47	0.27	0.31	0.47	0.28	0.25	0.34	0.48
Year 7 (2021-2022)								
start of grazing season (dd/mm)	25-Mar-19	12-Jun-19	15-Oct-19	25-May-19	1-Nov-19	20-Aug-19	15-Oct-18	25-May-19
end of grazing season (dd/mm)	20-Aug-19	1-Aug-19	25-Mar-20	1-Nov-19	1-May-20	15-Oct-19	25-May-19	15-Oct-19
number of days grazing in this location	148	50	162	160	182	56	222	143
average no of moves (camps) in this location	5	4	3	5	3	4	3	5
average no of sheep units grazing in this	3,775	6,807	8,609	1,841	4,025	4,231	8,316	4,296
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	618.2	623.8	899.8	568.6	899.8	623.8	899.8	807.3
total yield (kg DM)	917159.0	1653718.7	4174319.6	447115.6	1951669.4	1027869.2	4032544.4	1043532.1
estimation of sustainable carrying capacity								

recommended biomass utilization rate (%)	0.5	0.4	0.5	0.5	0.5	0.4	0.5	0.4
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	30	13	54	32	61	14	74	29
total no SU can be grazed to sequester carbon	11066.1	37799.3	27607.9	4990.1	11489.4	20976.9	19462.1	10424.9
	0.34	0.18	0.31	0.37	0.35	0.20	0.43	0.41
Year 8 (2022-23)								
start of grazing season (dd/mm)	25-Mar-22	12-Jun-22	15-Oct-22	25-May-22	1-Nov-22	20-Aug-22	15-Oct-22	25-May-22
end of grazing season (dd/mm)	20-Aug-22	1-Aug-22	25-Mar-23	1-Nov-22	1-May-23	15-Oct-22	25-May-23	15-Oct-22
number of days grazing in this location	148	50	161	160	181	56	222	143
average no of moves (camps) in this location	5	3	2	5	3	3	4	4
average no of sheep units grazing in this location	3738	6739	8523	1822	3985	4189	8233	4081
area (ha)	1483.5	2651.2	4639.4	786.4	2169.1	1647.9	4481.8	1292.6
yield (kg DM ha)	693	705	1008	445	985	455	985	482
total yield (kg DM)	1028446.3	1868073.5	4677845.8	349562.7	2135753.7	750397.0	4412899.8	623005.9
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.4	0.4	0.4	0.5	0.4	0.4	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	28	15	66	34	58	17	60	32
total no SU can be grazed to sequester carbon	10494	35074	20161	3678	10596	12580	21095	6891
	0.36	0.19	0.42	0.50	0.38	0.33	0.39	0.59
Year 9 (2023-24)								
start of grazing season (dd/mm)	25-Mar-23	12-Jun-23	15-Oct-23	25-May-23	1-Nov-23	20-Aug-23	15-Oct-23	25-May-23
end of grazing season (dd/mm)	20-Aug-23	1-Aug-23	25-Mar-24	1-Nov-23	1-May-24	15-Oct-24	25-May-24	15-Oct-23
number of days grazing in this location	148	50	162	160	182	422	223	143
average no of moves (camps) in this location	5	3	2	5	3	3	4	4
average no of sheep units grazing in this location	3,700	6,672	8,437	1,804	3,945	4,147	8,151	3,877

area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	693	705	1008	445	985	455	985	482
total yield (kg DM)	1028446.3	1868073.5	4677845.8	349562.7	2135753.7	750397.0	4412899.8	623005.9
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	28	15	67	34	58	128	60	32
total no SU can be grazed to sequester carbon	10494.3	26305.5	20036.1	3678.4	10537.5	1669.3	21000.3	6890.7
	0.35	0.25	0.42	0.49	0.37	2.48	0.39	0.56
Year 10 (2024-25)								
start of grazing season (dd/mm)	25-Mar-24	12-Jun-24	15-Oct-24	25-May-24	1-Nov-24	20-Aug-24	15-Oct-24	25-May-24
end of grazing season (dd/mm)	20-Aug-24	1-Aug-24	25-Mar-25	1-Nov-24	1-May-25	15-Oct-24	25-May-25	15-Oct-24
number of days grazing in this location	148	50	161	160	181	56	222	143
average no of moves (camps) in this location	5	3	2	5	3	3	4	4
average no of sheep units grazing in this location	3,700	6,672	8,437	1,804	3,945	4,147	8,151	3,683
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	693	705	1008	445	985	455	985	482
total yield (kg DM)	1028446.3	1868073.5	4677845.8	349562.7	2135753.7	750397.0	4412899.8	623005.9
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	28	15	66	34	58	17	60	32
total no SU can be grazed to sequester carbon	10494.3	26305.5	20160.6	3678.4	10595.7	12579.5	21094.9	6890.7
	0.35	0.25	0.42	0.49	0.37	0.33	0.39	0.53
Year 11 (2025-26)								
start of grazing season (dd/mm)	25-Mar-25	12-Jun-25	15-Oct-25	25-May-25	1-Nov-25	20-Aug-25	15-Oct-25	25-May-25
end of grazing season (dd/mm)	20-Aug-25	1-Aug-25	25-Mar-26	1-Nov-25	1-May-26	15-Oct-25	25-May-26	15-Oct-25
number of days grazing in this location	148	50	161	160	181	56	222	143
average number of moves (camps) in this location	5	3	2	5	3	3	4	4
average no of sheep units grazing in this location	3,700	6,672	8,437	1,804	3,945	4,147	8,151	3,572
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	693	705	1008	445	985	455	985	482
total yield (kg DM)	1028446.3	1868073.5	4677845.8	349562.7	2135753.7	750397.0	4412899.8	623005.9
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	28	15	66	34	58	17	60	32
total no SU can be grazed to sequester carbon	10494.3	26305.5	20160.6	3678.4	10595.7	12579.5	21094.9	6890.7
	0.35	0.25	0.42	0.49	0.37	0.33	0.39	0.52
Year 12 (2026-27)								
start of grazing season (dd/mm)	25-Mar-26	12-Jun-26	15-Oct-26	25-May-26	1-Nov-26	20-Aug-26	15-Oct-26	25-May-26
end of grazing season (dd/mm)	20-Aug-26	1-Aug-26	25-Mar-27	1-Nov-26	1-May-27	15-Oct-26	25-May-27	15-Oct-26
number of days grazing in this location	148	50	161	160	181	56	222	143
average number of moves (camps) in this location	5	3	2	5	3	3	4	4
average no of sheep units grazing in this location	3,700	6,672	8,437	1,804	3,945	4,147	8,151	3,465
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	693	705	1008	445	985	455	985	482
total yield (kg DM)	1028446.3	1868073.5	4677845.8	349562.7	2135753.7	750397.0	4412899.8	623005.9
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	28	15	66	34	58	17	60	32
total no SU can be grazed to sequester carbon	10494.3	26305.5	20160.6	3678.4	10595.7	12579.5	21094.9	6890.7
	0.35	0.25	0.42	0.49	0.37	0.33	0.39	0.50
Year 13 (2027) 281.0% reduction in livestock								

	0.30	0.20	0.42	0.49	0.51	0.30	0.39	0.30
Year 13 (2027-28) 0% reduction in livestock								
start of grazing season (dd/mm)	25-Mar-27	12-Jun-27	15-Oct-27	25-May-27	1-Nov-27	20-Aug-27	15-Oct-27	25-May-27
end of grazing season (dd/mm)	20-Aug-27	1-Aug-27	25-Mar-28	1-Nov-27	1-May-28	15-Oct-27	25-May-28	15-Oct-27
number of days grazing in this location	148	50	162	160	182	56	223	143
average number of moves (camps) in this location	5	3	2	5	3	3	4	4
average no of sheep units grazing in this location	3,700	6,672	8,437	1,804	3,945	4,147	8,151	3,361
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	693	705	1008	445	985	455	985	482
total yield (kg DM)	1028446.3	1868073.5	4677845.8	349562.7	2135753.7	750397.0	4412899.8	623005.9
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	28	15	67	34	58	17	60	32
total no SU that can be grazed to sequester carbon	10494.3	26305.5	20036.1	3678.4	10537.5	12579.5	21000.3	6890.7
	0.35	0.25	0.42	0.49	0.37	0.33	0.39	0.49
Year 14 (2028-29)								
start of grazing season (dd/mm)	25-Mar-28	12-Jun-28	15-Oct-28	25-May-28	1-Nov-28	20-Aug-28	15-Oct-28	25-May-28
end of grazing season (dd/mm)	20-Aug-28	1-Aug-28	25-Mar-29	1-Nov-28	1-May-29	15-Oct-28	25-May-29	15-Oct-28
number of days grazing in this location	148	50	161	160	181	56	222	143
average number of moves (camps) in this location	5	3	2	5	3	3	4	4
average no of sheep units grazing in this location	3,700	6,672	8,437	1,804	3,945	4,147	8,151	3,260
area (ha)	1,483.5	2,651.2	4,639.4	786.4	2,169.1	1,647.9	4,481.8	1,292.6
yield (kg DM ha)	693	705	1008	445	985	455	985	482
total yield (kg DM)	1028446.3	1868073.5	4677845.8	349562.7	2135753.7	750397.0	4412899.8	623005.9
estimation of sustainable carrying capacity								
recommended biomass utilization rate (%)	0.4	0.3	0.4	0.5	0.4	0.4	0.4	0.5
kg DM per sheep unit per day	1.4	1.4	1.4	1.4	1.4	1.4	1.4	1.4
no of days grazing for each plot in this location	28	15	66	34	58	17	60	32
total no SU that can be grazed to sequester carbon	10494.3	26305.5	20160.6	3678.4	10595.7	12579.5	21094.9	6890.7
	0.35	0.25	0.42	0.49	0.37	0.33	0.39	0.47

Phase I

Table A5 1d –Carbon Uptake Calculations, Hongor Ovoo heseg.

Hongor Ovoo, Ikh Tamir	1. Area (ha)	2. Additional carbon uptake per ha pa at 30% grazing pressure (with project) (PE(SOC,m,t))	3. Maximum additional carbon uptake pa for 30% grazing pressure (column 1x2)	4. Actual additional carbon uptake at 30% over 4 year project*	5. Additional carbon uptake per ha pa at 40% grazing pressure (with project) (PE(SOC,m,t))	6. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x5)	7. Actual additional carbon uptake at 40% over 4 year project*	8. Additional carbon uptake per ha pa at 50% grazing pressure (with project) (PE(SOC,m,t))	9. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x8)	10. Actual additional carbon uptake at 50% over 4 year project*
<i>Riparian Meadow</i>		(CENTURY model)			(CENTURY model)			(CENTURY model)		
Mar-Aug	1485.3	1.1600	1723	6892	0.5468	812	0	0.0156	23	0
May-Aug	2652	1.0274	2725	10899	0.6652	1764	0	0.3699	981	0
<i>Mountain Meadow</i>										
Oct-Mar	4639.8	0.2133	990	3959	0.1004	466	0	0.0656	304	0
May-Oct	786.4	1.523	1198	3593	0.7123	560	0	-0.0664	-52	-52
Oct-May	2169.1	1.0025	2175	6524	0.9822	2130	0	0.9497	2060	2060
<i>Mountain Steppe</i>										
Aug-Oct	1,647.9	0.7534	1241	3724	0.4139	682	0	0.1209	199	199
May-Oct	1,292.6	0.8923	1153	3460	0.323	418	0	-0.0652	-84	0
Oct-May	4,481.8	0.5512	2470	9881	0.4528	2029	0	0.2836	1271	0
Total carbon uptake for 30%, 40% and 50% grazing pressure				48932			0			2207
Total carbon uptake (For 4 year period without risk deduction)	51139	*these 'actual' figures are calculated from the grazing management spreadsheet A51c1a, by adding up the number of years at a particular grazing pressure for each pasture type from Year 1-Year 4 (i.e. under 'with project' scenarios), and hence the total area and change in carbon uptake for that pasture type at 30%, 40% and 50% grazing pressure. Where stocking rates exceed 50% grazing pressure, additional carbon uptake against the baseline is conservatively assumed to be zero. The CENTURY modelled figures are those for changes against baseline levels (PE(SOC,m,t))- see Table G5.3 for baselines for various pasture types.								
10% risk deduction	5114									
Total carbon uptake (4 year period with risk deduction)	46025									

Phase II

Hongor ovoos Ikh Tamir	1. Area (ha)	2. Additional carbon uptake per ha pa at 30% grazing pressure (with project) (PE(SOC,m,t))	3. Maximum additional carbon uptake pa for 30% grazing pressure (column 1x2)	4. Actual additional carbon uptake at 30% over 4 year project*	5. Additional carbon uptake per ha pa at 40% grazing pressure (with project) (PE(SOC,m,t))	6. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x5)	7. Actual additional carbon uptake at 40% over 4 year project*	8. Additional carbon uptake per ha pa at 50% grazing pressure (with project) (PE(SOC,m,t))	9. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x8)	10. Actual additional carbon uptake at 50% over 4 year project*
Riparian Meadow		(CENTURY model)			(CENTURY model)			(CENTURY model)		
Mar-Aug	1485.3	1.16	1722.9	0.0	0	0.5468	812	8.0	6497	0.0156
May-Aug	2652	1.0274	2725.0	10.0	27250	0.6652	1764		0	0.3699
Mountain Meadow										
Oct-Mar	4639.8	0.2133	990.0	0.0	0	0.1004	466	3.0	1398	0.0656
May-Oct	786.4	1.523	1198.0	0.0	0	0.7123	560	1.0	560	-0.0664
Oct-May	2169.1	1.0025	2175	1.0	2175	0.9822	2130	9.0	19174	0.9497
Mountain Steppe										
Aug-Oct	1,647.90	0.7534	1241.0	3.0	3723	0.4139	682	6.0	4092	0.1209
May-Oct	1,292.60	0.8923	1153.0	0.0	0	0.323	418	8.0	3340	-0.0652
Oct-May	4,481.80	0.5512	2470.0	0.0	0	0.4528	2029		0	0.2836
Total carbon uptake for 30%, 40% and 50% grazing pressure				33148				35062		7923
Total carbon uptake (For 4 year period without risk deduction)	76133									
10% risk deduction	7613									
Total carbon uptake (4 year period with risk deduction)	68519	*these 'actual' figures are calculated from the grazing management spreadsheet A51c1a, by adding up the number of years at a particular grazing pressure for each pasture type from Year 1-Year 4 (i.e. under 'with project' scenarios), and hence the total area and change in carbon uptake for that pasture type at 30%, 40% and 50% grazing pressure. Where stocking rates exceed 50% grazing pressure, additional carbon uptake against the baseline is conservatively assumed to be zero. The CENTURY modelled figures are those for changes against baseline levels (PE(SOC,m,t))- see Table G5.3 for baselines for various pasture types								

Ikh Tamir Hongor Ovoo	Area (ha)	C per ha pa at 30%	Total C pa for 30%	actual C at 30% (10 year project)	C per ha pa at 40%	Total C pa for 40%	actual C at 40% (10 year project)	C per ha pa at 50%	Total C pa for 50%	actual C at 50% (10 year project)
Riparian Meadow										
Mar-Aug										
	1485.3	1.1600	1723	0	0.5468	812	5684	0.0156	23	69
May-Aug										
2652										
16350										
Mountain Meadow										
Oct-Mar										
	4639.8	0.2133	990	0	0.1004	466	3262	0.0656	304	912
May-Oct										
	786.4	1.523	1198	0	0.7123	560	0	-0.0664	-52	-520
Oct-May										
	2169.1	1.0025	2175	0	0.9822	2130	14910	0.9497	2060	6180
Mountain Steppe										
Aug-Oct										
	1,647.9	0.7534	1241	0	0.4139	682	6820	0.1209	199	0
May-Oct										
	1,292.6	0.8923	1153	0	0.323	418	2090	-0.0652	-84	-420
Oct-May										
	4,481.8	0.5512	2470	0	0.4528	2029	10145	0.2836	1271	6355
Total C for 30 40 50 %										
				16350				49967		12576
TOTALS C (For 4 year period without risk deduction)										
	78893									
10% risk deduction										
	7889									
TOTALS C (4 year period with risk deduction)										
	71004									

Phase I

Table A5 2a): Management plan by project intervention, Ikh Am heseg, Undurshireet, Tov aimag					
Project Interventions	Specific Activities (2015-2019)	Result/ Outcome	Monitoring details/ protocols	Indicator (1) & targets	Indicator (2/3)
Pasture management (incl. C sequestration)	Develop & implement schedule for seasonal pasture use (rotation).	Herder group (HG)/ heseg members have annual schedule for seasonal camps/ pasture use approved by HG meeting, local administration (LA) and MSLR. Herder group members comply with schedule. From Year 1 'with project' schedule to be equivalent to 50% grazing pressure or less across seasonal pasture areas and taking account of pasture biomass etc. to meet carbon sequestration targets in accordance with carbon modelling (Tables 1c, 1d).	2 x p.a. Self-reported by heseg members, subject to biannual confirmation by MSLR August/ September 2015, February/ March 2016, then repeated at same intervals for PV project duration.	<ul style="list-style-type: none"> Development of agreed annual schedule (approved by HG members & LA (by end March each year), and which is equivalent to 50% grazing pressure or less for seasonal pasture areas and in accordance with carbon modelling. Any subsequent updates/ changes also agreed and approved by same parties. 10% reduction in livestock (sheep units) against baseline by end March 2017; 20% by end March 2018; 30% by end March 2019. % of HG households that comply with schedule (70% in summer and winter 2015; 80%, 2016, 90% 2017, 90-100% 2018/19). 	<ul style="list-style-type: none"> Average annual mobility (km pa) by household. Baseline developed through socio-economic survey. Indicators will be year in year increase in heseg/ HG mean km pa.
	Dig hand wells.	2 new hand wells created, enhancing water supply in currently under-used pasture areas.	Photographic evidence supplied by heseg. Confirmation by MSLR.	1 well completed by end 2015; 1 well completed by end 2016.	
Biodiversity conservation	Protect red deer, argali, marmot and Mongolian gazelle - through conservation measures outlined in the IUCN summary Action Plans for the target species.	Enhanced populations of target species as measured against baselines.	Camera traps will be used to define species' local distribution. Manned surveys will be conducted to confirm the baseline population (summer 2015). Established methods of data collection and analysis, approved by ZSL, will be used. 2015 to 2019 will involve annual camera trap surveys of 30 cameras active for up to 1 month at the site managed by ZSL, in conjunction with heseg members. Annual reports in August/ September	<p>Baseline survey (manned survey and camera trap methods) of each target species completed and reported by project team (ZSL) by beginning of September 2015. 4-5 local heseg herders trained in manned survey methods – by beginning of September 2015.</p> <p>For manned surveys, baseline and subsequent surveys will comprise 4 events per year over the summer from May to August, repeated at the same times and locations annually.</p> <p>Monitoring information pack produced for manned surveys by (ZSL), including</p>	<p>Work plans and objectives of herder groups are documented by the project and completed according to agreed work plans.</p>

			each year.	<p>standardised data collection sheets, for herders to use and complete: summer 2015. Annual manned surveys completed and reported to ZSL by herders trained by ZSL and using approved methods and data sheets. ZSL to check and report to MSRM.</p> <p>From 2015 baseline Annual camera trap surveys completed and reported (by ZSL). By 2019 statistically significant increase in target population size of each target species against 2015 baselines.</p>	
Protect bushes at Ovootiin and clean area (collect rubbish brought downriver from Ulaanbaatar and deposited locally)	Area of 3ha fenced in order to prevent ungulates from grazing willow saplings; planting of new areas.	ZSL report confirming benefits of fencing and lack of adverse impacts on wider grazing patterns and mobility, and evaluation of alternatives (e.g. collars) (summer 2015). Training of herders (e.g. in collaring trees) as appropriate. Photographic evidence of fence/ collars, confirmed by MSRM (December 2015). Annual reports and photographic evidence of any new planting, confirmed by MSRM. Also to include photographic evidence of and reports on cleaning/ litter collection (3x per year)	<p>Area of 3ha at Ovootiin is fenced by end of 2015 OR trees protected using collars, according to recommendations of ZSL report in summer 2015. Area free of litter.</p> <p>Planting of additional 0.5 ha in 2016, 2017, 1ha in 2018. Recreational/ aesthetic qualities of area improved through <i>heseg</i> members' regular litter collection.</p>		

Socio-economic (incl. risk management)	Repair fences & winter/spring shelters.	10 shelters/ fences repaired p.a.	Self-reported. Annual verification by MSRM.	10 fences/ shelters p.a. 1 st monitoring December 2015.	
	Collaborative production & marketing of milk and curd in season.	Increased income through marketing milk products.	Self-reported; <i>heøeg</i> accounts and meeting minutes. Annual verification by MSRM.	Enhanced household income by end 2016 and in subsequent years – linked to milk products (% households with increased income, evaluated against baseline).	
	Produce felt and deliver to markets.	Increased income through marketing wool/ wool products.	Self-reported; <i>heøeg</i> accounts and meeting minutes. Annual verification by MSRM.	<i>Heøeg</i> produces 100m felt from own prepared wool by end 2015 and markets it. <i>Heøeg</i> produces a further 150m by end 2016. <i>Heøeg</i> produces 200m in 2017 and 250m in 2018. Enhanced household income by end 2015 and in subsequent years (% households with increased income, evaluated against baseline).	
	Hay preparation.	Establishment of <i>heøeg</i> hayfield. Every <i>heøeg</i> family to prepare hay annually.	Self-reported; <i>heøeg</i> meeting minutes. Annual verification by MSRM.	Establishment of hayfield by end 2015. Increased % of <i>heøeg</i> households with adequate hay provision year on year from end 2015. Annual targets to be confirmed by <i>heøeg</i> end 2015.	Year in year targets to be updated on <i>heøeg</i> confirmation/ reporting end 2014

For all activities- see also end of project indicators, to be monitored against existing baselines in 2019 only (except where otherwise specified above) – as set out in Table F2.2 (livelihoods), F3.2 (biodiversity) and Section G/ Annex 8 (carbon benefits).

Phase II

Table A5 2a): Phase II Management plan by project intervention, Ikh Am /heseg, Undurshireet, Tov aimag

Project Interventions	Specific Activities (2015-2019)	Result/ Outcome	Monitoring details/ protocols	Indicator (1) & targets	Indicator (2/3)
Pasture management (incl. C sequestration)	Develop & implement annual schedule for seasonal pasture use (rotation).	Herder group (HG)/ <i>heseg</i> members have annual schedule for seasonal camps/ pasture use approved by HG meeting, local administration (LA) and MSLRM. Herder group members comply with schedule. From Year 1 'with project' schedule to be equivalent to 50% grazing pressure or less across seasonal pasture areas and taking account of pasture biomass etc. to meet carbon sequestration targets in accordance with carbon modelling (Tables 1c, 1d).	2 x p.a. Self-reported by <i>heseg</i> members, subject to biannual confirmation by MSLRM August/ September 2019, February/ March 2019, then repeated at same intervals for PV project duration.	<ul style="list-style-type: none"> Development of agreed annual schedule (approved by HG members & LA (by end March each year), and which is equivalent to 50% grazing pressure or less for seasonal pasture areas and in accordance with carbon modelling. Any subsequent updates/ changes also agreed and approved by same parties. 5% reduction in livestock (sheep units) against baseline by end March 2019. 3% by end March 2020; 3% by end March 2021. 2% by end 2022,2023,2024,2025,2026,2027.1% by and 2028 % of HG households that comply with schedule (80% in summer and winter 2019; 85%, 2020, 90% 2021, 95-100% 2022/29). 	<ul style="list-style-type: none"> Average annual mobility (km pa) by household. Baseline developed through socio-economic survey. Indicators will be year in year increase in <i>heseg</i>/ HG mean km pa.
	Experiment and introduce soilless green fodder cultivation	Reduction of pasture load	Photographic evidence		Risk reduction
	Assist selling livestock over pasture carrying capacity	Increased pasture capacity	Spending certain amount of the project financing to buy and sell livestock over pasture carrying capacity	Decrease in number of livestock The amount of money spent	The number of livestock sold by households
	Dig hand wells.	2 new hand wells created, enhancing water supply in currently under-used pasture areas.	Photographic evidence supplied by <i>heseg</i> . Confirmation by MSLRM.	1 well completed by end 2025; 1 well completed by end 2028.	

Biodiversity conservation	Protect red deer, argali, marmot and Mongolian gazelle - through conservation measures outlined in the IUCN summary Action Plans for the target species.	Enhanced populations of target species as measured against baselines.	Surveys will be conducted to confirm the baseline population (summer 2023). Annual reports in December each year.	By 2029 increase in target population size of each target species against 2019 baselines.	Work plans and objectives of herder groups are documented by the project and completed according to agreed work plans.
	Planting trees in winter and spring shelters	Increased absorption of carbon dioxide	Photographic evidence supplied by <i>heseg</i> . Confirmation by MSLRM	3 household in 2022, 10 household in 2025, 15 household in 2028	
	Clean area (collect rubbish brought downriver from Ulaanbaatar and deposited locally)	Cleaning/litter collection in May and October	Photographic evidence of and reports on cleaning/ litter collection	Recreational/ aesthetic qualities of area improved through <i>heseg</i> members' regular litter collection.	
Socio-economic (incl. risk management)	Repair fences & winter/spring shelters.	5 shelters/ fences repaired p.a.	Self-reported. Annual verification by MSLRM.	5 fences/ shelters p.a. 1 st monitoring December 2019.	
	Collaborative production & marketing of milk and curd in season.	Increased income through marketing milk products.	Self-reported; <i>heseg</i> accounts and meeting minutes. Annual verification by MSLRM.	Enhanced household income by end 2019 and in subsequent years – linked to milk products (% households with increased income, evaluated against baseline).	
	Sewing	Increase non-livestock income	Self-reported. Annual verification by MSLRM	Job creation	Enhanced participating household income by the end of each year
	Small scale processing of hide and skin of animals and deliver to markets.	Increased income through processing and marketing hide and skin products.	Self-reported; <i>heseg</i> accounts and meeting minutes. Annual verification by MSLRM.	Enhanced household income by end 2019 and in subsequent years (% households with increased income, evaluated against baseline).	

6

	Hay preparation.	Establishment of <i>heseg</i> hayfield. Every <i>heseg</i> family to prepare hay annually.	Self-reported; <i>heseg</i> meeting minutes. Annual verification by MSLRM.	Establishment of hayfield by end 2019. Increased % of <i>heseg</i> households with adequate hay provision year on year from end 2019. Annual targets to be confirmed by <i>heseg</i> end 2019.	Year in year targets to be updated on <i>heseg</i> confirmation/ reporting end 2020
--	------------------	--	--	--	---

Table A5. 2b): Project Intervention Areas, Ikh Am heseg, Undurshireet, Tov aimag

	Data requirement i)	Data requirement ii)	Data requirement iii)
Pasture management	Area in hectares (ha) of each key pasture area, according to planned grazing activities: <i>Winter pasture</i> (10 Nov-20 March) - 13666.7 ha <i>Spring pasture</i> (20 march-10 June)- 4438.3 <i>Summer-Autumn pasture</i> (10 June-10 Nov)-3918.8 ha	Coordinates for each key pasture area: <i>Winter pasture</i> Lat 47°25'30.97"N Long 105°23'11.92"E <i>Spring pasture</i> Long 47°22'17.73"N Lat 105°17'45.32"E <i>Summer- Autumn pasture</i> Lat 47°19'20.18"N Long 105°16'53.93"E	Map showing boundaries of each key pasture area (jpeg), supported by GIS file
Take under protection bushes at Ovootiin island	(see pasture use map)	Lat 47°18'2.79"N Long 105°18'24.32"E	

Tables for grazing management, stocking rates and biomass utilisation and carbon calculations for Ikh Am are included in main body of text as F1a and F1c respectively.

Phase I

Table A5 3a): Management plan by project intervention, Dulaan Khairkhan HG, Bogd, Bayanhongor aimag					
Project Interventions	Specific Activities (2015-2019)	Result/ Outcome	Monitoring details/ protocols	Indicator (1) & targets	Indicator (2/3)
Pasture management (incl. C sequestration)	Develop & implement schedule for seasonal pasture use (rotation).	Herder group (HG)/ <i>heseg</i> members have annual schedule for seasonal camps/ pasture use approved by HG meeting, local administration (LA) and MSRM. Herder group members comply with schedule. From Year 1 'with project' schedule to be equivalent to 50% grazing pressure or less across seasonal pasture areas and taking account of pasture biomass etc. to meet carbon sequestration targets in accordance with carbon modelling (Tables 1c, 1d).	2 x p.a. Self-reported by <i>heseg</i> members, subject to biannual confirmation by MSLM August/ September 2015, February/ March 2016, then repeated at same intervals for PV project duration.	<ul style="list-style-type: none"> • Development of agreed annual schedule (approved by HG members & LA (by end March each year), and which is equivalent to 50% grazing pressure or less for seasonal pasture areas and in accordance with carbon modelling. Any subsequent updates/ changes also agreed and approved by same parties. • 1% reduction in livestock (sheep units) against baseline by end March 2017; 3% by end March 2018; 5% by end March 2019. • % of HG households that comply with schedule (70% in summer and winter 2015; 80%, 2016, 90% 2017, 90-100% 2018/19). 	<ul style="list-style-type: none"> • Average annual mobility (km pa) by household. Baseline developed through socio-economic survey. Indicators will be year in year increase in <i>heseg</i>/ HG mean km pa.
	Organise seasonal camping in underused areas	Improved pasture conservation through using reserve (less used) pasture and reducing grazing pressure in other areas.	Built into pasture use planning – above. No other specific indicators or monitoring for this activity.		

Biodiversity conservation	Protection of Argali, Ibex and goitered gazelle.	<p>Baselines for target species populations are established.</p> <p>Capacity to conduct monitoring is established.</p> <p>Enhanced populations of target species as measured against baselines.</p>	<p>Production of baseline. Established wildlife survey methods used and detailed in the summer 2015 report to allow for replication. ZSL to approve methods and analysis.</p> <p>Ongoing wildlife monitoring methods will be developed and approved by ZSL in conjunction with HG members. Monitoring schedule will be developed collaboratively and submitted to MSRM by ZSL summer 2015.</p>	<p>Manned survey and camera trapping completed and reported by September 2015. 30 cameras active for up to 1 month for camera trapping. 4-5 herders from <i>heøeg</i> trained in manned survey methods.</p> <p>For manned surveys, baseline and subsequent surveys will comprise 4 events per year over the summer from May to August, repeated at the same times and locations annually.</p> <p>Monitoring info pack produced for manned surveys by (ZSL), including standardised data collection sheets, for herders to use and complete: summer 2015. Annual manned surveys completed and reported to ZSL by herders trained by ZSL and using approved methods and data sheets. ZSL to check and report to MSRM.</p> <p>Subsequent annual HG activities completed in accordance with agreed monitoring schedules.</p>	<p>Current population sizes of target species confirmed by summer 2015.</p> <p>Trend data on target populations established by the end of 2015 and to continue at least to 2018.</p> <p>By 2019 the populations of each of the three target species have shown a statistically significant increase from the baseline taken in 2015.</p>
	Protection of saxaul forest.	<p>Regular controlled monitoring of saxaul forest by HG established.</p> <p>Patrol routes, times and staff will be recorded and, where necessary, amended by the soum government and pasture user groups. Throughout 2015 the project should analyse data collected by the patrols and use</p>	<p>Annually – by HG. Verified by MSRM. Patrol routes, times and staff recorded, data presented and analysed by HG. Provided to MSRM on annual basis.</p>	<p>By September 2015 – Baseline number of stumps estimated (indicative of extent of illegal cutting).</p> <p>December 2015: Management plan developed and approved with local administration.</p>	<p>By end 2016 – number of new stumps decreased by 25% on 2015 data.</p> <p>End 2017 – Number of stumps decreased by 50% on 2015 data.</p> <p>By 2018 number of stumps reduced by >80% on 2015 data.</p>

	it to make management decisions regarding protection activities.			
	Plant sea buckthorn.	Sea buckthorn plantation established. Signed and stamped letter of authorisation by local administration head – to indicate previous uses of sites and confirm no loss of significant areas for biodiversity conservation. Self-reported planting confirmed by photographs. Verified and mapped (incl GPS coordinates) by MSRM.	Gain written local administration authorisation for planting – by September 2015. Self-reported. Annual verification by MSRM.	By end September 2015 an area of 0.5ha has been planted with alfalfa and sea buckthorn. By September 2016 1ha has been planted, by 2017 a total of 1.5ha is planted. 5 fences/ shelters p.a. 1 st monitoring December 2015.
Socio-economic (incl. risk management)	Repair fences & winter/spring shelters	5 shelters/ fences repaired p.a.	Self-reported. Annual verification by MSRM.	5 fences/ shelters p.a. 1 st monitoring December 2015.
	Establish greenhouse for vegetable production and grow vegetables.	HG has greenhouse. Regular sales of vegetables to local markets (linked to enhanced income and livelihood diversification).	Self-reported; <i>heseg</i> accounts and meeting minutes. Annual verification by MSRM.	Greenhouse established by December 2015. Enhanced household income by end 2015 and in subsequent years – linked to vegetable production (% households with increased income, evaluated against baseline).
	Hay preparation	Every <i>heseg</i> family to prepare hay annually.	Self-reported; <i>heseg</i> meeting minutes. Annual verification by MSRM.	Increased % of <i>heseg</i> households with adequate hay provision year on year from end 2015. Annual targets to be confirmed by <i>heseg</i> end 2015.

For all activities – see also end of project indicators, to be monitored against existing baselines in 2019 only (except where otherwise specified above) – as set out in Table F2.2 (livelihoods), F3.2 (biodiversity) and Section G/ Annex 8 (carbon benefits)

Phase II

Table A5 3a: Phase II Management plan by project intervention, Dulaan Khairkhan HG, Bogd, Bayanhongor aimag					
Project Interventions	Specific Activities (2015-2019)	Result/ Outcome	Monitoring details/ protocols	Indicator (1) & targets	Indicator (2/3)
Pasture management (incl. C sequestration)	Develop & implement schedule for seasonal pasture use (rotation).	Herder group (HG)/ <i>heseg</i> members have annual schedule for seasonal camps/ pasture use approved by HG meeting, local administration (LA) and MSRM. Herder group members comply with schedule. From Year 1 'with project' schedule to be equivalent to 50% grazing pressure or less across seasonal pasture areas and taking account of pasture biomass etc. to meet carbon sequestration targets in accordance with carbon modelling (Tables 1c, 1d).	2 x p.a. Self-reported by <i>heseg</i> members, subject to biannual confirmation by MSRM August/ September 2015, February/ March 2016, then repeated at same intervals for PV project duration.	<ul style="list-style-type: none"> • Development of agreed annual schedule (approved by HG members & LA (by end March each year), and which is equivalent to 50% grazing pressure or less for seasonal pasture areas and in accordance with carbon modelling. Any subsequent updates/ changes also agreed and approved by same parties. • Further 1% reduction in livestock (sheep units) against baseline by end March 2019; 1% by end March 2020; 1% by end March 2021; 2% by end March 2022; 0% by end March (2023-2029). • % of HG households that comply with schedule (80% in summer and winter 2019; 85%, 2021; 95% 2022, 95-100% 2023/29). 	• Average annual mobility (km pa) by household. Baseline developed through socio-economic survey. Indicators will be year in year increase in <i>heseg</i> / HG mean km pa.
	Assist selling livestock over pasture carrying capacity	Increased pasture capacity	Spending certain amount of the project financing to buy and sell livestock over pasture carrying capacity	Decrease in number of livestock The amount of money spent	The number of livestock sold by household
	Organise seasonal camping in underused areas	Improved pasture conservation through using reserve (less used) pasture and reducing grazing pressure in other areas.	Built into pasture use planning – above. No other specific indicators or monitoring for this activity.		

Biodiversity conservation	Protection of Argali, Ibex and goitered gazelle.	Baselines for target species populations are established. Capacity to conduct monitoring is established. Enhanced populations of target species as measured against baselines.	Production of baseline. The survey will be conducted every June and the results will be reviewed by the PUG members' meeting and the report will be submitted to the MSLRM.	Subsequent annual HG activities completed in accordance with agreed monitoring schedules.	By 2029 the populations of each of the three target species have shown a increase from the baseline taken in 2019.
	Protection of saxaul forest.	Regular controlled monitoring of saxaul forest by HG established. Patrol routes, times and staff will be recorded and, where necessary, amended by the <i>soum</i> government and pasture user groups. Throughout 2015 the project should analyse data collected by the patrols and use it to make management decisions regarding protection activities.	Annually – by HG. Verified by MSLRM. Patrol routes, times and staff recorded, data presented and analysed by HG. Provided to MSLRM on annual basis.	Evidence of stopping attempt of illegal cutting of saxaul trees. Management plan developed and approved with local administration.	Illegal cutting stopped in 2029 year
	Protection of Argali, Ibex and goitered gazelle's pasture	Don't build new winter and spring shelters in grazing areas of wild sheep and goats	2 x p.a. Self-reported by herder groups, confirmation by MSLRM.	Improve wild animals' pasture	By 2029 the populations of each of the three target species have shown an increase from the baseline taken in 2019.

Socio-economic (incl. risk management)	Repair fences & winter/spring shelters	5 shelters/ fences repaired p.a.	Self-reported. Annual verification by MSLRM.	5 fences/ shelters p.a.	
	Experiment and introduce soilless green fodder cultivation	Reduction of pasture load	Photographic evidence	3 household in 2022, 5 household in 2025, 5 household in 2028	Risk reduction
	Hay preparation	Every <i>heseg</i> family to prepare hay annually.	Self-reported; <i>heseg</i> meeting minutes. Annual verification by MSLRM.	Increased % of <i>heseg</i> households with adequate hay provision year on year from end 2019. Annual targets to be confirmed by <i>heseg</i> end 2019.	
	Establish a market to sell livestock, meat and raw materials	Assist <i>heseg</i> herders to sell their livestock, meat and raw materials	Report on the sales of each family submitted by December	More than 30 percent of the sales of livestock and raw materials of <i>heseg</i> members will be done through this activity	
	Sewing	Increase non livestock income	Self-reported... Annual verification by MSLRM	Job creation	Enhanced participating household income by the end of each year
	Making noodle	Increase non livestock income	Self-reported. Annual verification by MSLRM	Job creation	Enhanced participating household income by the end of each year

Table A5 3b): Project Intervention Areas, Dulaan Khairkhan Herder Group

	Data requirement i)	Data requirement ii)	Data requirement iii)
Pasture management	<p>a) Area in hectares (ha) of each key pasture area, according to planned grazing activities (summer, winter, autumn pastures etc.):</p> <p>Winter-spring pasture : (10 Nov-1 June)-9500 ha</p> <p>Winter pasture : (10 Nov-1 Apr)-2822 ha</p> <p>Summer- Autumn pasture: (1 June-10 Nov) 2589 ha</p> <p>Spring & autumn pasture : (1 Apr-1 June, 20 Aug-10 Nov)-2158 ha</p>	<p>Coordinates for each key pasture area (including Khar Delt);</p> <p>a) Coordinates of Each key pasture area:</p> <p>Winter-spring pasture:</p> <p>Lat 44°56'32.61"N Long 100°56'5.05"E</p> <p>Winter pasture:</p> <p>Lat 45° 3'59.66"N Long 100°59'0.00"E</p> <p>Summer- Autumn pasture:</p> <p>1 Lat 44°53'8.89"N Long 100°56'9.82"E 2 Lat 44°59'5.00"N Long 101° 0'36.23"E</p> <p>Spring & autumn pasture:</p> <p>Lat 45° 0'51.49"N Long 100°53'35.75"E</p> <p>Khar delt (to be rested in 2015)</p> <p>Lat 45° 0'40.84"N Long 100°57'6.98"E</p>	<p>Map showing boundaries of each key pasture area (jpeg), supported by GIS file. (a and b)</p>
Protection of saxaul forest	<p>Area (ha) of saxaul forest to be taken under protection (ha): 3474 ha</p>	<p>Coordinates for planned areas to be taken under protection:</p> <p>Lat 45° 2'3.79"N Long 100°58'27.96"E</p>	<p>Map for planned areas to be taken under protection (jpeg), supported by GIS file.</p>

				
Protection of medicinal plants at Mongoliin kholoi	Area (ha) of medicinal plants to be taken under protection: 2922 ha	Coordinates for planned areas to be taken under protection 45° 8'47.61"N 100°51'35.73"E	Map for planned areas to be taken under protection (jpeg), supported by GIS file.	
Plant alfalfa and sea buckthorn		Coordinates for planned areas to be planted: 45°12'22.20"N 100°45'31.60"E	Map for planned planting areas (jpeg), supported by GIS file.	
Establish greenhouse	-	Coordinates for planned location of greenhouse 45°12'22.26"N 100°45'34.13"E	Map for planned location of greenhouse (jpeg), supported by GIS file. (see above).	

Table A5 3C: Grazing management, stocking rates and biomass utilisation, Dulaan Khairkhan, Bogd soum

Phase I

	Grazing location	Mountain desert steppe		Desert steppe	
		winter/spring	fall	summer/fall	fall
1.1	description of baseline grazing practices				
	Baseline (2014-2015)				
	number of days grazing in this location	172	82	193	82
	average number of moves (camps) in location	1	1	2	1
	average number of sheep units grazing in location	4173	2335	643	1194
	area (ha)	9023	4010	1105	2051
	yield (kg DM ha)	140	210	210	210
	total yield (kg DM)	1263220	842100	232050	430710
1.2	estimation of biomass utilisation rate				
	<i>kg DM per sheep unit per day</i>	1.4	1.4	1.4	1.4
	<i>number of days grazing for each plot in this location</i>	172	82	96.5	82
	<i>total biomass demand</i>	1004858.4	268058	86869.3	137071.2
	<i>estimated biomass utilisation rate (%)</i>	0.8	0.3	0.4	0.3
2.1	description of with-project grazing				
2.1.1	Year 1 (2015-16)				
	start of grazing season (dd/mm)	10-Nov-15	20-Aug-15	1-May-15	20-Aug-15
	end of grazing season (dd/mm)	1-May-16	10-Nov-15	10-Nov-15	10-Nov-15
	number of days grazing in this location	173	82	193	82
	average number of moves (camps) in this location	3	2	3	2
	average number of sheep units grazing in location	4498	2517	694	1287
	area (ha)	9023	4010	1105	2051
	yield (kg DM ha)	140	210	210	210
	total yield (kg DM)	1263220.0	842100.0	232050.0	430710.0

2.1.2	estimation of sustainable carrying capacity			
	recommended biomass utilization rate (%)	0.3	0.3	0.3
	kg DM per sheep unit per day	1.4	1.4	1.4
	number of days grazing for each plot in location	58	41	64
	total number of Sheep unit that can be grazed to sustainable carrying capacity	4694.0	4401.2	772.9
		0.96	0.57	0.90
		0.57		
2.1.3	Year 2 (2016-17)			
	start of grazing season (dd/mm)	10-Nov-16	20-Aug-16	1-May-16
	end of grazing season (dd/mm)	1-May-17	10-Nov-16	10-Nov-16
	number of days grazing in this location	172	82	193
	average number of moves (camps) in this location	3	2	3
	average number of sheep units grazing in location	5070	2837	782
	area (ha)	9023	4010	1105
	yield (kg DM ha)	162	244	244
	total yield (kg DM)	1465335.2	976836.0	269178.0
	estimation of sustainable carrying capacity			
	recommended biomass utilization rate (%)	0.3	0.3	0.3
	kg DM per sheep unit per day	1.4	1.4	1.4
	number of days grazing for each plot in this location	57	41	64
	total number of Sheep unit that can be grazed to sustainable carrying capacity	5476.8	5105.4	896.6
		0.93	0.56	0.87
		0.56		
	Year 3 (2017-18)			
	start of grazing season (dd/mm)	10-Nov-17	20-Aug-17	1-May-17
	end of grazing season (dd/mm)	1-May-18	10-Nov-17	10-Nov-17
	number of days grazing in this location	172	82	193
	average number of moves (camps) in this location	4	3	4
	average number of sheep units grazing in location	3876	2169	598
	area (ha)	9023	4010	1105
	yield (kg DM ha)	126	189	189
	total yield (kg DM)	1136898.0	757890.0	208845.0
	estimation of sustainable carrying capacity			
	recommended biomass utilization rate (%)	0.3	0.3	0.3
	kg DM per sheep unit per day	1.4	1.4	1.4
	number of days grazing for each plot in this location	43	27	48
	total number of Sheep unit that can be grazed to sustainable carrying capacity	5665.6	5041.6	927.5
		0.68	0.37	0.64
		0.37		
	Year 4 (2018-19)			
	start of grazing season (dd/mm)	10-Nov-18	20-Aug-18	1-May-18
	end of grazing season (dd/mm)	1-May-19	10-Nov-18	10-Nov-18
	number of days grazing in this location	172	82	193
	average number of moves (camps) in this location	4	3	4
	average number of sheep units grazing in location	4176	2337	644
	area (ha)	9023	4010	1105
	yield (kg DM ha)	210	273	273
	total yield (kg DM)	1894830.0	1094730.0	301665.0
	estimation of sustainable carrying capacity			
	recommended biomass utilization rate (%)	0.3	0.3	0.3
	kg DM per sheep unit per day	1.4	1.4	1.4
	number of days grazing for each plot in this location	43	27	48
	total number of Sheep unit that can be grazed to sustainable carrying capacity	9442.7	8582.4	1339.7
		0.68		

	0.44	0.27	0.48	0.27
--	------	------	------	------

Phase II

Year 5 (2019-20)				
start of grazing season (dd/mm)	10-Nov-19	20-Aug-19	1-May-19	20-Aug-19

end of grazing season (dd/mm)	1-May-20	10-Nov-19	10-Nov-19	10-Nov-19
number of days grazing in this location	173	82	193	82
average no of moves (camps) in this location	4	3	4	3
average no of sheep units grazing in this location	5282	2956	815	1512
area (ha)	9023	4010	3750	2051
yield (kg DM ha)	173	150	173	125
total yield (kg DM)	1560979.0	601500.0	648750.0	256375.0
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.3	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
number of days grazing for each plot in this location	43	27	48	27
total no of SU that can be grazed to sequester carbon	7734.0	4715.6	4802.0	2009.9
	0.68	0.63	0.17	0.75
Year 6 (2020-2021)				
start of grazing season (dd/mm)	10-Nov-19	20-Aug-19	1-May-19	20-Aug-19
end of grazing season (dd/mm)	1-May-20	10-Nov-19	10-Nov-19	10-Nov-19
number of days grazing in this location	173	82	193	82
average no of moves (camps) in this location	5	4	5	4
average no of sheep units grazing in this location	3603	2016	556	1031
area (ha)	9023.0	4010.0	3750.0	2051.0
yield (kg DM ha)	140.00	120.00	135.00	110.00
total yield (kg DM)	1263220.0	481200.0	506250.0	225610.0
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.3	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
number of days grazing for each plot in this location	35	21	39	21

total no SU can be grazed to sequester carbon	7823.4	5030.0	4684.0	2358.3
	0.46	0.40	0.12	0.44
Year 7 (2021-2022)				
start of grazing season (dd/mm)	10-Nov-19	20-Aug-19	1-May-19	20-Aug-19
end of grazing season (dd/mm)	1-May-20	10-Nov-19	10-Nov-19	10-Nov-19
number of days grazing in this location	173	82	193	82
average number of moves (camps) in this location	5	4	5	4
average no of sheep units grazing in this location	3841	1562	1519	760
area (ha)	9023.0	4010.0	3750.0	2051.0
yield (kg DM ha)	162.8	139.4	144.9	132.5
<i>total yield (kg DM)</i>	1469305.3	558913.8	543375.0	271716.5
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.4	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
<i>number of days grazing for each plot in this location</i>	35	21	39	21
total no SU can be grazed to sequester carbon	12133.0	5842.3	5027.5	2840.2
	0.32	0.27	0.30	0.27
Year 8 (2022-23)				
start of grazing season (dd/mm)	10-Nov-22	20-Aug-22	1-May-22	20-Aug-22
end of grazing season (dd/mm)	1-May-23	10-Nov-22	10-Nov-22	10-Nov-22

number of days grazing in this location	172	82	193	82
average no of moves (camps) in this location	3	2	3	2
average no of sheep units grazing in this location	3764	1531	1489	744
area (ha)	9023.0	4010.0	3750.0	2051.0
yield (kg DM ha)	162	186	193	179
total yield (kg DM)	1465094.6	745178.3	724062.5	366814.5
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.5	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
number of days grazing for each plot in this location	57	41	64	41
total no SU can be grazed to sequester carbon	9126.4	3894.7	4019.6	1917.1
	0.41	0.39	0.37	0.39
Year 9 (2023-24)				
start of grazing season (dd/mm)	10-Nov-23	20-Aug-23	1-May-23	20-Aug-23
end of grazing season (dd/mm)	1-May-24	10-Nov-23	10-Nov-23	10-Nov-23
number of days grazing in this location	173	82	193	82
average no of moves (camps) in this location	3	2	3	2
average no of sheep units grazing in this location	3689	1501	1459	729
area (ha)	9023	4010	3750	2051
yield (kg DM ha)	153	213	218	208
total yield (kg DM)	1377631.6	854611.2	816450.0	426854.1
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.5	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
number of days grazing for each plot in this location	58	41	64	41
total no SU can be grazed to sequester carbon	8532.0	4466.6	4532.5	2230.9

	0.43	0.34	0.32	0.33
Year 10 (2024-25)				
start of grazing season (dd/mm)	10-Nov-24	20-Aug-24	1-May-24	20-Aug-24
end of grazing season (dd/mm)	1-May-25	10-Nov-24	10-Nov-24	10-Nov-24
number of days grazing in this location	172	82	193	82
average no of moves (camps) in this location	3	2	3	2
average no of sheep units grazing in this location	3689	1501	1459	729
area (ha)	9023.0	4010.0	3750.0	2051.0
yield (kg DM ha)	153	213	218	208
<i>total yield (kg DM)</i>	1377631.6	854611.2	816450.0	426854.1
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.5	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
<i>number of days grazing for each plot in this location</i>	57	41	64	41
total no SU can be grazed to sequester carbon	8581.6	4466.6	4532.5	2230.9
	0.43	0.34	0.32	0.33
Year 11 (2025-26)				
start of grazing season (dd/mm)	10-Nov-25	20-Aug-25	1-May-25	20-Aug-25
end of grazing season (dd/mm)	1-May-26	10-Nov-25	10-Nov-25	10-Nov-25
number of days grazing in this location	172	82	193	82
average no of moves (camps) in this location	3	2	3	2
average no of sheep units grazing in this location	3689	1501	1459	729
area (ha)	9023	4010	3750	2051
yield (kg DM ha)	153	213	218	208
<i>total yield (kg DM)</i>	1380519.0	854611.2	816450.0	426854.1
estimation of sustainable carrying capacity				

recommended biomass utilization rate (%)	0.5	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
<i>number of days grazing for each plot in this location</i>	57	41	64	41
total no SU can be grazed to sequester carbon	8599.6	4466.6	4532.5	2230.9
	0.43	0.34	0.32	0.33
Year 12 (2026-27)				
start of grazing season (dd/mm)	10-Nov-26	20-Aug-26	1-May-26	20-Aug-26
end of grazing season (dd/mm)	1-May-27	10-Nov-26	10-Nov-26	10-Nov-26
number of days grazing in this location	172	82	193	82
average no of moves (camps) in this location	3	2	3	2
average no of sheep units grazing in this location	3689	1501	1459	729
area (ha)	9023	4010	3750	2051
yield (kg DM ha)	153	213	218	208
<i>total yield (kg DM)</i>	1377631.6	854611.2	816450.0	426854.1
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.5	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
<i>number of days grazing for each plot in this location</i>	57	41	64	41
total no SU can be grazed to sequester carbon	8581.6	4466.6	4532.5	2230.9
	0.43	0.34	0.32	0.33
Year 13 (2027-28)				
start of grazing season (dd/mm)	10-Nov-27	20-Aug-27	1-May-27	20-Aug-27
end of grazing season (dd/mm)	1-May-28	10-Nov-27	10-Nov-27	10-Nov-27
number of days grazing in this location	173	82	193	82
average no of moves (camps) in this location	3	2	3	2
average no of sheep units grazing in this location	3689	1501	1459	729

area (ha)	9023	4010	3750	2051
yield (kg DM ha)	153	213	218	208
total yield (kg DM)	1377631.6	854611.2	816450.0	426854.1
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.5	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
number of days grazing for each plot in this location	58	41	64	41
total no SU can be grazed to sequester carbon	8532.0	4466.6	4532.5	2230.9
	0.43	0.34	0.32	0.33
Year 14 (2028-29)				
start of grazing season (dd/mm)	10-Nov-28	20-Aug-28	1-May-28	20-Aug-28
end of grazing season (dd/mm)	1-May-29	10-Nov-28	10-Nov-28	10-Nov-28
number of days grazing in this location	172	82	193	82
average no of moves (camps) in this location	3	2	3	2
average no of sheep units grazing in this location	3689	1501	1459	729
area (ha)	9023	4010	3750	2051
yield (kg DM ha)	153	213	218	208
total yield (kg DM)	1377631.6	854611.2	816450.0	426854.1
estimation of sustainable carrying capacity				
recommended biomass utilization rate (%)	0.5	0.3	0.5	0.3
kg DM per sheep unit per day	1.4	1.4	1.4	1.4
number of days grazing for each plot in this location	57	41	64	41
total no SU can be grazed to sequester carbon	8581.6	4466.6	4532.5	2230.9
	0.43	0.34	0.32	0.33

Phase I

Table A5 3d –Carbon Uptake Calculations, Dulaan Khairkhan, Bogd.

Hongor Ovoo, Ikh Tamir	1. Area (ha)	2. Additional carbon uptake per ha pa at 30% grazing pressure (with project) (PE(SOC,m,t))	3. Maximum additional carbon uptake pa for 30% grazing pressure (column 1x2)	4. Actual additional carbon uptake at 30% over 4 year project*	5. Additional carbon uptake per ha pa at 40% grazing pressure (with project) (PE(SOC,m,t))	6. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x5)	7. Actual additional carbon uptake at 40% over 4 year project*	8. Additional carbon uptake per ha pa at 50% grazing pressure (with project) (PE(SOC,m,t))	9. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x8)	10. Actual additional carbon uptake at 50% over 4 year project*
<i>Mountain desert Steppe</i>										
Nov-May	9023	0.5512	4973	19894	0.4528	4086	0	0.2836	2559	0
<i>desert steppe</i>										
Aug-Nov (1)	4010	0.7534	3021	12085	0.4139	1660	0	0.1209	485	0
May-Nov	1,105.0	0.8923	986	0	0.323	357	0	0.0652	72	216
Aug-Nov (2)	2,051.0	0.7534	1545	6181	0.4139	849	0	0.1209	248	0
Total carbon uptake for 30%, 40% and 50% grazing pressure				38159			0			216
Total carbon uptake (For 4 year period without risk deduction)	38375									
20% risk deduction	7675									
TOTALS C (4 year period with risk deduction)	30700									

*these 'actual' figures are calculated from the grazing management spreadsheet A51c, by adding up the number of years at a particular grazing pressure for each pasture type from Year 1-Year 4 (i.e. under 'with project' scenarios), and hence the total area and change in carbon uptake for that pasture type at 30%, 40% and 50% grazing pressure. Where stocking rates exceed 50% grazing pressure, additional carbon uptake against the baseline is conservatively assumed to be zero. The CENTURY modelled figures are those for changes against baseline levels (PE(SOC,m,t))- see Table G5.3 for baselines for various pasture types.

Phase II

Dulaankhairkhan	1. Area (ha)	2. Additional carbon uptake per ha pa at 30% grazing pressure (with project) (PE(SOC,m,t))	3. Maximum additional carbon uptake pa for 30% grazing pressure (column 1x2)	4. Actual additional carbon uptake at 30% over 4 year project*	5. Additional carbon uptake per ha pa at 40% grazing pressure (with project) (PE(SOC,m,t))	6. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x5)	7. Actual additional carbon uptake at 40% over 4 year project*	8. Additional carbon uptake per ha pa at 50% grazing pressure (with project) (PE(SOC,m,t))	9. Maximum additional carbon uptake pa for 40% grazing pressure (column 1x8)	10. Actual additional carbon uptake at 50% over 4 year project*			
Mountain desert Steppe													
Nov-May	9023	0.5512	4973	0.0	0	0.4528	4086	1.0	4086	0.2836	2559	8.0	20471

Aug-Nov (1)	4010	0.7534	3021	1.0	3021	0.4139	1660	8.0	13278	0.1209	485		0
Desert steppe													
May-Nov	1105	0.8923	986	3.0	2958	0.323	357	7.0	2498	0.0652	72		0
Aug-Nov (2)	2051	0.7534	1545	1.0	1545	0.4139	849	7.0	5942	0.1209	248	1.0	248
Total carbon uptake for 30%, 40% and 50% grazing pressure					7524				25804				20719
Total carbon uptake (For 4 year period without risk deduction)	54048	*these 'actual' figures are calculated from the grazing management spreadsheet A51c, by adding up the number of years at a particular grazing pressure for each pasture type from Year 1-Year 4 (i.e. under 'with project' scenarios), and hence the total area and change in carbon uptake for that pasture type at 30%, 40% and 50% grazing pressure. Where stocking rates exceed 50% grazing pressure, additional carbon uptake against the baseline is conservatively assumed to be zero. The CENTURY modelled figures are those for changes against baseline levels (PE(SOC,m,t))- see Table G5.3 for baselines for various pasture types.											
20% risk deduction	10810												
TOTALS C (4 year period with risk deduction)	43238												

Dulsan Khairkhan Mountain desert steppe	Area (ha)	C per ha pa at 30%	Total C pa for 30%	actual C at 30% (10 year project)	C per ha pa at 40%	Total C pa for 40%	actual C at 40% (10 year project)	C per ha pa at 50%	Total C pa for 50%	actual C at 50% (10 year project)
Nov-May	9023	0.5512	4973	9946	0.5468	4934	4934	0.0156	141	967
Aug-Nov	4010	0.7534	3021	30210	0.6652	2667	0	0.3699	1483	0
Desert steppe										
May-Nov	1105	0.8923	986	0	0.1004	111	0	0.0656	72	720
Aug-Nov	2051	0.7534	1545	15450	0.7123	1461	0	-0.0664	-136	0
Total C for 30 40 50 %				55606			4934			1707
TOTALS C (For 10 year period without risk deduction)	62247									
20% risk deduction	12449									
TOTALS C (10 year period with risk deduction)	49798									

Annex 6. Permits and legal documentation

Phase I:

The following documents include a sample pasture use contract between a *heseg*, an NGO (such as MSLRM or local herders' organisation) and a *soum* administration, as previously developed with input from MSLRM. Specific tripartite Plan Vivo contracts have been signed for each participating *heseg*/ herder group and for the duration of the Plan Vivo commitment period in conjunction with signature of the producer/group agreement template. English language versions are currently awaited. These are based on the attached but include specific reference to Plan Vivo and associated herders' rights to benefits accrued through the Plan Vivo project. Letters of support from key government staff and ministries are also included here. These provide evidence of the legal status of the project, its acceptance and support by a range of key stakeholders. Further information on key legislation for example around land tenure is provided in the main body of the text.

SAMPLE Collaboration contract

Date	No.	Place
------	-----	-------

This contract is made between Ts. Munkhbat Ikh Tamir *soum* governor of Arkhangai *Aimag*, D.Bazar Bugat *bag* governor, B.Enkhbayar head of *heseg* and J.Dashzeveg "Arvjin sajirakh" *soum* herders association NGO according to the provisions 24.1.3, 52.2 of Land law Mongolia.

1. General provisions

1.1 According to order of Ikh Tamir *soum* governor of Arkhangai *Aimag* 2010, from Bugat *bag* territory

- for winter pasture /place's name, quantity/ - Agit, Beekh, Olzii tolgoi, Baraan burgas, Teeremt and Bugat;
- for spring pasture /place's name, quantity/ - Khoyor Uul, Gants Burgas, Ikher baga Uul, Ulziit dund bulag and Baishint;
- for winter and spring pasture /place's name, quantity/ - Ulaan khad, Teeremt, Ikh baga khyiten, Tatsan;
- for autumn pasture /place's name, quantity/ - Ikh Uul, Khukh tseel, Dund bulgiin am;
- for summer pasture /place's name, quantity/ - Khukh tseel, Burd, Khunyin gol.

These places will be used by Khunyin gol *heseg* according to the pasture use management plan with a long term aim to reduce pasture degradation, to prevent overgrazing, to use the pasture rotationally for improving pasture yield quality, to protect pasture and fences, to improve usage and protection of water points, to spread seed and manure, to plant additional fodder crops.

1.2 The above mentioned pasture resources are, in normal weather conditions, sufficient for the following:

- A. Winter pasture in sheep head
- B. Spring pasture in sheep head
- C. Winter and spring pasture 15592 sheep head.

1.3 Winter and spring pasture coordinates, place names and pasture use scheme with the border will be attached in the contract.

1.4 Pasture land for herders is for the common use of the *heseg*.

2. Rights and roles of contract parties pertaining to pasture use

2.1 *Heseg's rights and roles*

- 2.1.1 *Heseg* meetings should be held at least once per season.
- 2.1.2 To develop draft agreements for vacating the pasture, entering the pasture, taking a tax and fee from other animals, water use, adjusting the animal numbers according to the carrying capacity and to take measures to have these plans approved at the *bag* and *soum* citizens' representatives meetings.
- 2.1.3 To participate actively in implementation of the agreed pasture use plan.
- 2.1.4 To follow the *heseg* meeting decisions on when to vacate certain pasture areas, and to move according to the agreed pasture use schedule.
- 2.1.5 To protect pasture, to reseed hay and pasture field and to spread manure for increase yield.
- 2.1.6 To sow fodder plants.
- 2.1.7 To follow the requirements of *soum* and *bag* governor and *soum* herders' association on pasture use and protection
- 2.1.8 To not graze animals from 15 May to 15 October within 3.5 km of the winter place.
- 2.1.9 In adverse weather conditions to move to the place appointed by the *soum* governor.
- 2.1.10 To make contracts with the local governor on water point use; to establish a new water point and to repair it.

- 2.1.11 To solve arguments related to pasture use, in conjunction with local governors.
- 2.1.12 to respect other herders' pasture use rights.
- 2.1.13 If herder with animals outside the contract use the pasture and stay more than two days, to inform the governor in order that they can take any necessary measures.
- 2.1.14 If a new family joins the *heseg* and/or herders migrate from other places, their access to seasonal pasture and to winter and spring campsites will be discussed and agreed by *bag* and *soum* citizens' representatives meetings.
- 2.1.15 to discuss adjusting and limiting animal number according to pasture capacity at the *heseg*'s meeting and to follow any agreed actions.
- 2.1.16 *Heseg* should take measures for sustainable use of forest, water, plant, animal and other natural resources, and to stop any illegal activity.
- 2.1.17 If any part of the *heseg* territory is located in a protected area, any pertinent legislation about the protected area should be followed in this area.
- 2.1.18 Where possible to establish nature protecting citizens' groups within the *heseg* territory and to introduce these to the citizens' representatives meeting. Any such groups should make a contract with a *soum* governor.

2.2 *Soum* governor's rights and roles

- 2.2.1 To develop measures to define the appropriate pasture carrying capacity and a rational usage scheme; to solve pasture management problems and to have these measures approved by the *soum* citizens' representatives khural. To ensure these plans are followed.
- 2.2.2 To evaluate *hesegs*' activity and to participate in selection of the best *heseg*; to support its activity and to promote it.
- 2.2.3 To make decisions on pasture schedules, and to monitor their implementation
- 2.2.4 To negotiate about movement to another *aimag* and *soum* territory with the governors in case of natural disaster and to manage any such *otor* movements.
- 2.2.5 To organize annual assessment of the pasture by a suitable professional organization.
- 2.2.6 To introduce pasture use arguments between the *soums* to the *aimag* governor and to take measures to resolve these.
- 2.2.7 To charge any guilty persons, who didn't follow the *soum* governor's decisions and requirements.
- 2.2.8 To monitor the *soum*'s specialists labor scheme.

2.3 Herder association or NGO's rights and roles

- 2.3.1 To provide the *heseg* with information, and to support and collaborate with *soum* and *bag* governors
- 2.3.2 To organize training and extension on pasture community management.
- 2.3.3 To support the rotational grazing system, rehabilitation and resting of pasture.
- 2.3.4 To collect and summarize the suggestions and proposals of *hesegs* and introduce them to the *bags* and *soum* citizens' representatives meeting.
- 2.3.5 To organize meetings of *heseg* and to discuss and make decisions on activity reports presented therein.
- 2.3.6 To organize and advertize activity of any relevant government/ donor programs in the rural area.
- 2.3.7 To collaborate with other projects and programs.
- 2.3.8 To introduce the *heseg* activity reports to the *bag* and *soum* citizens' representatives meeting; to reflect on the decisions in the *bag*'s and *soum* governor's work plan and to collaborate with them.

2.4 *Bag* governor's rights and roles

- 2.4.1 To support the *hesegs* to develop their annual pasture use plan in accordance with wider *soum*/ *bag* level planning; to introduce the plan to the citizens' representatives meeting.

- 2.4.2 To follow the decision of the *soum*'s citizens' representatives meeting and governor on the annual pasture use plan; to implement the regulations.
- 2.4.3 To facilitate coherence/ coordination between the hesegs.
- 2.4.4 To allocate hay making fields and to settle any disputes; to have allocations approved by the *soum* governor.
- 2.4.5 To settle any pasture use disputes according to the regulations.
- 2.4.6 To report the results of pasture use and pasture use planning to the citizens' representatives meeting.
- 2.4.7 To organize and support any donor program's implementation.

3. Contract term

- 3.1 Contract will be valid after signature by all parties.
- 3.2 This contract is made for four years duration between March 25, 2010 and December 30, 2013.
- 3.3 Contract parties can negotiate and prolong the contract term.

4. Contract monitoring

- 4.1 Contract parties have a right for monitoring the contract activity, implementation separately.
- 4.2 Contract parties have a role for reporting about the collaboration to other contract parties.

5. Liability

- 5.1 Anyone breaking the terms of this contract will be deemed responsible for any loss or other adverse impacts resulting.
- 5.2 *Soum* governor will be responsible for organizing:
restitution by the guilty party, who, for example broke down the fence, didn't move to the appointed pasture, grazed his or her animals to someone's reseeded and fertilized pasture.
Implementation of a penalty according to the "Administration responsibility law".

6. Others

- 6.1 Contract parties will provide an annual summary of activities/ contract implementation and attach it to the contract.
- 6.2 If disputes arise which cannot be resolved between the contract parties, these should be introduced to the *soum*'s citizens' representatives meeting and solved.
- 6.3 The provisions of this contract shall be changed or amended only as agreed by all parties.
- 6.4 Parties shall not pass to third party their rights by this contract without written consent of the other party.
- 6.5 The present Contract is concluded in four copies in Mongolian, all authentic.

SIGNED

Ikh Tamir *soum* governor
Ts. Munkhbat

"Bugat" bag governor
D.Bazar

heseg head "Khunyin gol"
B. Enkhbayar

NGO leader "Arvijin saijrakh"
J.Dashzeveg

Sealed

Phase II

Collaboration contract between the Mongolian Society for Range Management (MSRM), the Governor of Ikh Tamir soum, Arkhangai aimag, and the “Khongor Ovoo” Pasture User Group (PUG) within the framework of the “Pastures, Conservation and Climate Action, Mongolia ” PLAN VIVO project.

This contract is made between B.Tseveendorj Ikh Tamir *soum* governor of Arkhangai *Aimag*, Ts.Sengee head Pasture User Group “Khongor Ovoo” and D.Dorligsuren executive director of the Mongolian Society for Range Management to cooperate within the framework of the “Pastures, Conservation and Climate Action, Mongolia” PLANVIVO project.

Purpose of the agreement:

The purpose of the agreement is to work with local governments and herders to reduce overgrazing in Mongolia, to implement appropriate policies to protect the environment and wildlife, and to improve people's livelihoods, to provide knowledge about ecosystem services, and to implement them.

One. General provisions

The agreement will focus on the normal condition of pastures and their further improvement through the protection of the local environment and wildlife.

The Parties shall support and implement appropriate management in all activities aimed at reducing overgrazing, protecting biodiversity, wildlife and improving people's livelihoods.

The parties shall jointly evaluate the implementation and participation of the agreement on an annual basis. Unless the contract or the parties are amended, the contract shall be renewed annually and shall be considered valid.

Two. Rights and responsibilities of soum and bagh governors

- 2.1. Define the boundaries of the pasture use area (36756 ha) specified in the project document, approve the schedule for seasonal migration and pasture rotation, make necessary decisions for implementation, and provide support in resolving issues
- 2.2 Determine the appropriate carrying capacity of pastures and develop measures for their proper and efficient use; Approve the pastureland management plan by the Bagh Public Meeting and Soum Citizens 'Representatives' Meeting.

2.3 To make decisions on pasture schedules, and to monitor their implementation

2.4 To negotiate about movement to another *aimag* and *soum* territory with the governors in case of natural disaster and to manage any such *otor* movements;

2.5. To introduce pasture use arguments between the *soums* to the *aimag* governor and to take measures to resolve these.

2.6. To charge any guilty persons, who didn't follow the *soum* governor's decisions and requirements;

2.7 Provide Khongor Ovoo PUG pasture monitoring information (pasture yield per hectare) and official information on herders' livestock numbers

2.8. To monitor the *soum*'s specialists labor scheme.

Three. PUG (Altan tevshiin ezed NGO's) rights and roles

3.1. *Heseg* meetings (NGOs) should be held at least once every six months

3.2. To develop draft agreements for vacating the pasture, entering the pasture, taking a tax and fee from *otor* animals, water use, adjusting the animal numbers according to the carrying capacity and to take measures to have these plans approved at the *bag* and *soum* citizens' representatives' meetings.

3.3. To participate actively in implementation of the agreed pasture use plan.

3.4 To follow the *heseg* meeting decisions on when to vacate certain pasture areas, and to move according to the agreed pasture use schedule.

3.5 To protect pasture, to reseed hay and pasture field and to spread manure for increase yield.

3.6 To sow fodder plants.

3.7 To follow the requirements of *soum* and *bag* governor and *soum* herders' association on

pasture use and protection

3.8 To make contracts with the local governor on water point use; to establish a new water point and to repair it.

3.9. To solve arguments related to pasture use, in conjunction with local governors.

3.10. If herder with animals outside the contract use the pasture and stay more than two days, to inform the governor in order that they can take any necessary measures.

3.11. If a new family joins the *heseg* and/or herders migrate in from other places, their access to seasonal pasture and to winter and spring campsites will be discussed and agreed by *bag* and *soum* citizens' representatives meetings.

3.12. to discuss adjusting and limiting animal number according to pasture capacity at the *heseg*'s meeting and to follow any agreed actions.

3.13. *Heseg* should take measures for sustainable use of forest, water, plant, animal and other natural resources, and to stop any illegal activity.

3.14. If any part of the *heseg* territory is located in a protected area, any pertinent legislation about the protected area should be followed in this area.

3.15 Where possible to establish nature protecting citizens' groups within the *heseg* territory and to introduce these to the citizens' representatives meeting. Any such groups should make a contract with a *soum* governor.

Four. Rights and Responsibilities of the Mongolian Society for Range Management (MSRM)

4.1. Manage and organize project activities in cooperation with the Government, non-governmental organizations and relevant organizations

4.2. Cooperate with international professional organizations and companies in the field of issuance and sale of carbon dioxide certificates;

4.3 Promote the project activities internationally and intensify the sale of certificates

- 4.4. Provide information and cooperation to soum authorities and specialists on the purpose, significance and implementation of the project.
- 4.5 Cooperate with the Governor's Office within the framework of implementing the PUG work plan
- 4.6. Organize trainings, consultations, and provide relevant manuals and materials on pasture management plans, cooperation, environmental protection and income generation of PUGs involved in the project.
- 4.7. Support PUGs in making decisions based on the participation of herders in the proper organization of project investments in cooperation with the soum administration
- 4.8. In cooperation with PUGs and local authorities, promote project activities and implementation, provide information and advice to herders not involved in the project
- 4.9 Monitor and evaluate the implementation of the project according to the schedule and submit the report to the relevant international organizations
- 4.10 Capacity building and specialization of PUG management and herders in the field of pasture management and improvement of herder cooperation

Five. Term of contract

- 5.1 The Agreement shall enter into force upon signature by all parties.
- 5.2 This Agreement is concluded for a period of 10 years from March 31, 2019 to April 1, 2029.
- 5.3 The parties to the contract may negotiate and extend the contract.

Six. Termination of the contract

Either party shall submit a request to terminate or terminate the contract to the other party within a period of not less than 1 month (maximum 3 months) and may terminate the contract within the above period.

- 6.2. The parties may terminate the contract if they are unable to fulfill their obligations under the contract due to force majeure.
- 6.3 In case of termination of the contract, the coordinator shall submit the final and financial report to the donor organization.

PARTIES:

Executive Director of
Mongolian Society for

Governor of Ikh-Tamir soum
Arkhangai aimag

Head of "Khongor-
ovoo" PUG (Altan tevshiin

Range Management

D.Dorligsuren

B.Tsebeendorj

ezed, NGO)

Ts.Sengee

Phase II:

Dulaan Kharkhaan

Collaboration contract between the Mongolian Society for Range Management (MSRM), the Governor of ~~Bojd~~ soum, Bayankhongor aimag, and the "Dulaankhairkhan" Herder Group (HG) within the framework of the "Pastures, Conservation and Climate Action. Mongolia" PIANVIVO project.

2022:03:07

This contract is made between ~~D.Ulziihavar, Bojd~~ soum governor of Bayankhongor aimag, A.Amarsanaa head Herder Group "Dulaankhairkhan" (Nachin boerd, NGO) and D.Dorjlesuren executive director of the Mongolian Society for Range Management to cooperate within the framework of the "Pastures, Conservation and Climate Action. Mongolia" PIANVIVO project.

Purpose of the agreement:

The purpose of the agreement is to work with local governments and herders to reduce overgrazing in Mongolia, to implement appropriate policies to protect the environment and wildlife, and to improve people's livelihoods, to provide knowledge about ecosystem services, and to implement them.

One. General provisions

The agreement will focus on the normal condition of pastures and their further improvement through the protection of the local environment and wildlife.

The Parties shall support and implement appropriate management in all activities aimed at reducing overgrazing, protecting biodiversity, wildlife and improving people's livelihoods.

The parties shall jointly evaluate the implementation and participation of the agreement on an annual basis. Unless the contract or the parties are amended, the contract shall be renewed annually and shall be considered valid.

Two. Rights and responsibilities of soum and bagh governors

2.1. Define the boundaries of the pasture use area (36756 ha) specified in the project document, approve the schedule for seasonal migration and pasture rotation, make necessary decisions for implementation, and provide support in resolving ~~issues~~.

2.2 Determine the appropriate carrying capacity of pastures and develop measures for their proper and efficient use; Approve the pastureland management plan by the Bagh Public Meeting and Soum Citizens 'Representatives' Meeting.

2.3 To make decisions on pasture schedules, and to monitor their implementation

2.4 To negotiate about movement to another ~~soum~~ and ~~soum~~ territory with the governors in case of natural disaster and to manage any such ~~go~~ movements

2.5. To introduce pasture use arguments between the ~~soums~~ to the ~~aimag~~ governor and to take measures to resolve these.

2.6. To charge any guilty persons, who didn't follow the soum governor's decisions and requirements.

2.7 Provide ~~Dulaankhairkhan~~ HG pasture monitoring information (pasture yield per hectare) and official information on herders' livestock numbers

2.8. To monitor the *soum*'s specialists labor scheme.

Three. HG (Nochin bagd, NGO)’s rights and roles

3.1. ~~Hezag~~ meetings (NGOs) should be held at least once every six months

3.2. To develop draft agreements for vacating the pasture, entering the pasture, taking a tax and fee from ~~other~~ animals, water use, adjusting the animal numbers according to the carrying capacity and to take measures to have these plans approved at the *bag* and *soum* citizens' ~~representatives~~ meetings.

3.3. To participate actively in implementation of the agreed pasture use plan.

3.4 To follow the ~~hezag~~ meeting decisions on when to vacate certain pasture areas, and to move according to the agreed pasture use schedule.

3.5 To protect pasture, to reseed hay and pasture field and to spread manure for increase yield.

3.6 To sow fodder plants.

3.7 To follow the requirements of *soum* and *bag* governor and *soum* herders' association on pasture use and protection

3.8 To make contracts with the local governor on water point use; to establish a new water point and to repair it.

3.9. To solve arguments related to pasture use, in conjunction with local governors.

3.10. If herder with animals outside the contract use the pasture and stay more than two days, to inform the governor in order that they can take any necessary measures.

3.11. If a new family joins the ~~hezag~~ and/or herders migrate in from other places, their access to seasonal pasture and to winter and spring campsites will be discussed and agreed by *bag* and *soum* citizens' representatives meetings.

3.12. to discuss adjusting and limiting animal number according to pasture capacity at the ~~hezag~~’s meeting and to follow any agreed actions.

3.13. ~~Hezag~~ should take measures for sustainable use of forest, water, plant, animal and other natural resources, and to stop any illegal activity.

3.14. If any part of the ~~hezag~~ territory is located in a protected area, any pertinent legislation about the protected area should be followed in this area.

3.15 Where possible to establish nature protecting citizens' groups within the ~~hezag~~ territory and to introduce these to the citizens' representatives meeting. Any such groups should make a contract with a *soum* governor.

Four. Rights and Responsibilities of the Mongolian Society for Range Management (MSRM)

- 4.1. Manage and organize project activities in cooperation with the Government, non-governmental organizations and relevant organizations
- 4.2. Cooperate with international professional organizations and companies in the field of issuance and sale of carbon dioxide certificates;
- 4.3 Promote the project activities internationally and intensify the sale of certificates
- 4.4. Provide information and cooperation to soum authorities and specialists on the purpose, significance and implementation of the project.
- 4.5 Cooperate with the Governor's Office within the framework of implementing the PUG work plan
- 4.6. Organize trainings, consultations, and provide relevant manuals and materials on pasture management plans, cooperation, environmental protection and income generation of PUGs involved in the project.
- 4.7. Support PUGs in making decisions based on the participation of herders in the proper organization of project investments in cooperation with the soum administration
- 4.8. In cooperation with PUGs and local authorities, promote project activities and implementation, provide information and advice to herders not involved in the project
- 4.9 Monitor and evaluate the implementation of the project according to the schedule and submit the report to the relevant international organizations
- 4.10 Capacity building and specialization of PUG management and herders in the field of pasture management and improvement of herder cooperation

Five. Term of contract

- 5.1 The Agreement shall enter into force upon signature by all parties.
- 5.2 This Agreement is concluded for a period of 10 years from March 31, 2019 to April 1, 2029.
- 5.3 The parties to the contract may negotiate and extend the contract.

Six. Termination of the contract

Either party shall submit a request to terminate or terminate the contract to the other party within a period of not less than 1 month (maximum 3 months) and may terminate the contract within the above period.

- 6.2. The parties may terminate the contract if they are unable to fulfill their obligations under the contract due to force majeure.
- 6.3 In case of termination of the contract, the coordinator shall submit the final and financial report to the donor organization.

PARTIES:

Executive Director of	Governor of Bogd soum	Head of "Dulaankhairkhan"
Mongolian Society for	Bayankhongor aimag	HG (Nachin bogd NGO)
Range Management		
D.Dorligsuren	D.Ulzibayar	A.Amarsanaa

Letters of Support (from Phase I PDD)



ADMINISTRATION OF LAND AFFAIRS,
GEODESY AND CARTOGRAPHY
IMPLEMENTING AGENCY OF THE GOVERNMENT OF MONGOLIA

1575 Delgerchaa lalaat-3,
Chingeltei district, Ulaanbaatar, MONGOLIA
Tel: (976-11) 26-35-75, Fax: (976-11) 33-28-83
E-mail: alagon@mngol.net

Date 2014 03 21
Ref. 11225

TO WHOM IT MAY CONCERN

On behalf of the Agency for Land Affairs, Geodesy and Cartography, Mongolia we are pleased to express our support for the Plan Vivo projects currently being developed with herder communities in Ikh Tamir soum, Arkhangai aimag; Undurshireet soum, Tov aimag; Ulziih soum, Dundgov aimag and Bogd soum, Bayankhongor aimag.

These Plan Vivo projects are being developed through the Mongolian Society for Range Management (MSRM), as the Plan Vivo project coordinator in Mongolia, and initially within the wider context of the Darwin Initiative funded 'Values and Valuation: New Approaches to Conservation in Mongolia' study, led by the University of Leicester (UOL), UK. The details of the specific Plan Vivo project plans have been communicated to us by MSRM and UOL and we are happy to support these.

We understand that under the Plan Vivo projects, established herder groups (e.g. MSRM pasture user groups), who already have group user-rights agreements with local (soum) administration, will implement a range of pasture management, conservation and livelihood-oriented projects within these designated group areas over a number of years (e.g. 5-10 years). As part of these activities, the evaluation and improved conservation and sequestration of soil carbon will form key components, thus enabling links to voluntary carbon markets through the Plan Vivo standard. This is an important development for Mongolia and one that we are happy to support.


We confirm that this approach is in full compliance with pertinent areas of government policy and legislation. Mongolia's Land Law (2002) does not allow for the private ownership of pasture, but under this Law and its expected updates in the spring session of parliament, group user rights (e.g. for heseg or similar herder groups) can legally be agreed and enforced with the local (soum) administrations, as in these cases.

Such agreements may also specify herder group rights to any carbon-related benefits realised through the Plan Vivo projects.

We therefore confirm our support for the Plan Vivo projects and look forward to success outcomes and benefits for Mongolia and its herding communities.

VICE DIRECTOR

J.DAVAABAATAR





MINISTRY OF ENVIRONMENT
AND GREEN DEVELOPMENT
OF MONGOLIA

15100 Government building 2, United Nation's street 52,
Chingeltei district, ULAN BATOR, MONGOLIA
Tel: (976-11) 26-03-41, 26-03-71, Fax: (976-11) 33-14-01, 26-02-86
E-mail: contact@mne.mn, <http://www.mne.mn>

Date 40/05/2014
Ref. 7/1428

To whom it may concern

On behalf of the Ministry of Environment and Green Development, Mongolia we are pleased to express our support for the Plan Vivo projects currently being developed with herder communities in Ikh Tamir soum, Arhangai aimag; Undurshireet soum, Tuv aimag; Ulziiit soum, Dundgovi aimag and Bogd soum, Bayanhongor aimag.

These Plan Vivo projects are being developed through the Mongolian Society of Range Management (MSRM), as the Plan Vivo project coordinator in Mongolia, and initially within the wider context of the Darwin Initiative funded Values and Valuation: New approaches to Conservation in Mongolia's study, led by the University of Leicester UOL, UK. This Darwin project already enjoys the written support of this Ministry.

The details of the specific Plan Vivo project plan have been communicated to us by MSRM and UOL and we are happy to support these also.

We consider the Plan Vivo projects to be positive, new initiative in Mongolia, and to be in full compliance with pertinent areas of government policy and legislation for example Mongolia's evolving climate change and REDD-iness strategy; the development of Payment for Ecosystem services approaches and our conservation commitments and policies in relation of Protected Area planning & the national biodiversity action plan and Convention on Biological Diversity.

We therefore confirm our support for the Plan Vivo projects and look forward to success outcomes and benefits for Mongolia and its herding communities.

B. GANTULGA

DIRECTOR OF DEPARTMENT OF POLICY
IMPLEMENTATION



TO WHOM IT MAY CONCERN

**MINISTRY
OF INDUSTRY AND AGRICULTURE
OF MONGOLIA**

13381 Zasgiiin gazzrin IX bair,
Enkhtaivanii urgun chuluu 16a, Bayanzurkh duureg,
Ulaanbaatar, MONGOLIA
Tel: (976-51) 26-22-71, Fax: (976-11) 45-25-54
E-mail: mofa@mofa.gov.mn, <http://www.mofa.gov.mn>


Date 19 Apr 2014
Ref. 01/1542

On behalf of the Ministry of Industry and Agriculture of Mongolia we are pleased to express our support for the Plan Vivo projects currently being developed with herder communities in IkhTamir soum, Arkhangai aimag; Undurshireet soum, Tov aimag; Ulziit soum, Dundovi aimag and Bogd soum, Bayankhongor aimag.

These Plan Vivo projects are being developed through the Mongolian Society of Range Management (MSRM), as the Plan Vivo project coordinator in Mongolia, and initially within the wider context of the Darwin Initiative funded 'Values and Valuation: New Approaches to Conservation in Mongolia' study, led by the University of Leicester (UOL), UK. The details of the specific Plan Vivo project plans have been communicated to us by MSRM and UOL and we are happy to support these.

We understand that under the Plan Vivo projects, established herder groups (e.g. MSRM *heseg*), who already have group user-rights agreements with local (Soum) administration, will implement a range of pasture management, conservation and livelihood-oriented projects within these designated group areas over a number of years (e.g. 5-10 years). As part of these activities, the evaluation and improved conservation and sequestration of soil carbon will form key components, thus enabling links to voluntary carbon markets through the Plan Vivo standard. This is an important development for Mongolia and one that we are happy to support. We confirm that this approach is in full compliance with pertinent areas of government policy and legislation in relation to the Agricultural and livestock sector.

We therefore confirm our support for the Plan Vivo projects and look forward to success outcomes and benefits for Mongolia and its herding communities.



L.CHOI-ISH

ACTING STATE SECRETARY



MINISTRY OF NATURE,
ENVIRONMENT AND TOURISM
OF MONGOLIA

15100 Zaspin gazrini 11 bair, Negdsen undesarh gaturi 52.
Chingelch dureg, Ulambasar, MONGOLIA
Tel: (976-61) 23-21-71, Fax: (976-11) 26-62-86,
E-mail: motm@mra.mn, http://www.mra.mn

Date 19 September 2011

Ref. 1614132

Subject: Letter of Support for "Values and valuation: new approaches to conservation in Mongolia" to Darwin Initiative

Dear Madam/Sir,

On behalf of the Ministry of Nature, Environment and Tourism, it is my pleasure write a letter in support of the proposal for "Values and valuation: new approaches to conservation in Mongolia" being submitted to Darwin Initiative by Dr.Caroline Upton, Department of Geography, University of Leicester.

Since the Ministry of Nature, Environment and Tourism is a key government organization to develop the national policies and strategies on environmental protection and natural conservation of Mongolia, I concern that this proposed project is significant to bring new approaches to biodiversity conservation by values of ecosystem services and efficacy of PES schemes. In addition, the proposal is also covered the implementation of CBD, CMS, and CITES in Mongolia with synergetic approach. It is also important to develop conservation policy and practice in Mongolia.

In conclusion, I fully support the efforts of the Dr.Caroline Upton, Department of Geography, University of Leicester as she seeks external funding to collaborate with our conservation activities in Mongolia.

I hereby to confirm you that we will assist this project facilitation, dissemination and utilization of project outputs to our policy and practice.

Sincerely yours

A handwritten signature in black ink, appearing to read "D. ENKHBAT".

D.ENKHBAT

DIRECTOR GENERAL FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION AND NATURAL RESOURCES MANAGEMENT

To: Darwin Applications
c/o LTS
Pentlands Science Park, Bush Loan,
Penicuik, Edinburgh,
EH26 0PH
Tel. +44 (0)131 440 5181
Fax. +44 (0)131 440 5501
Email: darwin-applications@ltsi.co.uk



MINISTRY OF ENVIRONMENT
AND GREEN DEVELOPMENT
OF MONGOLIA

19190 Government building 2, United Nation's street 52,
Chinggis district, Ulaanbaatar, MONGOLIA
tel: +976 33 21 36 81-71, Fax: (098-11) 32 14 91, 38 81 88
E-mail: consec@moeg.mn, <http://www.moeg.mn>

Date 21 Feb. 2013

Ref. 11/258

To Whom it May Concern,

I am pleased to express my support for "Plan Vivo" pilot project under the study on 'Values and Valuation: New Approaches to Conservation in Mongolia' (2012-2015) funded by Darwin Initiative. I understand that this project is being implemented in Mongolia by a team composed of members from University of Leicester (UK), Mongolian Society for Rangeland Management (MSRM), Mongolian State University of Agriculture, Centre for Ecosystem Studies and Mongolian Nature Protection Civil Movements Coalition. In addition, the Ministry of Environment and Green Development will be involved in the project activities as a government key administrative institution for supervising and coordination of project activities as well as receiving the project outputs and results. I noted that the "Plan Vivo" pilot project will take place in Ikh Tamir soum of Arkhangai province, Undurshireel soum of Tov province, Ulziit soum of Dundgov province and Bogd soum of Bayankhongor province respectively, relying on one herder group (heeg) at each location. These pilot study will be one of the pioneering studies which is looking at prospects for carbon sequestration in Mongolian rangelands, possibility to generate carbon revenues through the voluntary carbon market and associated environmental conservation and livelihood benefits for participating herders. The activities conducted within the project are consistent with the National Action Programme on Climate Change of Mongolia and other policy documents on climate change. As such I am pleased to support this pilot project and look forward to the successful outcomes and benefits to Mongolia.

Sincerely yours,

Damdin Dagvadorj, Special Envoy for Climate Change, and
Chairman of Climate Change Coordination Office

Letter of Support: Phase II



MINISTRY OF ENVIRONMENT AND
TOURISM OF MONGOLIA

15180 Government building 7, United Nation's street 5/2,
Chingeltei district, Ulaanbaatar, MONGOLIA
Tel: (976-11) 29 33 41, 26 91 71, Fax: (976-11) 32 14 01
E-mail: contact@mne.gov.mn, <http://www.mne.mn>

Date 2022.08.16

Ref. 11/9541

TO: PLAN VIVO. FOR NATURE CLIMATE AND COMMITIES

Subject: Letter of Support for "Phase II MSRM Pastures-Conservation-and-Climate-Action-Mongolia "project.

Dear Madam/Sir.

On behalf of the Ministry of Environment and Tourism, it is my pleasure write letter in support of proposal for "Phase II MSRM Pastures-Conservation-and-Climate-Action-Mongolia "project.

One of the main policy directions of the Ministry of Environment and Tourism of Mongolia is to protect nature, reduce global warming, and increase the absorption of greenhouse gases.


The first phase of "Pastures-Conservation-and-Climate-Action-Mongolia" PIAN VIVO project was implemented from 2016 to 2019. This project is the first project based on rangelands within the framework of the voluntary carbon market. The project includes the "Hongor Ovoo" Pasture Use Group of Ikh Tamir Soum, Arkhangai Province, the "Ikh-Am" Pasture Use Group of Undurshireet Soum, Tuv Province; and "Dulaan Khairkhan" herder group of Bogd sum, Bayankhongor province, and are working with a total of 120 herdsman families. The total area of grazing land for herders involved in the project is 78,500 hectares. As part of the project, pasture management will be improved by rotating pastures, reducing the number of livestock, and reducing carbon dioxide emissions by reducing pasture load; In the first phase of the project (2015-2019), the herders worked together to protect the biological diversity of the main species of wild animals such as antelope, ibex, red deer, marmoset, and sedge, as well as their habitats and plants. As a result of taking measures such as making pasture management contracts with herders, supporting the sale of animals, and improving the quality of animals, the herders who participated in the project reduced the number of animals by 5.0-18% and used pastures in rotation, which had a positive effect on increasing the absorption of carbon dioxide. In order to improve the livelihood of herders, we are focusing on the development of the market for the sale of livestock products by establishing a revolving fund with the financing of the project and using it as a loan, starting small-scale production and service enterprise activities, growing green fodder, supporting herder's

cooperatives. The international audit organization has checked and evaluated the activities of the first stage of the project. In the first stage of the project, 90674 tons of carbon dioxide has been accumulated. It is planned to continue the above activities in the next stage of the project.

In order for Mongolia to contribute to the Paris Agreement, Mongolia has developed its National Determined Contribution (NDC), which was approved by Government Resolution No. 407 of November 2019. The goal of Mongolia's NDC is to reduce the total greenhouse gas (GHG) by 22.7 percent by 2030. The main goal of the livestock sector in implementing this NDC is to "Regulate and reduce the number of livestock; It is stipulated to improve the management of livestock manure. To this end, maintain the balance of the ecosystem by strengthening the legal framework and grassland management; Proper use of pastures by increasing fodder cultivation and water supply; The disaster prevention system against drought will be improved. Phase II (2019-2029) of the PLAN VIVO project will make a significant contribution to the realization of this goal.

We express our gratitude to the Plan VIVO organization for helping to develop the voluntary carbon market and improve the livelihood of Mongolian nomadic herders, and support the implementation of the project's II nd phase objectives.

Sincerely,



TSERENDULAM SHAGDARSUREN
DIRECTOR-GENERAL
CLIMATE CHANGE DEPARTMENT
THE MINISTRY OF ENVIRONMENT AND TOURISM

Annex 7. Evidence of community participation

Phase I

Since April 2012, when the Darwin Initiative project officially commenced, MSRM have held more than 20 meetings with the Plan Vivo herder groups/ *heseg*. A sample report of a meeting/training workshop is attached overleaf.

Most recently, in 2014, the following Plan Vivo specific meetings and training workshops have also taken place, which have included further work on the participatory planning process with *heseg*/ herder group members, and also with the wider community through the *soum* administration and key bodies such as the *Soum* Citizen's Representative *Khural*. This latter elected body is a vital part of the local democratic process, which in addition to various statutory responsibilities, provides a forum for information sharing and citizen engagement in all issues of local importance.

Bogd soum. March 2014: Project team organized meeting with *heseg* herders who developed their Plan Vivo for seasonal camping and pasture use activities and their overall activity plan within the framework of Plan Vivo. Project staff also met with the *Soum* Governor and heads of Livestock and Land Offices. During the meeting the *soum* authorities stated their full support for Plan Vivo project and its implementation. They further stated their willingness to aid plans to develop pasture reserves through provision of water resources. *September 2014:* During the trip project team met the *soum* Environment officer and Leader of *Bag* citizen Representative *Khural*. They gave their agreement to work together with the team and Dulaan Khairkhan herder group in successful implementation of the Plan Vivo project.

Undurshireet soum. June 2014: The Project team organized meetings with *heseg* herders during which they developed their Plan Vivo for seasonal camping and pasture use activities and their overall activity plan within the framework of Plan Vivo. We also had a meeting with the *Soum* Governor and heads of Livestock and Land offices who declared their support for the Plan Vivo project. Project team also met with the leader of the Citizen's Representative *Khural* and discussed the Plan Vivo project, its implementation and opportunities. *September 2014:* The project team organized a meeting with *Soum* Governor, Land officer and Tumen mal NGO leader. Issues of seasonal pasture rotation and support for implementation of the *heseg* plan on pasture rotation formed the main focus of the meeting, in conjunction with discussion of deforestation around the Tuul River. The *Soum* authority declared their full support for the implementation of Plan Vivo.

Ikh Tamir soum. October 2014: The project team met with the *Soum* Governor, leader of the *soum* Citizen Representative *Khural* and head of the Forest Department. We discussed the Plan Vivo project and its input into local community development and nature conservation; including through support for community partnerships in forest protection and regeneration (see planned activities, Section K). The *soum* government has approved the establishment of these Forest partnerships and officially registered them; ready for Hongoo Ovoo's planned activities under Plan Vivo.



Training report of the "Value and valuation: New approaches of nature conservation Mongolia" PES project

25 June, 2013

Reported by Prof. D.Dorligsuren, Executive director of MSRM

MSRM organized a training for "Hongor Ovoo" heseg in Ikh Tamir soum, Arkhangai aimag on 23 April 2013, 27 participants were involved in the training; for "Dert" heseg of the Ulziit soum, Dundgovi aimag on 8 May 2013, 12 participants were involved in the training; for "Ikh am" heseg Undurshireet soum, Tuv aimag on 15 June 2013, 21 people from this heseg participated in the training (Participants' names are shown in appendix 1 and training photos in appendix 2, respectively).

The training agenda included the following topics:

- New approaches to nature protection, nature resource management (e.g. pasture, medicinal plants, wildlife and minerals)
- Payment for ecosystem services
- Further training/ capacity building for Plan Vivo in relation to linked livelihood/ environmental improvements; carbon financing in Mongolia
- Rational pasture use
- Value chains for livestock products
- Improvement of herder groups income

At the beginning of the training the trainer Prof.D.Dorligsuren provided further information/ progress updates on the project "Values and Valuation: New Approaches to Nature Conservation in Mongolia".

Participants were subsequently divided into groups, participants of "Ikh am" and "Khongor-Ovoo" HG into 3 groups, "Dert" Heseg into 2 groups respectively. Groups worked on participatory environmental assessment and planning in relation to the following topics and with reference to statutory soum level environmental plans:

- Climate change/ warming
- Pasture yield
- Change of pasture plant species composition
- Water quality
- Water supply
- Weather difficulty and frequency of drought and *dzud*
- Wildlife
- Livestock numbers
- Increase of herders income
- Herders' number
- Forest issues and conservation
- Herders' mutual respect/ collaboration.

Results of herders' participatory environmental assessment can be summarised as follows (supporting figures are shown in appendix 3):

- Climate is changing and warming up in all three *soums*, year by year.
- Pasture yield is decreasing and pasture plant species composition is changing in all three *soums*.
- Both water quality and supply is decreasing in all three *soums*.
- Frequency of weather difficulty such as drought and *dzud* is increasing.
- Wildlife is rare in Ulziit *soum*, deer numbers are increasing in Undurshireet *soum*, and wild animal numbers are decreasing in Ikh Tamir *soum*.
- Livestock numbers are now increasing in all three *soums*, but decreased in Ulziit *soum* in 2010, due to drought-induced losses. Herders of Ikh am *heseg* of Undurshireet *soum* are paying attention to quality of animals instead of animal numbers.
- Herder family income is decreasing due to the weather difficulty in Ulziit *soum*, but in Ikh Tamir and Undurshireet *soum* it is increasing gradually. This is connected to the price increase of animal products such as meat.
- Herder numbers are increasing in Undurshireet *soum*, Tuv *aimag*, but not in the remaining two *soums*.
- There is no forest in Ulziit *soum*, Dundgovi *aimag*. The overall forested area is decreasing in Undurshireet *soum*, Tuv *aimag* and Ikh Tamir *soum*, Arkhangai *aimag*.
- Herders trust/ cooperation are being maintained in Undurshireet *soum*, but there is a tendency towards loss of trust between households in Ikh Tamir *soum* Arkhangai *aimag*.

Conclusion: There is big water pollution issue in Undurshireet *soum*. It is impossible to use water of the Tuul River, horses do not drink from the river. Mongolian Government is giving promotion for sheep wool, goat cashmere and skin to the cooperatives. This is encouraging increases in animal numbers. It is necessary to promote and provide incentives for pasture protection and conservation, instead of animal products.

The pasture carrying capacity is exceeded in Ikh Tamir *soum*, Arkhangai *aimag*. This is connected to the high number of herder households in Ikh Tamir *soum*. Herders in this *soum* are participating in the Home to Home tourist service.

There is a drought problem in Ulziit *soum*, Dundgovi *aimag*, therefore herders are moving to another *soum*. Therefore pasture boundaries should be certified by the state, herders should be supplied with an *otor* area and animal numbers should be reduced.

APPENDICES:

Appendix 1. List of participants

Name of participants of the "Ikh Am" *heseg*, Undurshireet *soum* Tuv *aimag*

- Ts.Oyun – Local NGO leader
- L.Dogsom – HG leader
- S.Banzragch – HG member
- Sh.Mendbayar – HG member
- B.Erdenebat – HG member
- N.Tuvaanjav – HG member
- Kh.Baasanjav – HG member
- S.Ishdorj – HG member
- B.Tumenjargal – HG member
- D.Galtushig – HG member
- B.Ulziinyam – HG member

- B.Damdinsuren – HG member
- B.Davaasambuu – HG member
- J.Bayarsaikhan – HG member
- Ch.Dorjkhant – HG member
- N.Odbaatar – HG member
- T.Dashnyam – HG member
- T.Bayanbaatar – HG member
- D.Purevdorj – HG member
- T.Chuluunbaatar – HG member
- N.Bat-Ochir – HG member

Name of participants of the “Dert” heseg

- Jargalsaikhan - Local NGO leader
- Ts.Aldarkhui - HG leader
- Ts.Narantsend – HG member
- Kh.Tuya – HG member
- A.Tsogbadrakh – HG member
- S.Baigalmaa – HG member
- Z.Boldchuluun – HG member
- G.Chuluunbat – HG member
- D.Otgonmunkh – HG member
- N.Enkhtuya – HG member
- G.Barkhas – HG member
- D.Sainbayar – HG member
- Ts.Gonio – HG member

Name of participants of the “Hongor ovoo” heseg

- L.Nergyibaatar - HG leader
- D.Batbaatar – HG member
- B.Khurelkhuu – HG member
- B.Sumiyadash – HG member
- B.Batnasan – HG member
- E.Khudulmur – HG member
- B.Nina – HG member
- L.Naranbaatar – HG member
- B.Baasansuren – HG member
- G.Olon– HG member
- D.Bolibat – HG member
- L.Bayarmaa – HG member
- N.Badrakh – HG member
- G.Zulaa – HG member
- Ch.Tumensaikhan – HG member
- S.Tsasanchikher – HG member
- G.Bumu – HG member
- B.Bokhbat – HG member
- D.Erdenebaatar – HG member
- T.Altan-Ochir – HG member
- B.Munkhsaikhan – HG member
- S.Altantsetseg – HG member
- N.Enkhmaa – HG member
- B.Khurelbat – HG member
- P.Bulgantamir – HG member
- R.Shar – HG member
- L.Bayaraa – HG member

*Appendix 2. Pictures of the training
“Hongor ovoo” heseg, Ikh Tamir soum, Arkhangai aimag, 23 April 2013*





“Dert” heseg, Ulziit soum, Dundgovi aimag, 8 May 2013



"Ikh am" heseg Undurshireet soum, Tuv aimag on 15 June 2013



Phase II

Example meeting minutes (Ikh Am)

Minutes of the PLAN VIVO project meeting on Pasture, Conservation, and climate action. Mongolia
It started at 1 pm in the soum centre with 100% attendance.

The meeting was chaired by Ts.Oyun, Head of the Soum Project NGO. S. Otgontsetseg, MSRM
Specialist in charge of the project. The meeting was attended by representatives of all 40 households
involved in the project.

At the meeting:

1. Project implementation process, results, and work plan for Phase 2 of the project
2. Providing monetary incentives to PUG herders
3. Plant windbreaks and perennials in winter manure

S.Otgontsetseg, MSRM, gave a presentation on how to work on the project in the future.

She said that global warming due to the increase in greenhouse gases is largely due to human
activities. Therefore, there are many issues facing your soum, such as herders having quality livestock
suitable for pasture carrying capacity, ensuring pasture rehabilitation, protecting nature and wildlife,
and rehabilitating willows along the Tuul River. It is commendable that groups of people are combing
their wool and cashmere. The project has taken steps to increase the income of many households by
using all the raw materials from livestock to support their household production, provide soft loans from
the mutual fund, and receive quarterly reports. In other words, we are not increasing the number of
livestock, but increasing our income from other industries and services. We support your proposal to
provide a bonus of MNT 500,000 to each household, as we have worked effectively in the past years to
regulate the carrying capacity of pastures.

Kh.Ganchimeg: I have taken a 2-year loan with an interest rate of 1% for the second year in a row. The
number of livestock has been greatly reduced. With the loan, he built his own sewing workshop with a
ratio of 5x8 and repaid 50% of the loan, which he used to hire more people with a monthly income
during the Tsagaan Sar and Naadam festivals. We are receiving the benefits of the project. Therefore,
continuing the project is important for us herders. If the projects implemented in our soum are
implemented in this way, we will need it a lot.

B.Baasansuren: I took a loan in the winter and bought a lamb skinning machine. I processed 150
animal skins and sewed 3 men's deels (Mongolian outer stock) with 2 herder women from the PUG.
People who are able to work regularly in the future know. It would be better not to give loans to
increase household income for the same purpose. If we all do the same thing, we can bring each other
down and destroy what we didn't do and what we didn't teach ourselves. I have been working as a

PUG leader since 2012. I'm working as hard as I can. In general, I think it is right to continue this project.

B.Erdenebat: A few households in our area, where we dug animal dung, remove the dung & manure. People didn't know it well, but now a lot of households are starting to give me orders.

In this way, I think it is possible to keep the number of livestock at the current level by increasing its income. We support the provision of hot water and professional toilet (00). We are benefiting from this project and want to continue.

Ts.Oyun, project coordinator: I am glad that in 2021, there are more and more households in your area that will reduce the number of livestock and keep it stable, earning 700 head of livestock per 1,000 head. When cashmere will be delivered to domestic factories in 2021, the cashmere of B.Nyambuu, the state champion herder, and S.Banzragch, the aimag champion herder, was assessed as high quality. As you know, there has been a lot of progress in improving livestock quality. It is proposed to use a portion of the project funding to encourage livestock sales through the Raw Materials Cooperative. The mutual fund is lending 65 million MNT. As you know, 40 million MNT is used by herders to support the sale of livestock meat and raw materials.

D.Nayantungalag (B.Nyambuu's wife): I am glad that we are working together as one team within this project. Two days ago, two old men (my husband and me) were very happy that children from 10 herder's families came and combed our goats. Now the oldest are only two of us from Tuvaanjav. Hot water and professional toilet (OO) are most encouraged. It is proposed to continue the project.

D.Odbaatar: We have been made khukhuur (container for mare's fermented milk) at home for many years. Due to poor sales in the soum, they go to Ulaanbaatar to sell. It also advertises and delivers. Demand has been high in recent years. We are proposing to expand it due to the large number of orders. It is also proposed to continue the project. Pasture rotation and winter camp wells will be closed on April 25 and all will be completed by May 1.

N.Erdenetsetseg (D.Myagmarsuren): I want to hire leather tanning equipment. Also, I applied for a loan in the winter to buy a sewing machine, but I couldn't find one. Taken personally. Submit an official letter to close the well early. If you don't tell your bagh leader, some families won't move for a long time.

B.Tumenjargal: I want to get a soft loan this spring and renovate my fence in my winter camp. I want to continue the project. We also support the idea of having hot water. I planted a tree behind my shed and planted perennials at the foot of my winter camp. Now I want to plant that alfalfa. We are asking for training and guidance on this. We are planning to reduce the number of livestock and increase the number of cattle. I want to help with this work.

Gantuya (S.Ishdorj): I didn't really participate in the beginning of this project. We used to move to other aimags when the weather was harsh in the winter and summer, but now we don't move far. There are many challenges, from being expelled. Tired of this, I decided to improve my environment and live. We

also work to protect wildlife on the border. J.Tsogoo and I put salt, fodder on deer and dung last year and this winter. This year, we have planted perennials in our winter camp and fenced the land along the river with D.Munkhorgil's family, and the old willows are reviving. We are talking about protecting it and planting more. I intend to start work in May. It is proposed to continue the project. Most importantly, we agree to work together to provide information on the project on a quarterly basis. We have decided to build a house in our winter camp this year, but we will have hot water and OO. In the back of the house to be built in the winter, plant a tree to protect it from the wind.

B.Urnaa: We received a soft loan of 10 million MNT in last years and bought dairy cows to increase our income. This winter, we sold milk, curds, drills and yoghurt in Buren and Undurshireet for 2,500 tugrik, but we are expected to increase our income by selling our products at a lower price by 2,000 at the soums. We would like to ask you to evaluate the work we are going to do and give you another chance to get it again. The project was successful and I propose to continue. We want to expand and develop our cooperative in the future. I want to learn how to plant trees and perennials, such as alfalfa. PUGs need to get used to cleaning up their waste. Some families do it regularly. As an exemplary family like Odbaatar, Dashnyam and B.Nyambuu, we support cleaning on the 25th of each month.

B.Tumendemberel: We want to build a house and improve our shed in our winter camp. We need a little support because we have few animals. Get a soft loan. I want to continue the project. The trees are encouraged perennials. We want to make the pasture use agreement real, not paper. We would like to ask the Soum Governor's Office how to use the livestock tax funds efficiently.

Resolved:

1. We want to continue this PlanVIVO project until 2029.
2. Each household has decided to keep the number of livestock at 2021 and not to exceed the carrying capacity of pastures by improving the quality of livestock and increasing non-livestock income.
3. Instruct Ts. Oyun, the head of the NGO, to provide training and manuals to all households to support the planting of trees, shrubs and perennials in the PUG's winter shelter.
4. We would like to ask the Project Implementing Agency to study and learn from the experience of Inner Mongolian herders in growing soilless green fodder.
3. Pasture rotation and rotation schedules need to be followed. The head of the group should instruct the bagh governor to close the well at the end of the winter camp on April 25 and distribute a notice to each household that the relocation will be completed by May 1.
4. PUG leader B.Baasansuren should be instructed to work in a garbage disposal on the 25th of each month.
5. Based on the suggestions of some herders, the MSRM is requested to provide assistance in conducting herd rotation, planting willow trees, and organizing fodder planting training.

6. To instruct Ts. Oyun, the head of the NGO, to consolidate the work of all herders in the spring and autumn patrols carried out by the active ranger and provide information to the higher authorities.
7. To instruct Ts. Oyun, the head of the NGO, to combine the above suggestions and work and make a clear plan.

Started at 11:00 on March 11, 2022 and ended at 16:30.

Taken by Ch.Uuganmaa, a herder from Ikh Am PUG

Annex 8. Plan Vivo Climate Benefit Quantification Methodology – Carbon Sequestration through Improved Grassland and Natural Resource Management in Extensively Managed Grasslands

(Previously submitted to Plan Vivo as an Approved Approach/ Methodology on 5/1/15)

See Phase I PDD Annex 8 for full methodology

Annex 9. Mongolia's NDC and Commentary

- NDC available here: <https://unfccc.int/sites/default/files/NDC/2022-06/First%20Submission%20of%20Mongolia%27s%20NDC.pdf>
- Commentary available here: <https://sdg.iisd.org/news/mongolia-and-thailand-update-ndcs-pledge-to-up-targets-with-technological-and-financial-support/>