



A CENTURION COMPANY

COMPLETION & PRODUCTION SERVICES





Oil Patch Production Services² highly skilled production testing personnel conduct the supervised flow of a well while separating gases, fluids and solids. The flow data (pressures, rates, temperatures) collected provide a comprehensive view of the reservoir characteristics allowing operators to evaluate the deliverability and sustainability of their assets. We offer comprehensive production tests which provide accurate and invaluable data utilized in analyzing the formation for future considerations such as facility sizing, pipelines, overall well performance and life expectancy.

Flare Stacks

All flare stacks come with ignition systems with propane pilot assist.

- 4" 40' w/ fluid accumulators
- 6" 60' w/ fluid accumulators & hi/low sides
- 6" 60' w/o fluid accumulators

Flow Lines

- 2" 1502 15K NPST Flowline
- 2" 1502 15K INTEGRAL Flowline
- 3" 1502 15K NPST Flowline
- 3" 1502 15K INTEGRAL Flowline
- 4" 1502 15K NPST Flowline
- 2" 1502 10K NACE Flowline
- 2" 206 2K Flowline
- 3" 206 2K Flowline
- 4" 206 2K Flowline


Including the following - plug valves, 90's, tees, and changeovers

Manifolds

All plug valve manifolds are 2" or 3" configured 1502 hammer unions, and can be configured as 5 or 9 valves, with double positive or adjustable chokes.

- 2" 1502 15K 5-valve manifold w/ adjustable chokes
- 2" 1502 15K 9-valve manifold w/ adjustable chokes
- 3" 1502 15K 5-valve manifold w/ adjustable chokes
- 3" 1502 15K 9-valve manifold w/ adjustable chokes
- 2" 1502 10K 9-valve manifold w/ adjustable chokes





Plug Catchers

10K and 15k Dual Plug Catchers

- 2" to 3" inlets
- 2" to 3" outlets
- 2" to 3" bypass
- 5-valve to 10-valve
- 4" to 8" barrels
- Slotted or perforated screens

All plug catchers are skid-mounted.

Sand Separators

- 24" x 10' Cyclonic
- 30" x 10' Cyclonic
- 5K 36" to 48" spherical
- 10K cyclonic filters

Sand X/Superloop

- Reduces environmental impact of sand
- Reduces frac tank clean-out expense
- Works on all sand including 100 mesh sand

Tanks

- 500 bbl dual gas buster tanks
- Half pits
- Blow down pits

Test Separators

- 36"x10' 1440 psi
- 36"x15' 1440 psi
- 42"x10' 1440 psi
- 48"x10' 1440 psi
- 48"x15' 1440 psi
- 48"x20' 1440 psi
- 48"x15' 2000 psi
- 60"x18' 1820 psi
- 72"x20' 750 psi - Arctic Units



A CENTURION COMPANY

HOUSTON OFFICE

12012 Wickchester, Ste. 475
Houston, TX 77079
832.300.0000

NORTH DAKOTA

10 48th Ave. SW
Williston, ND 58801
701.770.9807

SOUTH TEXAS

22905 NW Zac Lentz Parkway
Victoria, TX 77905
361.576.0300

2491 S. Hwy. 16
Jourdanton, TX 78026
361.576.0300
361.571.3774

ARK-LA-TEX

5023 Leonard Road
Bryan, TX 77808
903.407.3157

OKLAHOMA

14160 N. Evans Road
Okarche, OK 73762
405.263.7726

WEST TEXAS

2407 East Murphy Street
Odessa, TX 79761
432.332.9030

9544 Business Loop 20
Barstow, TX 79719
432.332.9030

NEW MEXICO

902 Tipton
Hobbs, NM 88240
575.738.0344

WYOMING

3501 N. Poplar St.
Casper, WY 82601
307.797.1005

OH/PA/WV

4151 River Road
Wellsburg, WV 26070
724.884.5633

info@oilpatchgroup.com
832.300.0000

www.oilpatchgroup.com

