



Nothing but **HEAVY DUTY.**™

MILWAUKEE® PERSONAL PROTECTIVE EQUIPMENT



STAY **SAFE.**
STAY **PRODUCTIVE.**



STAY **SAFE.**
STAY **PRODUCTIVE.**

SAFETY. TAKEN SERIOUSLY.

By designing cordless tools without compromise, and creating a range of PPE designed around user needs, at MILWAUKEE®, we're making the jobsite safer and more productive every day.

Today, we're proud to boast over 215 Cordless Tools on our M18™ platform and over 95 Cordless Tools on our M12™ platform, eliminating trip hazards from the jobsite. We've redefined the light equipment market with the launch of our MX Fuel™ range, preventing the need for petrol on the jobsite with the launch of key tools including the 350mm Cut Off Saw, and Cordless Breaker.

Personal Protective Equipment has seen little innovation over the years, driving users to modify their gear to better meet their needs. By taking time to understand our users' needs, we have developed PPE from the ground up, enabling users to adapt to each job. This has paved the way for innovative solutions such as our new safety glasses that can be worn all day with lasting, fog-free lenses.

MILWAUKEE® is committed to creating innovative solutions that help users stay safe and stay productive on the jobsite.

SAFETY GLASSES
USING THE CORRECT
EYE PROTECTION
COULD REDUCE THE SEVERITY OR PREVENT
90%
OF JOBSITE EYE INJURIES

(preventblindness.org, 2019)

GLOVES
70%
OF WORKERS
WHO EXPERIENCED
HAND INJURIES
WERE NOT WEARING
THE CORRECT GLOVES

(Manufacturing.net, 2019)

LANYARDS
A FALLING OBJECT
IS THE **3RD**
HIGHEST CAUSE OF
FATALITY
ON A JOBSITE

(Peoplesafe.co.uk, 2019)

HEAD
PROTECTION

HEAD
LAMPS

HEATED GEAR /
WORK WEAR

CUT RESISTANT &
SPECIAL APPLICATION
GLOVES

TOOL
LANYARDS

KNEE
PADS

OVER
100
PPE SOLUTIONS

UNDERSTANDING THE GUIDANCE

STAY **SAFE.**
STAY **PRODUCTIVE.**

DISPOSABLE RESPIRATORS

EN 149:2001+A1:2009 - RESPIRATORY PROTECTIVE DEVICES - HALF MASK

APPLICATIONS	MATERIALS	FFP LEVEL
Cutting, Drilling, Grinding, Sanding	Asbestos	FFP3
	Brick Dust (Can contains Silica)	FFP3
	Cement (Can contains Silica)	FFP3
	Concrete (Can contains Silica)	FFP3
	Glass Dust	FFP3
	Hard Wood (Oak, Tropical Wood, Teak, MDF)	FFP3
	Metal	FFP2
	Mild Steel	FFP2
	Mineral Dust (Can contains Silica/Asbestos)	FFP3
	Paint Chrome Free	FFP2
	Paint with Chrome, Arsenic, Copper	FFP3
	Plastic	FFP2
	Silica	FFP3
	Soft Wood (Pine, Lumber)	FFP2
	Soldering	FFP2
	Stainless Steel	FFP3
	Steel	FFP2
	Varnish	FFP2
-	Waste Sorting	FFP2
	Sweeping Floors	FFP1
	Pollen	FFP1

FILTERING LEVEL		
FFP1	FFP2	FFP3
80%	94%	99%

EN 149 provides requirements, and testing method for respiratory protective devices to protect against particles.

3 classes of protection:
FFP1 / FFP2 / FFP3
FFP = Filtering Facepieces

NR = Not Reusable

D = Dolomite
(protection included when D mentioned)




SAFETY GLASSES

EN 166:2001 PERSONAL EYE-PROTECTION

The EN 166 standard specifies requirement for personal eye-protectors, used to combat various hazards as encountered across numerous industries which are likely to damage the eye or impair vision. The EN 170 standard specifies requirements for ultraviolet filters, while EN 172 refers to the sun glare filtration for industrial use.

All Milwaukee safety glasses are certified according to EN 166, to guarantee the eye protection and the resistance to impact. The clear safety glasses are EN 170 certified, to offer an UV protection, even with clear lenses, while the tinted and polarised safety glasses are EN 172 certified to offer a solar protection, ideal for the jobsite and also during leisure time.



- 2C-1.2 MT 1FT CE
- 2 = EN 170 (UV filters standard)
- C = Unimpaired color (clear lenses)
- 1.2 = Protection level (1.2 is the lightest)
- MT = Milwaukee Tool
- 1 = Optical class (avoid dizziness)
- F = Impact resistance
(only F can apply to safety glasses, A & B are for safety goggles)
- T = Extreme temperatures resistance (-5° / +55°)
- K = Anti-scratch
- N = Anti-Fog
- CE = European Certification



Same frame marking for all 6 SKUs

- MT 166 FT CE
- MT = Milwaukee Tool
- 166 = Name of the EN standard
- F = Impact resistance
(only F can apply to safety glasses, A & B are for safety goggles)
- T = Extreme temperatures resistance (-5° / +55°)
- CE = European Certification


HEARING PROTECTION

EN 352-2:2020 HEARING PROTECTORS: EARPLUGS

The EN 352 is the European standard for hearing protection which proves that the product protects adequately against noise. EN 352-2 is the standard for Ear Plugs.

SNR (Single Number Rating) = attenuation in dB
H/M/L = High-/ Medium- /Low-frequency attenuation value
Noise - SNR = residual noise level
Higher SNR or H/M/L value = higher noise attenuation

Hearing protection is mandatory when noise exceeds 85 dB (upper action level).



HAND PROTECTION

EN 388:2016 PROTECTIVE GLOVES AGAINST MECHANICAL RISKS



The EN 388 standard specifies requirements, test methods, marking and information to be supplied for protective gloves against the mechanical risks of abrasion, blade cut, tear, puncture and, if applicable, impact.


The impact protection has to fully encompass the back of hand, including the fingers. This standard is intended to be used in conjunction with EN ISO 21420.

All Milwaukee hand protection solutions are certified according to both EN ISO 21420 and EN 388 standards, the rating given varies for each type of gloves. EN ISO 21420 is the European general requirement and test method standard for protective gloves.



	Rating
Abrasion	1-4
Cut (Coup Test)	1-5
Tear	1-4
Puncture	1-4
Cut (TDM-100 Test)	A-F
Impact Protection	P,F

X= Not tested P= Pass F= Fail



WINTER GLOVES

EN 511:2006 PROTECTIVE GLOVES AGAINST COLD




The EN 511 standard specifies the requirements and test methods for protective gloves against convective cold or contact cold down to - 50 ° C solid.

The cold can vary with the climatic conditions or one professional activity. This standard is intended to be used in conjunction with EN 388 and EN ISO 21420.



	Min – Max
Convective Cold	0-4
Contact Cold	0-4
Water Permeability	0-1

X= Not tested



HIGH VISIBILITY

EN ISO 20471:2013 HIGH VISIBILITY CLOTHING



The EN ISO 20471 standard specifies requirements for high visibility clothing to ensure it is capable of visually signalling the user's presence. High visibility clothing ensures the user can be seen in all light conditions and is divided into 3 performance classes depending on the requirements.

The Milwaukee high visibility vests are intended for multiple applications and are class 2 certified.

	Class 1	Class 2	Class 3
Reflective Tape	0.10 sqm	0.13 sqm	0.20 sqm
Fluorescent Material	0.14 sqm	0.50 sqm	0.80 sqm
Level of visibility	Lowest	Intermediate	Highest

KNEE PADS

EN 14404:2004+A1:2010 KNEE PROTECTORS FOR WORK WHEN KNEELING



EN 14404 is the European standard for knee protection.

Knee pads certified according to the EN 14404 standard are tested regarding impact absorption, pressure distribution of the entire surface, penetration of sharp or pointy objects.

Knee pads are classified in types and in protection classes. Only certified products are allowed to show the protection class with the logo.



Type 1	Knee pads independent of other clothing, fastened around the legs
Type 2	Knee pads in foam or other padding, secured in pockets on the legs, or which is permanently attached to the pants.
Type 3	Knee pads not stuck to the body but placed in position as the user moves around.
Type 4	Knee pads, which is part of a unit with additional functions, such as the framework for support to stand up, or kneeling seat. Can be worn on the body, or be independent.



Protection Class 0	Flat floor surfaces
Protection Class 1	Flat or uneven floor surface. Protects against penetration by a force of at least (100 ± 5) N
Protection Class 2	Flat or uneven floor surfaces under severe conditions. Protects against penetration by a force of at least (250 ± 10) N

BOLT™ 200

HIGH
RESISTANCE
MATERIAL

COLOURS
AVAILABLE



LEXAN
SHELL
SUPERIOR IMPACT RESISTANCE

ADJUSTABLE
CHIN STRAP

- Vented version delivered with 1x EN397 and 1x EN12492 chinstrap.
- Unvented version delivered with 1x EN397 chinstrap.

COMPLIANT WITH EN 397 & EN 12492 (VENTED)

- 40°C (Vented + Unvented)
- 440 V a.c. c.(Unvented)
- LD (Vented + Unvented)

INNER
FOAM
TECHNOLOGY

Foam progressively stiffens when impacted: distributes pressure evenly across entire head when impacts, independent of impact location.

ADAPT TO YOUR JOBSITE

The new Milwaukee BOLT 200 Helmet and Bolt Accessories allow each user to tailor their Head protection to best meet the demands of the jobsite.

COMFORT
& FASHIONABLE FIT

- Extremely comfortable and easy to adjust wheel ratchet system.
- Comfortable inner foam material.
- Compact design to offer a perfect fit on the head.
- Washable and replaceable sweatband and crown line.

ATTACHMENTS



L4 BOLT™ HEADLAMP

600

LUMENS OF FLOOD LIGHTING
Flood area around work

PIVOTING LIGHT HEAD
Direct light where needed

LOW PROFILE
DESIGN
1/2 depth for
face shield use



REAR BATTERY PACK
Provides better balance

FLEXIBLE WIRE
ROUTING DESIGN
Allows for full functionality
of all BOLT accessories

BOLT™
ACCESSORIES

MULTI ACCESSORIES
COMPATIBILITY

Headlamp, Eye Visor, Face Shield, Pen.

ITEM NO.	DESCRIPTION
4932479946	BOLT Visor Compact Clear
4932479947	BOLT Visor Compact Tinted
4932479945	BOLT Mesh Face Shield Compact
4932479943	BOLT Face Shield Compact Clear
4932479944	BOLT Face Shield Compact Grey

VENTED

ITEM NO.	DESCRIPTION	
4932478141	BOLT 200 White Vented	●
4932478918	BOLT 200 Yellow Vented	●
4932478919	BOLT 200 Red Vented	○
4932478920	BOLT 200 Black Vented	●
4932480651	BOLT 200 Blue Vented	●
4932480652	BOLT 200 Green Vented	●
4932480653	BOLT 200 Orange Vented	●
4932480654	BOLT 200 Hi Vis Vented*	●

UNVENTED

ITEM NO.	DESCRIPTION	
4932479252	BOLT 200 White Unvented	●
4932479253	BOLT 200 Yellow Unvented	●
4932479254	BOLT 200 Red Unvented	○
4932479255	BOLT 200 Black Unvented	●
4932480655	BOLT 200 Blue Unvented	●
4932480656	BOLT 200 Green Unvented	●
4932480657	BOLT 200 Orange Unvented	●
4932480658	BOLT 200 Hi Vis Unvented*	●



BOLT™ 200 ACCESSORIES



BOLT 200 HELMET

BOLT™ FACE SHIELD

- Full face shield with panoramic field of vision.
- BOLT™ system – ensure compatibility between the accessorize with an easy and intuitive attachment system. Large range of BOLT™ accessories available.
- Compatible with the BOLT™ Lamp: possibility to lift the face shield even with the lamp installed.
- Extremely easy and intuitive installation and removal.
- Lens made of polycarbonate.
- Lens certified anti-scratch K as per EN166.
- Lens certified anti-fog N as per EN166.
- 2 lens tints available: clear and grey.
- The Compact version offers a slim and compact design.
- The Universal version can be adapted on both BOLT™ 100 and BOLT™ 200 helmets thanks to an easy switch system.
- The mesh versions have an impact resistance rated F as per EN 1731, mesh made of steel. This version is ideal for outdoor and gardening/ maintenance applications.
- The mesh versions have a light transmission > 60 %.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
BOLT™ Face Shield Universal Clear	1	1	4932479938	4058546377328
BOLT™ Face Shield Universal Grey	1	1	4932479939	4058546377335
BOLT™ Mesh Face Shield Universal	1	1	4932479940	4058546377342
BOLT™ Face Shield Compact Clear	1	1	4932479943	4058546377373
BOLT™ Face Shield Compact Grey	1	1	4932479944	4058546377380
BOLT™ Mesh Face Shield Compact	1	1	4932479945	4058546377397
BOLT™ Face Shield Compact Clear Replacement (5 pc)	5	1	4932492327	4058546416942
BOLT™ Face Shield Compact Grey Replacement (5 pc)	5	1	4932492328	4058546416959
BOLT™ Face Shield Compact Carrier Replacement	1	1	4932492329	4058546416966
BOLT™ Face Shield Universal Grey Replacement	1	1	4932492326	4058546416935
BOLT™ Face Shield Universal Clear Replacement	1	1	4932492325	4058546416928
BOLT™ Face Shield Universal Carrier Replacement	1	1	4932492324	4058546416911

BOLT™ 200 SPARE PARTS

- Padded breathable Crown liner and Sweatband as spare parts, that can be easily removed, machine washed (30°C), and changed.
- Two chin straps that can be easy exchange and replace to adapt to the job conditions. EN397 certified chin strap for on the ground work is colour coded in Black & Grey. EN12492 certified chin strap for work at height is colour coded in Black & Red.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Replacement Sweatband BOLT™200 - Pack of 10	10	1	4932480659	4058546409449
Replacement Crown liner BOLT™200 - Pack of 10	10	1	4932480660	4058546409456
4pts EN397 chinstrap BOLT™ - Pack of 10	10	1	4932480661	4058546409463
4pts EN12492 chinstrap BOLT™200 - Pack of 10	10	1	4932480662	4058546409470

BOLT™ VISOR

- Visor with panoramic field of vision.
- BOLT™ system – ensure compatibility between the accessorize with an easy and intuitive attachment system. Large range of BOLT™ accessories available.
- Compatible with the BOLT™ Lamp: possibility to lift the visor even with the lamp installed.
- Extremely easy and intuitive installation and removal.
- Lens made of polycarbonate.
- Lens certified anti-scratch K as per EN166.
- Lens certified anti-fog N as per EN166.
- 2 lens tints available: clear and tinted, for outdoor applications.
- The Compact version offers a slim and compact design.
- The Universal version can be adapted on both BOLT™ 100 and BOLT™ 200 helmets thanks to an easy switch system.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
BOLT™ Visor Universal Clear	1	1	4932479941	4058546377359
BOLT™ Visor Universal Tinted	1	1	4932479942	4058546377366
BOLT™ Visor Compact Clear	1	1	4932479946	4058546377403
BOLT™ Visor Compact Tinted	1	1	4932479947	4058546377410
BOLT™ Visor Clear Lens Replacement (5 pc)	5	1	4932492330	4058546416973
BOLT™ Visor Tinted Lens Replacement (5pc)	5	1	4932492331	4058546416980
BOLT™ Visor Compact Carrier Replacement	1	1	4932492333	4058546417000
BOLT™ Visor Universal Carrier Replacement	1	1	4932492332	4058546416997

USB RECHARGEABLE BOLT HEADLAMP 600 LUMENS

- 600 lumens of multi-directional TRUEVIEW™ high definition light output
- Full BOLT compatibility with low profile design works with all BOLT visors and helmets
- Direct mount to helmet without straps
- Pivoting light head to help users direct light where it is needed most
- 4 modes to manage output or runtime with up to 12 hours of runtime on (1) USB 3.0 Battery
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB Type C cable from USB power source or AC outlet (wall plug not included)
- IP54 rating, light is protected from dust and falling water
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
USB rechargeable BOLT headlamp 600 lumens	1	1	4933479902	4058546376963



MILWAUKEE® HEADLAMPS

MILWAUKEE® headlamps deliver high output light while conveniently attaching and securing to hard hats with clips and a rubber grip. Our personal headlamps feature a variety of output modes and light intensities ensuring you have the light you need regardless of the task.

Built-in positioning head tilt allows users to direct the light wherever it is needed. All of the LED headlamps feature TRUEVIEW™ High-Definition Output providing neutral, color-accurate light. Many of the personal headlamps feature our REDLITHIUM™ USB Rechargeable batteries allowing for all-day runtime.

TRUEVIEW™



REDLITHIUM™
USB

L4 HL-VIS

360°
VISIBILITY

PERSONAL ACTIVE
SAFETY DEVICE

HIGH
DEFINITION
LIGHTING

IR HL

INTERNAL USB RECHARGEABLE HEADLAMP 450 LUMENS

- 450 lumens of TRUEVIEW™ high definition output with up to 100 m beam distance
- Flood, Spot and Spot/ Flood beam options in different output modes for optimal brightness and up to 16 hrs run time
- 4 mounting clips for securing to helmets and adjustable strap with rubber grip



Description	Article Number
Internal USB rechargeable headlamp 450 lumens	4933478587

L4 HL

USB RECHARGEABLE HEADLAMP

- 475 lumens Spot & Flood beam with TRUEVIEW™ high definition output
- Flood, Spot and Spot/Flood beam options in different output modes for optimal brightness and up to 31 hrs run time
- 4 mounting clips for securing to helmets and adjustable strap with rubber grip
- Light can be maneuvered in (7) different positions and features 216° tilting motion to help users direct light where it's needed most



Description	Article Number
USB rechargeable headlamp	4933459443

L4 HL-VIS

USB RECHARGEABLE HI-VIS HEADLAMP

- Exceptional hands-free task lighting with safety light provides 600 lumens of TRUEVIEW™ high definition output with spot and flood beam options
- The safety light has steady and blinking options that make you visible up to 400 m from all directions when used with the front headlamp
- The clip on hard hat light has an elastic strap, silicon grip, includes two universal hard hat clips and is compatible with all hardhats



Description	Article Number
USB rechargeable HI-VIS headlamp	4933471389

INGRESS PROTECTION	54					53					54				
OUTPUT MODE	MAX	SPOT FLOOD	FLOOD	SPOT	STROBE	HYBRID	SPOT HIGH	FLOOD HIGH	FLOOD MED	FLOOD LOW	HYBRID	SPOT HIGH	FLOOD HIGH	FLOOD MED	FLOOD LOW
LUMEN	450	250	250	100	25	475	300	300	150	25	600	400	400	150	25
RUNTIME (HRS)	2,4	4	4	8	14	2	4	4,5	8,5	31	2	4	4	8	20
BEAM (M)	100					100					100				
BATTERY	REDLITHIUM™ USB					REDLITHIUM™ USB					REDLITHIUM™ USB				
BATTERY INDICATOR	YES					YES					YES				
CHARGE TIME (MINS)	<120					120					120				

WHAT IS A HAZARDOUS LOCATION?

A hazardous location is an area or environment where flammable liquids, gases or vapours, and/or combustible dusts exist in sufficient enough quantities to produce an explosion or fire.



WHAT MAKES A LIGHT INTRINSICALLY SAFE?

An Intrinsically Safe light is a light that will not cause ignition of hazardous material. It is important to know which ATEX zones your workplace is in.

ZONE 0

Categorizes the various hazardous materials that may be present in a work space.

ZONE 0,1,2



FLAMMABLE GASES,
VAPOR OR LIQUIDS

MATERIAL

EXAMPLE: Acetylene, Hydrogen, Ethylene, Propane

ENVIRONMENTS

EXAMPLE: Oil refinery, offshore oil rig,vault, spray booth, gasoline dispensing areas



Zone 2

Zone 1

Zone 0

Flammable liquid

L4 HLRP

USB RECHARGEABLE HARD HAT HEADLAMP

- 600 lumens of TRUEVIEW™ high definition output
- Features an ultra-thin light head that provides an unobstructed view with 125° of flood beam coverage
- Designed with the battery pack in the rear for maximum maneuverability in tight spaces and a balanced design for all-day use
- Equipped with a sweat absorbing microfiber strap for comfort on bare heads and four included hard hat clips for secure connections on all hardhats



Description	Article Number
USB RECHARGEABLE hard hat headlamp	4933471390

ISHL-LED

ALKALINE INTRINSICALLY SAFE HEADLAMP

- The intrinsically safe headlamp comes with a certified Zone 0 (category 1) approved ATEX rating
- Exceptional hands-free task lighting provides both Spot and Flood beam options with 310 lumens of TRUEVIEW™ high definition up to 100 m beam distance



Description	Article Number
Alkaline intrinsically safe headlamp	4933478112

HL2-LED

ALKALINE SLIM HEADLAMP

- 350 lumens of TRUEVIEW™ high definition output
- Washable micro fiber sweat-absorbing strap for all day comfort on the head
- Ultra compact and lightweight product
- 6-position tilt adjustment for directing light
- 4 mounting clips for securing to helmets
- Light is protected from impact as well as from weather and dust



Description	Article Number
Alkaline slim headlamp	4933471286

HL-SF

ALKALINE SPOT FLOOD HEADLAMP

- 450 lumens of TRUEVIEW™ high definition output with 100 m spot beam distance and a wide flood beam
- Gives users up to 25 hours of run time with five light output modes to optimise run time, beam type, and brightness
- Supplied with four universal hard hat clips for secure connection to all hardhats
- IP54 rated for water and dust resistance and can withstand up to 2 m drops














Description	Article Number
Alkaline spot flood headlamp	4933471388

HEAD LAMPS

100 METRE BEAM

ON ALL MILWAUKEE®
HEADLAMPS

MILWAUKEE®
GLASSES
GUIDE

GLASSES TYPE		<div></div>				<div></div>		<div></div>				<div></div>		
	CLEAR	GREY	TINTED	YELLOW		MAGNIFIED		CLEAR	GREY	TINTED	YELLOW		CLEAR	POLARIZED
PART NUMBER	4932478763	4932478907	4932478764	4932478927		49324789- 09 / 10 / 11 / 12		4932471883	4932478908	4932471884	4932478928		4932471885	4932471886
FRAME RATING	MT 166 FT CE	MT 166 FT CE	MT 166 FT CE	MT 166 FT CE		MT 166 FT CE		MT 166 FT CE	MT 166 FT CE	MT 166 FT CE	MT 166 FT CE		MT 166 FT CE	MT 166 FT CE
LENS RATING	2C-1.2 MT 1FT KN CE	—	5-3.1 MT 1FT KN CE	—		MT 1FT K CE		2C-1.2 MT 1FT KN CE	—	5-3.1 MT 1FT KN CE	—		2C-1.2 MT 1FT KN CE	5-3.1 MT 1FT KN CE
FEATURES														
REMOVABLE NOSE PIECE	✓	✓	✓	✓		✓		—	—	—	—		—	—
COMFORT FIT	✓	✓	✓	✓		✓		✓	✓	✓	✓		✓	✓
OPTICAL CLASS (CLASS 1)	✓	✓	✓	✓		✓		✓	✓	✓	✓		✓	✓
EXTREME TEMP RESISTANCE (-5° C / +55° C)	✓	✓	✓	✓		✓		✓	✓	✓	✓		✓	✓
ANTI-SCRATCH	✓	✓	✓	✓		✓		✓	✓	✓	✓		✓	✓
ANTI-FOG	✓	✓	✓	✓		—		✓	✓	✓	✓		✓	✓
REMOVABLE GASKET	—	—	—	—		—		—	—	—	—		✓	✓
LIGHTWEIGHT	✓	✓	✓	✓		✓		—	—	—	—		—	—
MAGNIFIEDD	—	—	—	—		✓		—	—	—	—		—	—
SOFT CASE	—	—	—	—		—		—	—	—	—		✓	✓
POLARIZED LENSES	—	—	—	—		—		—	—	—	—		—	✓
OPTICAL CORRECTION	—	—	—	—		+1 / +1.5 / +2 /+ 2.5		—	—	—	—		—	—
APPLICATIONS														
INDOOR WORK	✓	✓	—	—		✓		✓	✓	—	—		✓	—
OUTDOOR WORK	—	✓	✓	—		—		—	✓	✓	—		—	✓
SUNNY ENVIRONMENT	—	—	✓	—		—		—	—	✓	—		—	✓
INDUSTRIAL LIGHTNING	—	—	—	✓		—		—	—	—	✓		—	—
CLOSE APPLICATION	—	—	—	—		✓		—	—	—	—		—	—
DUSTY ENVIRONMENT	—	—	—	—		—		—	—	—	—		✓	✓

PREMIUM SAFETY GLASSES WITH GASKET

- Durable anti-scratch lenses.
- Long lasting anti-fog lenses.
- Comfortable arms for extended wear.
- Polarised lenses to protect against glare (on the tinted version only).
- Removable gasket protects against debris.
- Includes a soft case.
- European Certified: EN166 and EN170 / EN 172.

Description	Pack quantity	Min. order quantity	Article Number
Premium safety glasses clear	1	1	4932471885
Premium safety glasses polarised	1	1	4932471886



REMOVABLE GASKET

PERFORMANCE SAFETY GLASSES

- Durable anti-scratch lenses.
- Long lasting anti-fog lenses.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.

Description	Pack quantity	Min. order quantity	Article Number
Performance safety glasses clear	1	1	4932471883
Bulk Performance Safety Glasses Clear	48	1	4932479027
Performance safety glasses tinted	1	1	4932471884
Bulk Performance Safety Glasses Tinted	48	1	4932479028
Performance Safety Glasses Grey	1	1	4932478908
Bulk Performance Safety Glasses Grey	48	1	4932479029
Performance Safety Glasses Yellow	1	1	4932478928



AVAILABLE IN
TINTED
FOR OUTDOOR WORK

AVAILABLE IN
CLEAR
FOR INDOOR WORK



HARD CASE SAFETY GLASSES


Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hard Case Safety Glasses	1	1	4932492083	4058546414504



PREMIUM SAFETY GLASSES WITH GASKET

The gasket places the glasses closer to the skin and avoids any dust or debris entering into the eye. This is the perfect replacement for safety goggles, as the glasses offer the same dust protection, without the discomfort.

The tinted premium safety glasses benefit from polarised lenses to protect from glare, and offer best-in-class UV protection.



REMOVABLE GASKET

ANTI-
SCRATCH
LENSES

PERFORMANCE SAFETY GLASSES

Performance Safety Glasses also benefit from Milwaukee's anti-scratch lenses, allowing for easy, care-free cleaning. The anti-fog coating on the lens makes the glasses compatible for use with a respirator and perfect for all-day wear, inside and out.



PROVIDE A CLEAR VISION
& MORE CONTRAST,
PROTECT FROM THE BLUE LIGHT

SAFETY GLASSES

- Light weight for extended comfort while wearing.
- Fully adjustable and removable nose bridge to fit comfortably all face shapes.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.



Description	Pack quantity	Min. order quantity	Article Number
Safety glasses clear	1	1	4932471881
Safety glasses tinted	1	1	4932471882

ENHANCED SAFETY GLASSES

- Light weight for extended comfort while wearing.
- Durable anti-scratch lenses.
- Long lasting anti-fog lenses.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.



Description	Pack quantity	Min. order quantity	Article Number
Safety Glasses Clear - anti-scratch & anti-fog - 1pc	1	1	4932478763
Bulk Safety Glasses Clear	144	1	4932479024
Safety Glasses Tinted - anti-scratch & anti-fog - 1pc	1	1	4932478764
Bulk Safety Glasses Tinted	144	1	4932479025
Enhanced Safety Glasses Grey	1	1	4932478907
Bulk Safety Glasses Grey	144	1	4932479026
Enhanced Safety Glasses Yellow	1	1	4932478927

AVAILABLE IN
TINTED

AVAILABLE IN
CLEAR



MAGNIFIED SAFETY GLASSES

- Magnified lenses - Offer users an optical correction to improve their eyesight for close application.
- 4 magnifying intensity: +1 / +1.5 / +2 / +2.5
- Light weight for extended comfort while wearing.
- Durable anti-scratch lenses.
- Comfortable and flexible arms for extended comfort wear.
- European Certified: EN166 and EN170.



Description	Pack quantity	Min. order quantity	Article number
Clear Safety Glasses (+1)	1	1	4932478909
Clear Safety Glasses (+1.5)	1	1	4932478910
Clear Safety Glasses (+2)	1	1	4932478911
Clear Safety Glasses (+2.5)	1	1	4932478912



ENHANCED SAFETY GLASSES



GREY LENS
FOR PROFESSIONALS
WHO ARE REGULARLY
CHANGING BETWEEN
INDOOR AND OUTDOOR
ENVIRONMENTS



CORRECTION LEVELS +1, +1.5, +2, +2.5

MAGNIFIED SAFETY GLASSES

Often users require an optical correction to improve their eyesight for close application, reducing the risk of accidents on the jobsite.



BANDED EAR PLUGS

- 3-point wear: above head, below chin and behind the neck.
- Pivoting arms to adjust and pivot the band to a secure and comfortable position while being worn.
- Earplugs can be worn continuously even if the wearing position is changed – permanent protection.
- Interchangeable foam earplugs and tpr flanged earplugs included.
- Durable and comfortable band for a long lifetime.
- European Certified hearing protectors: EN 352-2 (SNR TPR ear plugs = 32 dB; SNR Foam ear plugs = 33 dB).



INTERCHANGEABLE
EAR PLUGS

Description	Pack quantity	Min. order quantity	Article number
Banded Ear Plugs	1	1	4932478135
TPR Replacement - 5 pairs	5	1	4932478549
Foam Replacement - 5 pairs	5	1	4932478550

REUSABLE CORDED EAR PLUGS

- Efficient jobsite noise attenuation of SNR = 31 dB.
- Corded solution for easy access - can be worn around the neck.
- Comfortable silicone - all day comfort.
- Quick-fit design to quickly insert and remove while achieving a secure seal.
- Storage box included - keep the ear plugs clean.
- European Certified hearing protectors: EN352-2 (SNR = 31 dB).



STORAGE CASE
TO KEEP THE
EARPLUG CLEAN

Description	Article Number
Reusable corded ear plugs	4932471904

FOAM EAR PLUGS

- Efficient jobsite noise attenuation of SNR = 38 dB.
- Comfortable foam - to wear all day.
- Quick expansion to ensure a rapid and secure seal.
- Individually packed pairs (200 pairs), resealable packaging (10 pairs) for hygienic and easy distribution.
- European Certified hearing protectors: EN352-2 (SNR = 38 dB; H = 37; M = 36 dB; L = 32 dB).



DESIGNED FOR
ALL DAY COMFORT

Description	Article Number
Foam ear plugs	4932480464
Foam ear plugs	4932480465

ALL DAY
COMFORT



32dB SNR

WEAR IN **3** POSITIONS



38dB SNR



QUICK-FIT
DESIGN

DISPOSABLE RESPIRATORS.



FFP2 RESPIRATOR

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-clogging inner layer - Stay cool all day long.
- Compatible with MILWAUKEE® safety eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/ A1:2009.



ANTI-CLOGGING



NOSE CLIP



STRAPS ADJUSTABILITY

94%
FILTERING
EFFICIENCY

Description	Pack quantity	Min. order quantity	Article number
FFP2 Respirator - 20pc	20	1	4932479237

FFP2 FOLDABLE RESPIRATOR

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Foldable respirator - Flat fold for easy carrying on job site.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Compatible with MILWAUKEE® safety eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/ A1:2009.



FLAT FOLD / FOLDABLE



ANTI-CLOGGING



NOSE CLIP



STRAPS ADJUSTABILITY

94%
FILTERING
EFFICIENCY

Description	Pack quantity	Min. order quantity	Article number
FFP2 Foldable Respirator - 20pc	20	1	4932479238

FFP3 DISPOSABLE RESPIRATOR WITH VALVE

- FFP3 rating - highest filtering facepiece gives up to 99% protection (including asbestos & silica).
- One Way Valve - fog free and easy breathing.
- Exhalation Valve - easy breathing.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-Clogging Inner Layer - Stay Cool all day long.
- Comfortable tight sealed gasket - prevents dust and debris.
- Compatible with Milwaukee® Safety Eyewear.
- European Certified as FFP3 disposable respirator according to EN149: 2001/A1:2009.



ONE-WAY VALVE



ANTI-CLOGGING



NOSE CLIP



STRAPS ADJUSTABILITY



99%
FILTERING
EFFICIENCY

FFP2 RESPIRATOR WITH VALVE

- FFP2 rating - filtering facepiece gives up to 94% protection.
- One Way Valve - fog free and easy breathing.
- Exhalation Valve - easy breathing.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-Clogging Inner Layer - Stay Cool all day long.
- Compatible with Milwaukee® Safety Eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/ A1:2009.



ONE-WAY VALVE



ANTI-CLOGGING



NOSE CLIP



STRAPS ADJUSTABILITY



94%
FILTERING
EFFICIENCY

Description	Pack quantity	Min. order quantity	Article number
FFP2 Respirator w/ Valve - 10pc	10	1	4932478548

FFP2 FOLDABLE RESPIRATOR WITH VALVE

- FFP2 rating - filtering facepiece gives up to 94% protection.
- Foldable Respirator - Flat fold for easy carrying on job site.
- One Way Valve - fog free and easy breathing.
- Exhalation Valve - easy breathing.
- Flexible aluminium nose bridge - adjustable fit.
- Comfortable adjustable straps - easy fit.
- Anti-Clogging Inner Layer - Stay Cool all day long.
- Compatible with Milwaukee® Safety Eyewear.
- European Certified as FFP2 disposable respirator according to EN149: 2001/A1:2009.



FLAT FOLD / FOLDABLE



ONE-WAY VALVE



NOSE CLIP



STRAPS ADJUSTABILITY



94%
FILTERING
EFFICIENCY

Description	Pack quantity	Min. order quantity	Article number
FFP2 Foldable Respirator w/ Valve	15	1	4932478801

**UP TO 15
STORAGE POCKETS**



REINFORCED POCKETS



MARKER HOLDER



**MIC
TABS**



HARNESS TETHERING HOLE



PREMIUM HIGH-VISIBILITY VEST

- 15 pockets - increased carrying capacity.
- 1 clear ID badge holder - easy identification on the jobsite.
- 1 back pocket - ideal to carry tablet or notebook.
- Quick internal size adjustment - size up or size down for better fit.
- Padded collar - added comfort for extended wear.
- Harness tethering hole - ideal to fit over harness to add more safety on the jobsite.
- European Certified as Class 2 High Visibility Clothing according to EN ISO 20471: 2013/ A1:2016.



PREMIUM HIGH-VIS VEST (YELLOW)

Description	Pack quantity	Min. order quantity	Article Number
Premium high-visibility vest yellow - S/M	1	1	4932471899
Premium high-visibility vest yellow - L/XL	1	1	4932471899
Premium high-visibility vest yellow - 2XL/3XL	1	1	4932471899

PREMIUM HIGH-VIS VEST (ORANGE)

Description	Pack quantity	Min. order quantity	Article Number
Premium high-visibility vest orange - S/M	1	1	4932471896
Premium high-visibility vest orange - L/XL	1	1	4932471899
Premium high-visibility vest orange - 2XL/3XL	1	1	4932471900

HIGH-VISIBILITY VEST

- 10 pockets - increased carrying capacity.
- 1 clear ID badge holder - easy identification on the jobsite.
- Quick internal size adjustment - size up or size down for better fit.
- Harness tethering hole - ideal to fit over harness to add more safety on the jobsite.
- European Certified as Class 2 High Visibility Clothing according to EN ISO 20471: 2013/ A1:2016.



HIGH-VIS VEST (YELLOW)

Description	Pack quantity	Min. order quantity	Article Number
High-visibility vest yellow - S/M	1	1	4932471885
High-visibility vest yellow - L/XL	1	1	4932471890
High-visibility vest yellow - 2XL/3XL	1	1	4932471891

HIGH-VIS VEST (ORANGE)

Description	Pack quantity	Min. order quantity	Article Number
High-visibility vest orange - S/M	1	1	493247189
High-visibility vest orange - L/XL	1	1	493247189
High-visibility vest orange - 2XL/3XL	1	1	493247189



MACHINE
WASHABLE



UP TO 8 HOURS* OF
CONTINUOUS HEAT



TOUCH SENSITIVE
CONTROLS

MILWAUKEE HEATED GEAR RANGE

Powered by M12™ REDLITHIUM™ or REDLITHIUM™ USB battery technology, MILWAUKEE® Heated Work Gear distributes heat across core body areas. Durable carbon fibre heating elements maintain heat to reduce the need for bulky layers, while multiple heat settings allow the user to select the right amount of warmth for all weather conditions. Our range of heated work wear is fully machine washable and dryable for extended use.

*on a single battery charge (3.0 Ah) at low setting

EXPLORE OUR RANGE
OF HEATED GEAR



HEATED GEAR

M12™ HEATED JACKET - BLACK

- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices
- Flexible battery system: works with all MILWAUKEE® M12™ batteries
- Available in sizes S-XXXL
- Machine washable and dryable



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
M12™ heated jacket - Black	1	1	4933478967	4058546362492
M12™ heated jacket - Black	1	1	4933478968	4058546362508
M12™ heated jacket - Black	1	1	4933478969	4058546362515
M12™ heated jacket - Black	1	1	4933478970	4058546362522
M12™ heated jacket - Black	1	1	4933478971	4058546362539
M12™ heated jacket - Black	1	1	4933479362	4058546371562

M12™ HEATED JACKET - GREY

- Heat on demand - sewn in carbon fibre heating wires, distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- TOUGHSHELL™ stretch 90% polyester and 10% spandex material to withstand harsh working conditions and deliver up to 5x longer life
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Water and wind resistant, provides comfort and durability in harsh environments
- Big hand & chest pocket, ideal for storing mobile devices
- Flexible battery system: works with all MILWAUKEE® M12™ batteries
- Available in sizes S-XXXL
- Machine washable and dryable



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
M12™ heated jacket - Grey	1	1	4933478972	4058546362546
M12™ heated jacket - Grey	1	1	4933478973	4058546362553
M12™ heated jacket - Grey	1	1	4933478974	4058546362560
M12™ heated jacket - Grey	1	1	4933478975	4058546362577
M12™ heated jacket - Grey	1	1	4933478976	4058546362584
M12™ heated jacket - Grey	1	1	4933479363	4058546371579



M12™ HEATED CAMOUFLAGE JACKET

- REALTREE XTRA™ Camo pattern blends perfectly year round in a variety of habitats
- Quiet-shell stretch 100% polyester material to reduce noise during movement
- Heat on demand - 5 sewn in carbon fibre heating zones distribute heat to core body areas and to the front pockets
- Superior run time, up to 8 hours of heat on low level with a single battery charge of an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Easy touch heat controller concealed inside the lapel - 3 heat settings: High, Medium, Low
- FREE FLEX™ mobility - additional material under the arms increases range of movement for working overhead
- Water and wind resistant, provides comfort and durability in harsh environments
- New battery pocket design providing users multiple options for battery placement, allowing adaptability to the situation
- Improved slim fit design with extended back prevents heat loss and keeps the user warm
- M12™ battery controller with 1 A USB port, to charge mobile devices stored in concealed battery pocket
- Big hand & chest pocket, ideal for storing mobile devices
- Flexible battery system: works with all MILWAUKEE® M12™ batteries
- Available in sizes S-XXXL
- Machine washable and dryable



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
M12™ heated camouflage jacket	1	1	4933478977	4058546362591
M12™ heated camouflage jacket	1	1	4933478978	4058546362607
M12™ heated camouflage jacket	1	1	4933478979	4058546362614
M12™ heated camouflage jacket	1	1	4933478980	4058546362621
M12™ heated camouflage jacket	1	1	4933478981	4058546362638
M12™ heated camouflage jacket	1	1	4933479364	4058546371586

M12™HEATED VEST - GREY

- M12™ Heated TOUGHSHELL™ vest powered by an M12™ battery with carbon fibre heating elements creates and distributes heat to chest & back.
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ 12V REDLITHIUM™ 3 Ah Battery pack.
- TOUGHSHELL™ stretch 90 % Polyester and 10 % spandex material to withstand harsh working conditions.
- Optimized hidden battery pocket to place M12™ battery in front or rear for increased comfort.
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas.
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low.
- Machine washable and dryable.
- Battery holder included.
- Flexible battery system: works with all MILWAUKEE® M12™ Batteries.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
M12™heated vest - Grey	1	1	4932480100	4058546403850
M12™heated vest - Grey	1	1	4932480101	4058546403867
M12™heated vest - Grey	1	1	4932480102	4058546403874
M12™heated vest - Grey	1	1	4932480103	4058546403881
M12™heated vest - Grey	1	1	4932480104	4058546403898
M12™heated vest - Grey	1	1	4932480105	4058546403904

HEATED GEAR

M12™ HEATED PUFFER JACKET - BLACK

- M12™Heated Jacket powered by anM12™Battery with carbon fibre heating elements creates and distributes heat to chest, back and shoulders.
- Superior run time, up to 11 hours of heat on a single battery charge of anM12™ 12V REDLITHIUM™3 Ah battery pack.
- Lightweight and highly durable ripstop polyester provides a slim design that can be worn as an outer-shell or a mid-layer (100 % Polyester outer and inner shell).
- Reinforced high-wear zones protect from abrasion and tears.
- Provides comfort and durability in harsh, rainy or windy environments.
- Optimized hidden battery pocket to place M12™ Battery in front or rear for increased comfort.
- Multiple heating zones - 5 sewn in carbon fibre heating zones distribute heat to core body areas.
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low.
- Machine washable and dryable.
- Battery controller included.
- New hood design.
- Flexible battery system: works with all MILWAUKEE®M12™Batteries.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
M12™ heated puffer jacket - Black	1	1	4932480071	4058546403560
M12™ heated puffer jacket - Black	1	1	4932480072	4058546403577
M12™ heated puffer jacket - Black	1	1	4932480073	4058546403584
M12™ heated puffer jacket - Black	1	1	4932480074	4058546403591
M12™ heated puffer jacket - Black	1	1	4932480075	4058546403607

USB RECHARGEABLE HEATED WORKSKIN™ BASE LAYER

- Mid-weight construction out of durable, pilling resistant material, keeps body warm and dry
- Fully heats-up in 2.5 min
- Heat is created and distributed to the chest and back
- Powered by L4 USB rechargeable REDLITHIUM™ battery pack
- A one-touch LED controller allows the user to select from 2 heat settings, delivering ideal heat for any environment
- Durable, pilling resistant material with raglan designed sleeves and seamless shoulders for improved mobility and comfort
- Superior run time – Up to 180 min of heat on low level
- L4 battery holder - concealed battery pocket for minimal user interference
- Machine washable



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
USB rechargeable heated WORKSKIN™ base layer	1	1	4933478081	4058546340148
USB rechargeable heated WORKSKIN™ base layer	1	1	4933478082	4058546340155
USB rechargeable heated WORKSKIN™ base layer	1	1	4933478083	4058546340162
USB rechargeable heated WORKSKIN™ base layer	1	1	4933478084	4058546340179
USB rechargeable heated WORKSKIN™ base layer	1	1	4933478085	4058546340186



M12™ BLACK HEATED HOODIE

- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and waffle-weave polyester (47%) lining to withstand tough outdoor conditions
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body
- Superior run time, up to 8 hours of heat on a single battery charge of an M12™ REDLITHIUM™ 2.0 Ah battery pack
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas
- Easy touch heat controller - 3 heat settings: High, Medium, Low
- M12™ battery holder is stored in a concealed battery pocket for increased comfort and convenience
- Hood fits easily under hard hat
- Integrated cell phone pocket
- Machine washable and dryable
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Article number	Article Number	EAN Code
M12™ black heated hoodie	4933464346	4933464346	4058546222918
M12™ black heated hoodie	4933464347	4933464347	4058546222925
M12™ black heated hoodie	4933464348	4933464348	4058546222932
M12™ black heated hoodie	4933464349	4933464349	4058546222949
M12™ black heated hoodie	4933464350	4933464350	4058546222956

M12™ HEATED LADIES HOODIE - BLACK

- M12™ Heated Hoodie for ladies powered by an M12™ Battery with carbon fibre heating elements creates and distributes heat to chest and back.
- Superior run time, up to 11 hours of heat on a single battery charge of an M12™ 12V REDLITHIUM™ 3 Ah Battery pack.
- Optimized hidden battery pocket to place M12™ Battery in front or rear for increased comfort.
- Rugged heated hoodie made from durable cotton (53%) exterior with durable reinforced utility pockets and polyester fleece (47%) lining to withstand tough outdoor conditions.
- In autumn and spring the hoodie can be worn as a rugged outer layer. In winter, it is best as a base layer that allows to shed bulky undergarments while generating and holding heat close to the body.
- Multiple heating zones - 3 sewn in carbon fibre heating zones distribute heat to core body areas.
- Easy one-touch heat controller - 3 heat settings: High, Medium, Low.
- Integrated cell phone pocket.
- Machine washable and dryable.
- Battery holder included.
- Flexible battery system: works with all MILWAUKEE® M12™ Batteries.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
M12™ heated ladies hoodie - Black	1	1	4932480090	4058546403751
M12™ heated ladies hoodie - Black	1	1	4932480091	4058546403768
M12™ heated ladies hoodie - Black	1	1	4932480092	4058546403775
M12™ heated ladies hoodie - Black	1	1	4932480093	4058546403782

HEATED GEAR

WORKSKIN™ LIGHT WEIGHT PERFORMANCE SHORT SLEEVE SHIRT - GREY

- Light weight to stay productive on the jobsite in hot weather conditions.
- Moisture wicking fabric, 100 % Polyester.
- Fast-drying, multi-layer mesh material in core sweat zones for great ventilation under the armpits, on the sides of the body and on the back.
- Raglan sleeves for comfortable carrying of tool bags, backpacks or climbing harnesses and providing a greater range of motion.



Description	Size	Article number
WORKSKIN™ light weight performance short sleeve shirt - Grey	S	4933478194
WORKSKIN™ light weight performance short sleeve shirt - Grey	M	4933478195
WORKSKIN™ light weight performance short sleeve shirt - Grey	L	4933478196
WORKSKIN™ light weight performance short sleeve shirt - Grey	XL	4933478197
WORKSKIN™ light weight performance short sleeve shirt - Grey	XXL	4933478198

WORKSKIN™ LIGHT WEIGHT PERFORMANCE LONG SLEEVE SHIRT - GREY

- Light weight to stay productive on the jobsite in hot weather conditions.
- Moisture wicking fabric, 100 % Polyester.
- Fast-drying, multi-layer mesh material in core sweat zones for great ventilation under the armpits, on the sides of the body and on the back.
- Raglan sleeves for comfortable carrying of tool bags, backpacks or climbing harnesses and providing a greater range of motion.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
WORKSKIN™ light weight performance long sleeve shirt - Grey	1	1	4933464108	4058546220532
WORKSKIN™ light weight performance long sleeve shirt - Grey	1	1	4933464194	4058546221393
WORKSKIN™ light weight performance long sleeve shirt - Grey	1	1	4933464195	4058546221409
WORKSKIN™ light weight performance long sleeve shirt - Grey	1	1	4933464196	4058546221416
WORKSKIN™ light weight performance long sleeve shirt - Grey	1	1	4933464197	4058546221423



WORK T-SHIRT SHORT SLEEVE - GREY

- Tear, abrasion resistant and breathable fabric
- 60/40 cotton-poly blend enables moisture wicking and water repels
- Heavy duty 230 GSM fabric weight



Description	Size	Article number
Work T-shirt short sleeve - Grey	S	4933478231
Work T-shirt short sleeve - Grey	M	4933478232
Work T-shirt short sleeve - Grey	L	4933478233
Work T-shirt short sleeve - Grey	XL	4933478234
Work T-shirt short sleeve - Grey	XXL	4933478235

WORK T-SHIRT LONG SLEEVE - GREY

- Tear, abrasion resistant and breathable fabric
- 60/40 cotton-poly blend enables moisture wicking and water repels
- Heavy duty 230 GSM fabric weight



Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Work T-shirt long sleeve - Grey	1	1	4933478237	4058546344146
Work T-shirt long sleeve - Grey	1	1	4933478238	4058546344153
Work T-shirt long sleeve - Grey	1	1	4933478239	4058546344160
Work T-shirt long sleeve - Grey	1	1	4933478240	4058546344177
Work T-shirt long sleeve - Grey	1	1	4933478241	4058546344184

HEATED GEAR

WORK HOODIE BLACK

- Made from durable, breathable fabric for all-day protection to outlast the job
- Built with a tear- and abrasion-resistant 75/25 cotton/poly blend
- The fabric is wind resistant, and has comfortable fit rib-knit cuffs and waists, make these work hoodies great for the most demanding conditions
- Drawstring adjustable hood for perfect comfort
- Reinforced pocket seams, for a longer lifetime



Description	Size	Article number
Work hoodie black	S	4933478212
Work hoodie black	M	4933478213
Work hoodie black	L	4933478214
Work hoodie black	XL	4933478215
Work hoodie black	XXL	4933478216

NECK GAITER & FACE MASK

- Multi-functional, wear it as a neck gaiter, face mask, headband, sweatband or headgear protection on the jobsite
- Moisture wicking fabric dries quickly, repels sweat & water, keeps users dry on the jobsite
- Breathable, comfortable fabric made from 86 % Polyester and 14 % Spandex
- 50+ UPF sun protection blocks 98 % of UV rays
- Shields from wind, dust and jobsite debris
- Turnback hem prevents the fabric from sliding down
- Washer and dryer safe
- One size fits most
- Available in colours grey and red



Description	Colour	Article number
Neck gaiter & face mask - Red	Red	4933478780
Neck gaiter & face mask - Grey	Grey	4933478766

PERFORMANCE FACE COVERING

- Structured Fit Design - Separates mask from mouth.
- 3 Soft and Breathable Layers - all day comfort for long time wear.
- Comfortable Adjustable Ear Loops - No pressure on the ears.
- Water Repellent Outer Layer.
- Flexible Nose Bridge - Adjustability for a better sealing and to reduce fog on glasses.
- Moisture Wicking Inner Layer - Stay Cool, Dry Fast.
- Machine Washable.



Description	Size	Pack quantity	Min. order quantity	Article number
Performance Face Covering S/M - 3pcs	S / M	3	1	4932478865
Performance Face Covering L/XL - 3pcs	L / XL	3	1	4932478866

MILWAUKEE®
GLOVES GUIDE

Rating	4 3 4 3 C X
Abrasion	1-4
Cut (Coup Test)	1-5
Tear	1-4
Puncture	1-4
Cut (TDM-100 Test)	A-F
Impact Protection	PFX
X= Not tested P= Pass X= Fail	

FEATURES KEY



EN388:2016



COMFORT



DEXTERITY



SMARTSWIPE™



CUT RESISTANCE



CUT RESISTANCE



CUT RESISTANCE



CUT RESISTANCE



CUT RESISTANCE



CUT RESISTANCE



HIGH VISIBILITY



BREATHABILITY

PUNCTURE RESISTANCE
& GRIP PERFORMANCE

WINTER



LEATHER



IMPACT RESISTANT



REINFORCED PALM



DURABILITY

REINFORCED WITH
ARMORTEX®

REINFORCEMENT

GLOVE TYPES

CUT RESISTANT GLOVES

PROTECTIVE
SLEEVES


HI-VIS CUT RESISTANT GLOVES

HI-DEX CUT
RESISTANT GLOVES

	CUT LEVEL A	CUT LEVEL B	CUT LEVEL C	CUT LEVEL D	CUT LEVEL E	CUT LEVEL F		CUT LEVEL C	CUT LEVEL E		HI-VIS CUT LEVEL A	HI-VIS CUT LEVEL B	HI-VIS CUT LEVEL C	HI-VIS CUT LEVEL D	HI-VIS CUT LEVEL E		HI-DEX CUT LEVEL B	HI-DEX CUT LEVEL C	HI-DEX CUT LEVEL D
FEATURES																			
EN 388 RATING	4121A	4242B	4343C	4X43D	4X44E	4X43F		2342C	3X42E		3121A	3242B	4X42C	4X43D	4X43E		4242B	4342C	4X42D
COLOUR CODE																			
GAUGE	13	15	15	13	13	18		15	13		15	15	15	13	13		18	18	18
COATING	Nitrile - Sandy	Nitrile - Sandy	Nitrile - Microfoam	Nitrile - Sandy	Nitrile - Sandy	Nitrile - Sandy		-	-		Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)		Polyurethane (PU)	Polyurethane (PU)	Polyurethane (PU)
ENVIRONMENT	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)		-	-		Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)		Dry (WASHABLE)	Dry (WASHABLE)	Dry (WASHABLE)
APPLICATIONS																			
AUTOMOTIVE/ TRANSPORTATION	✓	✓	✓	-	-	-		✓	-		✓	✓	✓	✓	✓		✓	✓	✓
CARPENTRY	✓	✓	-	-	-	-		✓	-		✓	✓	-	-	-		✓	✓	-
CIVIL ENGINEERING	✓	✓	✓	✓	✓	-		✓	✓		✓	✓	✓	✓	✓		✓	✓	✓
CONSTRUCTION	✓	✓	✓	✓	✓	-		✓	✓		✓	✓	✓	✓	✓		✓	✓	✓
DEMOLITION	-	-	✓	✓	✓	-		✓	✓		-	-	-	-	-		-	-	-
DRYWALL, CEILING AND PARTITIONING	-	✓	✓	✓	-	-		✓	✓		-	✓	✓	✓	-		✓	✓	✓
LANDSCAPING AND HORTICULTURAL	✓	✓	-	-	-	-		✓	-		-	-	-	-	-		-	-	-
MAINTENANCE, REPAIR AND OPERATIONS	-	-	-	-	-	-		-	-		-	-	-	-	-		-	-	-
MANUFACTURING	✓	✓	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓		✓	✓	✓
ASSEMBLE	✓	✓	-	-	-	-		✓	-		✓	✓	-	-	-		✓	✓	✓
METALWORKING AND ENGINEERING	-	-	✓	✓	✓	✓		✓	✓		-	-	✓	✓	✓		-	✓	✓
HVAC	-	-	✓	✓	✓	✓		-	✓		-	-	✓	✓	✓		-	✓	✓
PLUMBING	✓	✓	✓	-	-	-		-	-		-	-	-	-	-		-	-	-
UTILITIES	✓	✓	✓	-	-	-		✓	-		✓	✓	✓	-	-		✓	✓	✓
OIL & GAS	✓	✓	✓	✓	✓	✓		-	-		-	-	-	-	-		-	-	-



MILWAUKEE® GLOVES GUIDE



FEATURES KEY

EN388:2016

COMFORT

DEXTERITY

SMARTSWIPE™

CUT RESISTANCE

CUT RESISTANCE

CUT RESISTANCE

CUT RESISTANCE

CUT RESISTANCE

CUT RESISTANCE

HIGH VISIBILITY

BREATHABILITY

PUNCTURE RESISTANCE & GRIP PERFORMANCE

WINTER

LEATHER

IMPACT RESISTANT

REINFORCED PALM

DURABILITY

REINFORCED WITH ARMORTEK®

REINFORCEMENT

GLOVE TYPES

WINTER CUT RESISTANT GLOVES

NEW

NEW


LEATHER GLOVES

WORK GLOVES

IMPACT GLOVES

	CUT LEVEL A	CUT LEVEL B	CUT LEVEL C	CUT LEVEL D	CUT LEVEL E		HYBRID LEATHER	LEATHER		FREE FLEX	FINGERLESS	DEMOLITION	WINTER DEMOLITION		IMPACT CUT LEVEL C	IMPACT CUT LEVEL E	IMPACT DEMOLITION
FEATURES																	
EN 388 RATING	EN388: 1141A EN511: 01X	EN388: 2242B EN511: X1X	EN388: 2442C EN511: 02X	EN388: 3X43D EN511: X1X	EN 388: 3X43E EN 511: X1X		2122X	2122X		2121X	2121X	2121X	EN 388: 2122A EN 511: 14X		4343CP	4X44EP	2121XP
COLOUR CODE							-	-		-	-	-	-				-
GAUGE	15,10	15,10	15,7	15,10	13,10		-	-		-	-	-	-		18	13	-
COATING	Latex	Latex	Latex	Latex	Latex		-	-		-	-	-	-		Nitrile	Nitrile	-
ENVIRONMENT	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)	Cold, damp, dry (WASHABLE)		(WASHABLE)	(WASHABLE)		Dry (WASHABLE)	Dry (WASHABLE)	Dry, damp (WASHABLE)	Cold, damp, dry (WASHABLE)		Dry, damp, oily (WASHABLE)	Dry, damp, oily (WASHABLE)	Dry (WASHABLE)
APPLICATIONS																	
AUTOMOTIVE/ TRANSPORTATION	✓	-	-	-	-		-	-		✓	-	-	-		✓	-	-
CARPENTRY	✓	✓	-	-	-		✓	✓		✓	✓	✓	✓		-	-	-
CIVIL ENGINEERING	-	-	-	-	-		-	-		-	-	-	-		-	-	-
CONSTRUCTION	✓	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓		✓	✓	✓
DEMOLITION	-	-	✓	✓	✓		-	-		-	-	✓	✓		✓	✓	✓
DRYWALL, CEILING AND PARTIONING	-	✓	✓	✓	-		-	-		-	-	-	-		✓	-	-
LANDSCAPING AND HORTICULTURAL	✓	✓	-	-	-		✓	✓		-	-	-	-		-	-	-
MAINTENANCE, REPAIR AND OPERATIONS	-	-	-	-	-		-	-		-	-	-	-		-	-	-
MANUFACTURING	✓	✓	-	-	-		-	-		-	-	-	-		✓	-	-
ASSEMBLE	-	-	-	-	-		-	-		-	-	-	-		-	-	-
METALWORKING AND ENGINEERING	-	-	-	✓	✓		-	-		-	-	-	-		-	✓	-
HVAC	-	-	✓	✓	✓		-	-		-	-	✓	✓		✓	✓	-
PLUMBING	✓	✓	-	-	-		-	-		✓	✓	-	-		-	-	-
UTILITIES	✓	✓	-	-	-		✓	✓		✓	✓	✓	✓		-	-	-
OIL & GAS	✓	✓	✓	✓	✓		-	-		-	-	✓	✓		✓	✓	✓

GLOVES SIZING GUIDE.



DEMOLITION GLOVES

- ARMORTEK™ reinforced palms and finger tips: Increased durability and hand protection.
- SMARTSWIPE™ Knuckle: Capacitive knuckle allows to use touch screen devices without removing gloves or using dirty fingertips.
- Breathable tri-cot lining: Provides ultimate comfort and breathability.
- Knuckle protection: TPR pad provides knuckle protection.
- Terry cloth thumb: Built in sweat/brow wipe.
- Hook & Loop closure for secure fit.



Description	Article Number
Demolition Gloves - 7/S - 1pc	4932479730
Demolition Gloves - M/8 - 1pc	48229731
Demolition Gloves - L/9 - 1pc	48229732
Demolition Gloves - XL/10 - 1pc	48229733
Demolition Gloves - XXL/11 - 1pc	48229734

WINTER DEMOLITION GLOVES

- Winter insulation and dual acrylic liner to keep the hand warm while working in cold conditions.
- Water and windproof layer on the palm provide superior insulation in extreme environments.
- Padded palm and fingertips for increased durability and comfort.
- SMARTSWIPE™ index finger knuckle that allows to use touch screen devices without removing gloves or using dirty fingertips.
- Built in sweat wipe with terry cloth on the thumb, to easily clean the glasses.



Description	Article Number
Winter Demolition Gloves - 7/S - 1pc	4932479731
Winter Demolition Gloves - 8/M - 1pc	4932479566
Winter Demolition Gloves - 9/L - 1pc	4932479567
Winter Demolition Gloves - 10/XL - 1pc	4932479568
Winter Demolition Gloves - 11/XXL - 1pc	4932479569
Winter Demolition Gloves - 12/XXXL - 1pc	4932480976

FINGERLESS GLOVES

- Designed to provide ultimate dexterity when handling small objects.
- Reinforced palm and thumb seam.
- Lightweight, breathable backing.
- Moisture wicking lining provides all day comfort.
- Built-in sweat wipe.
- Hook & Loop closure for secure fit.
- Fulfill the requirements of CE Category 2, EN 420 and EN 388 (2121X).



DESIGNED FOR
**ULTIMATE
DEXTERITY**
WHEN HANDLING SMALL OBJECTS

Description	Article Number
Fingerless Gloves - S/7 - 1pc	4932479728
Fingerless Gloves - M/8 - 1pc	48229741
Fingerless Gloves - L/9 - 1pc	48229742
Fingerless Gloves - XL/10 - 1pc	48229743
Fingerless Gloves - XXL/11 - 1pc	48229744

FREE-FLEX WORK GLOVES

- SMARTSWIPE™ knuckle, palm and fingertips.
- Flexible and elastic gloves.
- Lightweight, breathable backing.
- Reinforced thumb seam.
- High dexterity finger tips.
- Built-in sweat wipe.
- Fulfill the requirements of CE Category 2, EN 420 and EN 388 (2121X).



SMARTSWIPE™
KNUCKLE, PALM
AND FINGER TIPS

Description	Article Number
FREE-FLEX Gloves - S/7 - 1pc	4932479729
FREE-FLEX Gloves - M/8 - 1pc	48229711
FREE-FLEX Gloves - L/9 - 1pc	48229712
FREE-FLEX Gloves - XL/10 - 1pc	48229713
FREE-FLEX Gloves - XXL/11 - 1pc	48229714



HI-VIS CUT RESISTANT GLOVES.

- Designed to provide all-day comfort and dexterity
- Polyurethane palm dipping for extra tactic feeling
- SMARTWIPE on fingers - allows the use of touch screen devices without removing gloves



RESISTANCE TO CUT AND ABRASION

CUT LEVEL A

Recommended for material handling and light construction duty

CUT LEVEL B

Ideal for automotive tasks, or dry wall applications

CUT LEVEL C

Ideal for wire stripping or pipe Threading

CUT LEVEL D

Ideal for metal handling or HVAC applications

CUT LEVEL E

Ideal for very sharp materials such as glass or metal sheets

HIGH-VIS CUT LEVEL C GLOVES.

- Fluorescent material - high visibility
- Ideal protection for stripping wire or pipe threading and cutting
- Lightweight and extra thin gloves - more breathability and more dexterity



CUT RESISTANCE



HIGH VISIBILITY



SMARTWIPE™

HI-VIS CUT RESISTANT GLOVES



HIGH VISIBILITY



THE MILWAUKEE HI-VIS CUT RESISTANT GLOVES

Are the perfect pair for working in dark spaces such as engine bays as they provide greater visibility of the fingers in the dark, making it easier for the user to see what they're doing.

HI-VIS CUT A GLOVES



- Fluorescent material provides high visibility in low light environment.
- Lightweight and thin gloves with polyurethane dipped palm.
- Designed to provide increased dexterity and all-day comfort, ideal for material Handling, Carpenter, Plumbing, remodeling, general contracting applications.
- SMARTWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (3121A), UKCA.

Description	Article Number
Hi-Vis Cut A Gloves - 7/S - 1pc	4932479916
Hi-Vis Cut Level 1/A - 8/M - 1pc	4932479917
Hi-Vis Cut Level 1/A - 9/L - 1pc	4932479918
Hi-Vis Cut Level 1/A - 10/XL - 1pc	4932479919
Hi-Vis Cut Level 1/A - 11/XXL - 1pc	4932479920

HI-VIS CUT B GLOVES



- Fluorescent material provides high visibility in low light environment.
- Lightweight thin gloves with polyurethane dipped palm, allowing increased dexterity.
- Cut Level 2/B ideal for material handling, woodwork, dry wall, ceiling, painting.
- Reinforced nitrile coating with added protection between thumb and fingers.
- SMARTWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (3242B), UKCA.

Description	Article Number
Hi-Vis Cut Level 2/B - 7/S - 1pc	4932479906
Hi-Vis Cut Level 2/B - 8/M - 1pc	4932479907
Hi-Vis Cut Level 2/B - 9/L - 1pc	4932479908
Hi-Vis Cut Level 2/B - 10/XL - 1pc	4932479909
Hi-Vis Cut Level 2/B - 11/XXL - 1pc	4932479910

HI-VIS CUT C GLOVES



- Fluorescent material provides high visibility in low light environment.
- Offers more resistance than a Cut Level A, to cut and abrasion, ideal protection for stripping wire or pipe threading and cutting.
- Lightweight thin gloves with polyurethane dipped palm, allowing good dexterity.
- Reinforced nitrile coating with added protection between thumb and fingers.
- SMARTWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420 and EN388:2016 (4X42C), UKCA.

Description	Article Number
Hi-Vis Cut C Gloves - 7/S - 1pc	4932479721
Hi-Vis Cut C Gloves - 8/M - 1pc	4932478131
Hi-Vis Cut C Gloves - 9/L - 1pc	4932478132
Hi-Vis Cut C Gloves - 10/XL - 1pc	4932478133
Hi-Vis Cut C Gloves - 11/XXL - 1pc	4932478134

HI-VIS CUT D GLOVES



- Fluorescent material provides high visibility in low light environment.
- Lightweight thin gloves with polyurethane dipped palm, allowing good dexterity.
- Cut Level D, ideal for wire stripping, pipe threading/cutting, light metal stamping.
- Reinforced nitrile coating with added protection between thumb and fingers.
- SMARTWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (4X43D), UKCA.

Description	Article Number
Hi-Vis Cut Level 4/D - 7/S - 1pc	4932479926
Hi-Vis Cut Level 4/D - 8/M - 1pc	4932479927
Hi-Vis Cut Level 4/D - 9/L - 1pc	4932479928
Hi-Vis Cut Level 4/D - 10/XL - 1pc	4932479929
Hi-Vis Cut Level 4/D - 11/XXL - 1pc	4932479930

HI-VIS CUT E GLOVES



- Fluorescent material provides high visibility in low light environment.
- Cut Level E, ideal for sheet metal, glass handling, wire stripping, ducting.
- Lightweight thin gloves with polyurethane dipped palm, allowing good dexterity.
- Reinforced nitrile coating with added protection between thumb and fingers.
- SMARTWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (4X43E), UKCA.

Description	Article Number
Hi-Vis Cut Level 5/E - 7/S - 1pc	4932479931
Hi-Vis Cut Level 5/E - 8/M - 1pc	4932479932
Hi-Vis Cut Level 5/E - 9/L - 1pc	4932479933
Hi-Vis Cut Level 5/E - 10/XL - 1pc	4932479934
Hi-Vis Cut Level 5/E - 11/XXL - 1pc	4932479935

CUT RESISTANT GLOVES.

- Designed to provide ultimate durability and comfort with nitrile palm dipping
- 5 times certified machine washable, allowing extended lifetime and reducing cost and waste.
- Wrist band color coding by cut level



SMARTSWIPE™



PUNCTURE RESISTANCE & GRIP PERFORMANCE



CUT RESISTANCE

RESISTANCE TO CUT AND ABRASION

CUT LEVEL A

recommended for material handling and light construction duty.

CUT LEVEL B

Ideal for automotive tasks, or dry wall applications.

CUT LEVEL C

Ideal for wire stripping or pipe Threading.

CUT LEVEL D

Ideal for metal handling or HVAC applications.

CUT LEVEL E

Ideal for handling parts with sharp and rough edges.

CUT LEVEL F

Ideal for Cutting glass, sheets, panels.

CUT LEVEL D GLOVES.

REINFORCED NITRILE COATING
ADDED DURABILITY AND PROTECTION
BETWEEN THUMB AND INDEX FINGER.



PUNCTURE RESISTANCE & GRIP PERFORMANCE



CUT RESISTANCE



SMARTSWIPE™

CUT A GLOVES



- Designed to provide ultimate durability and all-day comfort, ideal for material handling or light construction duty.
- Reinforced palm due to a nitrile texture.
- Designed to provide dexterity when handling small objects.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut protection: EN ISO 21420 and EN388:2016 (4121A).

Description	Article Number
Cut A Gloves - 7/S - 1pc	4932479712
Cut A Gloves - 8/M - 1pc	4932471416
Cut A Gloves - 9/L - 1pc	4932471417
Cut A Gloves - 10/XL - 1pc	4932471418
Cut A Gloves - 11/XXL - 1pc	4932471419

CUT B GLOVES



- Excellent grip performance, nitrile material performs better than other materials in wide range of temperatures and oily surfaces.
- Designed to provide comfort and increased dexterity.
- Superior puncture resistance protects from sharp materials.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (4242B), UKCA.

Description	Article Number
Cut Level 2/B Gloves - S/7 - 1pc	4932479906
Cut Level 2/B Gloves - M/8 - 1pc	4932479907
Cut Level 2/B Gloves - L/9 - 1pc	4932479908
Cut Level 2/B Gloves - XL/10 - 1pc	4932479909
Cut Level 2/B Gloves - XXL/11 - 1pc	4932479910

CUT C GLOVES



- Offers more resistance than a Cut Level 1, to cut and abrasion, ideal protection for stripping wire or pipe threading and cutting.
- Excellent grip performance, nitrile material performs better than other materials in wide range of temperatures and oily surfaces.
- Superior puncture resistance for sharp materials.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut protection: EN ISO 21420 and EN388:2016 (4343C).

Description	Article Number
Cut C Gloves - 7/S - 1pc	4932479715
Cut C Gloves - 8/M - 1pc	4932471420
Cut C Gloves - 9/L - 1pc	4932471421
Cut C Gloves - 10/XL - 1pc	4932471422
Cut C Gloves - 11/XXL - 1pc	4932471423

CUT D GLOVES



- Excellent grip performance, nitrile material performs better than other materials in wide range of temperatures and oily surfaces.
- Reinforced nitrile coating between thumb and fingers and superior puncture resistance for more durability.
- Designed to provide comfort with a high breathable liner.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (4X43D), UKCA.

Description	Article Number
Cut Level 4/D Gloves - S/7 - 1pc	4932479911
Cut Level 4/D Gloves - M/8 - 1pc	4932479912
Cut Level 4/D Gloves - L/9 - 1pc	4932479913
Cut Level 4/D Gloves - XL/10 - 1pc	4932479914
Cut Level 4/D Gloves - XXL/11 - 1pc	4932479915

CUT E GLOVES



- Double layer of nitrile for added durability and increased protection from sharp objects.
- Excellent grip performance, nitrile material performs better than other materials in wide range of temperatures and oily surfaces.
- Proprietary knitting process for all day comfort and high breathability while working all day.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut protection: EN ISO 21420 and EN388:2016 (4X44E).

Description	Article Number
Cut E Gloves - 7/S - 1pc	4932479718
Cut E Gloves - 8/M - 1pc	4932471424
Cut E Gloves - 9/L - 1pc	4932471425
Cut E Gloves - 10/XL - 1pc	4932471426
Cut E Gloves - 11/XXL - 1pc	4932471427

HIGH CUT F GLOVES



- Highest European cut level protection.
- 18 gauge material for extra dexterity.
- Excellent grip performance with nitrile dipped palm. material performs better than other materials in wide range of temperatures and oily surfaces.
- Excellent breathability and all day comfort.
- Nitrile reinforcement between thumb and index finger for more durability.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- DMF free and REACH compliance.
- 3 times machine washable.

Description	Article Number
High Cut F Gloves - 7/S - 1pc	4932492040
High Cut F Gloves - 8/M - 1pc	4932492041
High Cut F Gloves - 9/L - 1pc	4932492042
High Cut F Gloves - 10/XL - 1pc	4932492043
High Cut F Gloves - 11/XXL - 1pc	4932492044



WINTER

THE MILWAUKEE WINTER CUT RESISTANT GLOVES

Designed for the coldest conditions, Milwaukee winter gloves will keep will keep the hand safe from jobsite dangers warm whilst protecting from winter conditions.

WINTER CUT A GLOVES



- Winter insulation will keep the hand warm while working in cold conditions.
- High dexterity while handling small objects.
- Warm and dual liner for excellent warmth in coolest condition and for high breathability all day.
- European Certified for cut and cold resistance protection: EN ISO 21420, EN388:2016 (1141A), EN511 (01X).

Description	Article Number
Winter Cut A Gloves - 7/S - 1pc	4932479704
Winter Cut A Gloves - 8/M - 1pc	4932471343
Winter Cut A Gloves - 9/L - 1pc	4932471344
Winter Cut A Gloves - 10/XL - 1pc	4932471345
Winter Cut A Gloves - 11/XXL - 1pc	4932471346

WINTER CUT B GLOVES



- Winter insulation and dual acrylic liner will keep the hand warm while working in cold conditions.
- Good grip performance in wet conditions due to the latex palm dipping and breathable back of hand.
- 15 Gauge in the outer liner and 10 gauge in the inner liner, allowing good dexterity.
- European Certified for cut and cold resistance protection: EN ISO 21420, EN388:2016 (2242B), EN511 (X1X), UKCA, EAC, Ukraine.

Description	Article Number
Winter Cut B Gloves - 7/S - 1pc	4932480601
Winter Cut B Gloves - 8/M - 1pc	4932480602
Winter Cut B Gloves - 9/L - 1pc	4932480603
Winter Cut B Gloves -10/XL - 1pc	4932480604
Winter Cut B Gloves - 11/XXL - 1pc	4932480605

WINTER CUT C GLOVES



- Winter insulation will keep the hand warm while working in cold conditions.
- Gloves fit comfortably after being worn for extended periods of time.
- Improved water resistance to keep hands from cold and wet environment due to a 3/4 double dipped latex coverage.
- European Certified for cut and cold resistance protection: EN ISO 21420, EN388:2016 (2442C), EN511 (02X).

Description	Article Number
Winter Cut C Gloves - 7/S - 1pc	4932479707
Winter Cut C Gloves - 8/M - 1pc	4932471347
Winter Cut C Gloves - 9/L - 1pc	4932471348
Winter Cut C Gloves - 10/XL - 1pc	4932471349
Winter Cut C Gloves - 11/XXL - 1pc	4932471350

WINTER CUT D GLOVES



- Winter insulation and dual acrylic liner will keep the hand warm while working in cold conditions.
- Improved water permeability in wet environments due to a 3/4 double latex dipping on palm and fingers.
- 15 Gauge in the outer liner and 10 gauge in the inner liner, allowing good dexterity.
- European Certified for cut and cold resistance protection: EN ISO 21420, EN388:2016 (3X43D), EN511 (X1X), UKCA, EAC, Ukraine.

Description	Article Number
Winter Cut D Gloves - 7/S - 1pc	4932480611
Winter Cut D Gloves - 8/M - 1pc	4932480612
Winter Cut D Gloves - 9/L - 1pc	4932480613
Winter Cut D Gloves - 10/XL - 1pc	4932480614
Winter Cut D Gloves - 11/XXL - 1pc	4932480615

WINTER CUT E GLOVES



- Winter insulation and dual acrylic liner will keep the hand warm while working in cold conditions.
- 13 Gauge in the outer liner and 10 gauge in the inner liner, allowing good mobility on fingers.
- Improved water resistance to keep hands from cold and wet environment due to a 3/4 double dipped latex coverage.
- 2pc inner and outer liner adhered together for extended durability.
- European Certified for cut and cold resistance protection: EN ISO 21420, EN388:2016 (3X43E), EN511 (X1X), UKCA.

Description	Article Number
Winter Cut E Gloves - 7/S - 1pc	4932479710
Winter Cut E Gloves - 8/M - 1pc	4932479558
Winter Cut E Gloves - 9/L - 1pc	4932479559
Winter Cut E Gloves - 10/XL - 1pc	4932479560
Winter Cut E Gloves - 11/XXL - 1pc	4932479561

WINTER CUT LEVEL A GLOVES.

ALL DAY COLD PROTECTION WITH THE INNER LINER OF ACRYLIC TERRY.



COMFORT



WINTER



CUT RESISTANCE

WINTER CUT LEVEL E GLOVES.

3/4 HAND DIPPED TO PROTECT FINGERS AND PALM IN WET AND DIRTY ENVIRONMENTS, PLUS ALLOWING BACK OF HAND BREATHABILITY.



PUNCTURE RESISTANCE & GRIP PERFORMANCE



WINTER



CUT RESISTANCE

CUT C SLEEVES

- High stretch nylon material with 4-way stretch points to fit users' arms.
- Tapered design, wider on the bicep and tight on the wrist, to fit the natural arm form.
- Elastic band with non-slip dots on the bicep and stretch wrist cuff to keep the sleeves in place and prevent them from sagging.
- Breathable and lightweight material provides good dexterity and all-day comfort.
- Elastic thumb loop avoids pressure points when using gloves.
- European Certified for cut protection: EN ISO 21420, EN388:2016 (2342C), UKCA.



Description	Article Number
Cut C Sleeves - 40cm - 1pc	4932478584
Cut C Sleeves - 45cm - 1pc	4932478585

CUT E SLEEVES

- High stretch nylon material with 4-way stretch points to fit users' arms.
- Tapered design, wider on the bicep and tight on the wrist, to fit the natural arm form.
- Elastic band with non-slip dots on the bicep and stretch wrist cuff to keep the sleeves in place and prevent them from sagging.
- Breathable and lightweight material provides good dexterity and all-day comfort.
- Elastic thumb loop avoids pressure points when using gloves.
- European Certified for cut protection: EN ISO 21420, EN388:2016 (3X42E), UKCA.



Description	Article Number
Cut E Sleeves - 40cm - 1pc	4932479936
Cut E Sleeves - 45cm - 1pc	4932479937

LEATHER GLOVES

- Top grain goatskin leather gives extended durability and reinforced protection of hands.
- Reinforced palm provides added comfort and protection while handling heavy objects.
- Keystone thumb for comfortable fit and extended wear.
- Smartswipe™ - Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- European Certified for cut resistance protection: EN ISO 21420 and EN388:2016 (2122X).



Description	Article Number
Leather Gloves - 7/S - 1pc	4932479727
Leather Gloves - 8/M - 1pc	4932478123
Leather Gloves - 9/L - 1pc	4932478124
Leather Gloves - 10/XL - 1pc	4932478125
Leather Gloves - 11/XXL - 1pc	4932478126

HYBRID LEATHER GLOVES

- Smartswipe™ - Allows the use of touch screen devices without removing the gloves on the index finger knuckle.
- Leather on the palm for extended durability and reinforced protection of hands.
- Synthetic leather on back of the hand to offer more dexterity and breathability while working.
- Reinforced palm for added comfort and protection while handling heavy objects.
- European Certified for cut resistance protection: EN ISO 21420 and EN388:2016 (2122X).



Description	Article Number
Hybrid Leather Gloves - S/7 - 1pc	4932479726
Hybrid Leather Gloves - M/8 - 1pc	4932471912
Hybrid Leather Gloves - L/9 - 1pc	4932471913
Hybrid Leather Gloves - XL/10 - 1pc	4932471914
Hybrid Leather Gloves - XXL/11 - 1pc	4932471915

CUT LEVEL C SLEEVES.

EXCELLENT FIT
4-WAY STRETCH MATERIAL
PLUS TAPERED DESIGN

LEATHER GLOVES.

TOP GRAIN
GOATSKIN LEATER
COMFORT AND DURABILITY



LEATHER



DURABILITY



REINFORCED PALM



SMARTSWIPE™



COMFORT

IMPACT DEMOLITION GLOVES

- Impact resistant material, on back of hand and fingers, to reduce and absorb shock.
- ARMORTEX™ reinforced palms and finger tips: Increased durability and hand protection.
- Superior palm grip on oily and wet surfaces.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (2121XP).



**ARMORTEX™
REINFORCED
PALMS AND
FINGERTIPS**

Description	Article Number
Impact Demolition Gloves - S/7 - 1pc	4932479723
Impact Demolition Gloves - M/8 - 1pc	4932471908
Impact Demolition Gloves - L/9 - 1pc	4932471909
Impact Demolition Gloves - XL/10 - 1pc	4932471910
Impact Demolition Gloves - XXL/11 - 1pc	4932471911

IMPACT CUT LEVEL 3/C GLOVES

- Impact resistant material on back of the hand and fingers reduces and absorbs shock.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.
- European Certified for cut resistance protection including impact testing: EN ISO 21420 and EN388:2016 (4343CP).



**REINFORCED
NITRILE
COATING
WITH ADDED PROTECTION
BETWEEN THUMB AND FINGERS**

Description	Article Number
Impact Cut Level 3 Gloves - S/7 - 1pc	4932479724
Impact Cut Level 3 Dipped Gloves - 8/M - 1pc	4932478127
Impact Cut Level 3 Dipped Gloves - 9/L - 1pc	4932478128
Impact Cut Level 3 Dipped Gloves - 10/XL - 1pc	4932478129
Impact Cut Level 3 Dipped Gloves - 11/XXL - 1pc	4932478130

IMPACT CUT LEVEL 5/E GLOVES

- Impact resistant material on back of the hand and fingers reduces and absorbs shocks.
- Double layer of nitrile for added durability and increased protection from sharp objects.
- Reinforced nitrile coating with added protection between thumb and fingers.
- Excellent grip performance - nitrile material performs better than other materials in extreme temperatures and oily surfaces.
- SMARTSWIPE™ palm and fingertips - allows the use of touch screen devices without removing gloves.



**EXCELLENT
GRIP
PERFORMANCE
IN WET AND
OILY SURFACES**

Description	Article Number
Impact Cut Level 5 Gloves - S/7	4932479725
Impact Cut Level 5 Gloves - 8/M - 1pc	4932479570
Impact Cut Level 5 Gloves - 9/L - 1pc	4932479571
Impact Cut Level 5 Gloves - 10/XL - 1pc	4932479572
Impact Cut Level 5 Gloves - 11/XXL - 1pc	4932479573

CUT RESISTANT IMPACT GLOVES.

**IMPACT
PROTECTION
FULL BACK OF HAND
AND FINGERS**



IMPACT RESISTANT



CUT RESISTANCE



SMARTSWIPE™



PUNCTURE RESISTANCE
& GRIP PERFORMANCE

IMPACT CUT LEVEL E GLOVES.

**DOUBLE LAYER
OF NITRILE
FOR ADDED DURABILITY
AND PROTECTION FROM
SHARP OBJECTS**




IMPACT RESISTANT



CUT RESISTANCE



SMARTSWIPE™



PUNCTURE RESISTANCE
& GRIP PERFORMANCE



HI-DEX CUT B GLOVES

- 18 gauge material for extra dexterity and total mobility for precise task.
- Lightweight and thin gloves with polyurethane dipped palm.
- Excellent breathability and all-day comfort.
- Nitrile reinforcement between thumb and index finger for more durability.
- SMARTSWIPE™ fingertips - allows the use of touch screen devices without removing gloves.
- 5 times washable allowing extended lifetime, cost and waste reduction.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (3242B), UKCA, EAC, Ukraine.



GREAT DEXTERITY

WITH 18 GAUGES MATERIAL

Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hi-Dex Cut B Gloves - 7/S- 1pc	1	1	4932480491	4058546407766
Hi-Dex Cut B Gloves - 8/M- 1pc	1	1	4932480492	4058546407773
Hi-Dex Cut B Gloves - 9/L- 1pc	1	1	4932480493	4058546407780
Hi-Dex Cut B Gloves - 10/XL- 1pc	1	1	4932480494	4058546407797
Hi-Dex Cut B Gloves - 11/XXL- 1pc	1	1	4932480495	4058546407803
Pack Hi-Dex Cut B Gloves - S/7 - 12pc	12	1	4932480506	4058546407919
Pack Hi-Dex Cut B Gloves - 8/M - 12pc	12	1	4932480507	4058546407926
Pack Hi-Dex Cut B Gloves - 9/L - 12pc	12	1	4932480508	4058546407933
Pack Hi-Dex Cut B Gloves - 10/XL - 12pc	12	1	4932480509	4058546407940
Pack Hi-Dex Cut B Gloves - 11/XXL - 12pc	12	1	4932480510	4058546407957

HI-DEX CUT C GLOVES

- 18 gauge material for extra dexterity and total mobility for precise task.
- Lightweight and thin gloves with polyurethane dipped palm.
- Excellent breathability and all-day comfort.
- Nitrile reinforcement between thumb and index finger for more durability.
- SMARTSWIPE™ fingertips - allows the use of touch screen devices without removing gloves.
- 5 times washable allowing extended lifetime, cost and waste reduction.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (3342C), UKCA, EAC, Ukraine.



REINFORCED NITRILE COATING

WITH ADDED PROTECTION BETWEEN THUMB AND FINGERS

Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hi-Dex Cut C Gloves - 7/S- 1pc	1	1	4932480496	4058546407810
Hi-Dex Cut C Gloves - 8/M- 1pc	1	1	4932480497	4058546407827
Hi-Dex Cut C Gloves - 9/L- 1pc	1	1	4932480498	4058546407834
Hi-Dex Cut C Gloves - 10/XL- 1pc	1	1	4932480499	4058546407841
Hi-Dex Cut C Gloves - 11/XXL- 1pc	1	1	4932480500	4058546407858
Pack Hi-Dex Cut C Gloves - S/7 - 12pc	12	1	4932480511	4058546407964
Pack Hi-Dex Cut C Gloves - 8/M - 12pc	12	1	4932480512	4058546407971
Pack Hi-Dex Cut C Gloves - 9/L - 12pc	12	1	4932480513	4058546407988
Pack Hi-Dex Cut C Gloves - 10/XL - 12pc	12	1	4932480514	4058546407995
Pack Hi-Dex Cut C Gloves - 11/XXL - 12pc	12	1	4932480515	4058546408008

HI-DEX CUT D GLOVES

- 18 gauge material for extra dexterity and total mobility for precise task.
- Lightweight and thin gloves with polyurethane dipped palm.
- Excellent breathability and all-day comfort.
- Nitrile reinforcement between thumb and index finger for more durability.
- SMARTSWIPE™ fingertips - allows the use of touch screen devices without removing gloves.
- 5 times washable allowing extended lifetime, cost and waste reduction.
- European Certified for cut resistance protection: EN ISO 21420, EN388:2016 (3X42D), UKCA, EAC, Ukraine.



EXCELLENT GRIP PERFORMANCE

WITH DRY SURFACES

Description	Pack quantity	Min. order quantity	Article Number	EAN Code
Hi-Dex Cut D Gloves - 7/S- 1pc	1	1	4932480501	4058546407865
Hi-Dex Cut D Gloves - 8/M- 1pc	1	1	4932480502	4058546407872
Hi-Dex Cut D Gloves - 9/L- 1pc	1	1	4932480503	4058546407889
Hi-Dex Cut D Gloves - 10/XL- 1pc	1	1	4932480504	4058546407896
Hi-Dex Cut D Gloves - 11/XXL- 1pc	1	1	4932480505	4058546407902
Pack Hi-Dex Cut D Gloves - S/7 - 12pc	12	1	4932480516	4058546408015
Pack Hi-Dex Cut D Gloves - 8/M - 12pc	12	1	4932480517	4058546408022
Pack Hi-Dex Cut D Gloves - 9/L - 12pc	12	1	4932480518	4058546408039
Pack Hi-Dex Cut D Gloves - 10/XL - 12pc	12	1	4932480519	4058546408046
Pack Hi-Dex Cut D Gloves - 11/XXL - 12pc	12	1	4932480520	4058546408053

HI-DEX CUT B GLOVES

SUPERIOR DEXTERITY AND COMFORT

18 GAUGES MATERIAL TO MAXIMIZE DEXTERITY AND GIVE THE USER GOOD TACTILE FEELING



CUT RESISTANCE



REINFORCED PALM



DEXTERITY



BREATHABILITY

HI-DEX CUT C GLOVES

PROTECTION AND DURABILITY

NITRILE REINFORCEMENT COATING BETWEEN THUMB AND INDEX PROVIDE DURABILITY ON A WEAK AREA



CUT RESISTANCE



REINFORCED PALM



DEXTERITY



BREATHABILITY

PREMIUM NON-MARKING KNEE PAD

- High density foam padding with a supporting premium gel injection.
- Non-marking coating to prevent scratches on sensitive surfaces.
- Comfortable and size adjustable double straps with a wider lower strap.
- Buckles with metal rivets that withstand repeated fastenings.
- 1680D Ballistic Nylon for a long lifetime.



Description	Pack quantity	Min. order quantity	Article number
Premium Non-Marking Knee Pad - 1 pair	1	1	4932478139

HARD KNEE PAD

- Thick comfortable foam padding with a supporting gel zone.
- Durable hard cap which withstands rough surfaces.
- Size adjustable double straps for a better hold and a custom fit.
- Buckles with metal rivets that withstand repeated fastenings.
- 1680D Ballistic Nylon for a long lifetime.



Description	Pack quantity	Min. order quantity	Article number
Hard Knee Pad - 1 pair	1	1	4932478137

FLEXIBLE KNEE PAD

- Flexible, lightweight and comfortable foam padding.
- Water resistant cap.
- Debris guard to prevent debris from entering.
- Size adjustable straps for a custom fit.
- Buckles to quickly put on and off the knee pad.



Description	Pack quantity	Min. order quantity	Article number
Flexible Knee Pad - 1 pair	1	1	4932478136



NON-MARKING



COMFORTABLE STRAPS



LAYERED GEL



FOAM
PRESSURE
REDUCING FOAM

EN 14404



1

NON-MARKING COATING
TO PREVENT SCRATCHES ON
SENSITIVE SURFACES



DURABLE
HARD CAP



2 STRAPS



GEL ZONE



FOAM
PRESSURE
REDUCING FOAM

EN 14404



2

COMFORTABLE
FOAM PADDING
WITH A SUPPORTING
GEL ZONE



WATER
RESISTANCE



ADJUSTABLE
STRAPS



LIGHT
WEIGHT



DEBRIS GUARD

EN 14404



1

DEBRIS GUARD
TO PREVENT DEBRIS
FROM ENTERING

TOOL DROP PREVENTION

MILWAUKEE® LANYARDS



WHY MILWAUKEE® LANYARDS?

A **FALLING OBJECT** IS THE **3RD HIGHEST** CAUSE OF **FATALITY** ON A JOBSITE.

(Peoplesafe.co.uk, 2019)

TOOL DROP PREVENTION

LOCKING TOOL LANYARDS

WRIST TOOL LANYARD

RETRACTABLE TOOL LANYARD

TOOL LANYARD ACCESSORIES

NAME	4.5 KG LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	6.8 KG LOCKING TOOL LANYARD	15.8 KG LOCKING TOOL LANYARD	WRIST LANYARD	WRIST LANYARD W/ QUICK CONNECT		QUICK CONNECT RETRACTABLE TOOL LANYARD		ANCHORING STRAP	D-RING WEB	SMALL QUICK CONNECT	SPLIT RINGS 38 mm / 50 mm	SELF-ADHERING TAPE 3.6 m
PART NUMBER	4932471351	4932471429	4932471352	4932471353	4932472107	4932472108		4932472106		4932472105	4932471431	4932471430	4932471433 (38 mm) 4932471434 (50 mm)	48228860
WEIGHT CAPACITY	4.5 KG	4.5 KG	6.8 KG	15.8 KG	2.2 KG	2.2 KG		2.2 KG		22.7 KG	2.2 KG	2.2 KG	1 KG	-
COLOUR CODING	RED	RED	BLACK	GREY	WHITE	WHITE		WHITE		GREEN	WHITE	WHITE	-	-
TETHER MECHANISM													-	-
COMPATIBLE WITH	ANCHORING STRAP	ALL ACCESSORIES	ANCHORING STRAP	ANCHORING STRAP	-	ALL ACCESSORIES		ALL ACCESSORIES		ALL LOCKING TOOL LANYARDS	SELF-ADHERING TAPE & 4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	4.5 KG QUICK CONNECT LOCKING TOOL LANYARD	D-RING WEB
INTEGRATED SWIVEL	✓	✓	✓	✓	-	-		✓		-	-	-	-	-
SUITABLE PRODUCTS*	DRILL DRIVER IMPACT DRIVER IMPACT WRENCH JIGSAW HACKZALL SAWZALL SHEARS	HANDTOOLS WITH LANYARD ACCESSORY ATTACHED	ANGLE GRINDER DRILL DRIVER IMPACT DRIVER IMPACT WRENCH SDS PLUS HACKZALL SAWZALL BANDSAWS	SDS PLUS SDS MAX MAG PRESS IMPACT DRIVER IMPACT WRENCH BANDSAWS CHAINSAW	DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS	DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS		DRILL DRIVERS IMPACT DRIVERS IMPACT WRENCH HANDTOOLS		ALL LOCKING TOOL LANYARDS	HANDTOOLS WITHOUT LANYARD HOLE HAMMERS CUTTERS PLIERS	HANDTOOLS WITH LANYARD HOLE SCREWDRIVERS TAPES PLIERS	HANDTOOL WITH LANYARD HOLE KNIVES TAPES PLIERS	D-RING WEB
APPLICATION														

1 SUPERIOR SHOCK ABSORPTION

QUICK-CONNECT RED LANYARD

4.5 Kg Locking Tool Lanyard



2 DOUBLE LOCKING CARABINER

LIGHTWEIGHT RED LANYARD

4.5 Kg Locking Tool Lanyard



3 INTEGRATED SWIVEL

MID-WEIGHT BLACK LANYARD

6.8 Kg Locking Tool Lanyard



5 COLOUR CODED

HEAVYWEIGHT GREY LANYARD

15.8 Kg Locking Tool Lanyard




6 HIGH VERSATILITY

ANCHORING STRAP

TETHER MORE TOOLS, MORE PLACES

WRIST TOOL LANYARD

PORTABLE PRODUCTIVITY LANYARD SYSTEM



LOCKING TOOL LANYARDS

- Superior shock absorption - gradually stop the tool if dropped.
- Double locking carabiner - ensures a secure connection that cannot become loose or slip off accidentally.
- Integrated swivel - prevents twists and tangles allowing increased mobility.
- Colour coded weight rating - easy identification of lanyard weight capacity.
- High versatility - lanyard accessories can be added to connect all tools to the lanyards.



Description	Colour code	Article Number
1 4.5 kg QUICK-CONNECT™ locking tool lanyard	Red	4932471429
2 4.5 kg locking tool lanyard	Red	4932471351
3 6.8 kg locking tool lanyard	Black	4932471352
4 15.8 kg locking tool lanyard	Grey	4932471353

WRIST TOOL LANYARD

- Secure and comfortable tools attachment to the wrist.
- Soft and adjustable strap - fits all wrist sizes with a hook and loop closure.
- Hang loop to securely attach all kind of tools - power tools, tapes, screwdrivers, etc.
- Wrist lanyard allows an easy access to tools in a tight environment or in repetitive work.
- Colour coded weight rating - easy identification of lanyard weight capacity.



Description	Article Number
Wrist lanyard	4932472107
Quick connect wrist lanyard	4932472108

RETRACTABLE TOOL LANYARD


- Automatically retracts, 130 cm when extended.
- Double locking carabiner - ensures a secure connection that cannot become loose or slip off accidentally.
- Shuttle lock - greater control during use.
- Integrated swivel - prevents twists and tangles allowing increased mobility.



Description	Colour code	Article number
2.2 kg Quick-Connect Retractable Tool Lanyard	White	4932472106

TOOL LANYARD ACCESSORIES

- High versatility - lanyard accessories can be added to connect all tools to the lanyards.
- Easy and versatile connection to all kinds of tools.
- Strong and secure attachment.
- Jobsite performance for an ultimate tool tethering.



Description	Colour code	Pack quantity	Min. order quantity	Article Number
1 2.2 kg small QUICK-CONNECT™ accessory	White	3	1	4932471430
2 3.6 m self-adhering tape	-	1	1	48228860
3 2.2 kg D-ring web attachment	White	5	1	4932471431
4 38 mm split ring	-	5	1	4932471433
5 50 mm split ring	-	5	1	4932471434
6 Anchoring strap	Green	1	1	4932472105

PACKOUT™ FIRST AID KIT DIN 13157

- Quickly identifiable during an emergency due to red coloured PACKOUT™ Compact Organiser.
- Part of the PACKOUT™ modular storage system.
- Constructed with impact resistant polymers for jobsite durability.
- IP65 rated weather seal to keep out rain and jobsite debris.
- The interior features 5 removable & mountable bins.
- No-travel bins seals to prevent the bins contents from migrating between bins during transport.
- DIN 13157:2021-11 compliant first aid kit.



PACKOUT
COMPATIBLE

CONTENTS

- 2x Foil Bag 300 x 400 mm suitable for first aid contents according to DIN standards
- 1x Bandage Scissors according to DIN 58 279-B 190, plastic coated handle, 19 cm
- 1x Fleece, 200 x 300 mm, Pack of 5 pcs; 3x Fleece-Compress, 100 x 100 mm, sterile, Pack of 2 pcs.
- 1x Instant Cold Compress, self-activatable, 150 x 170 mm
- 1x Rescue Blanket, gold/silver, 210 x 160 cm
- 1x Disposable Gloves according to DIN EN 455-1 und -2, Vinyl, 4 pcs
- 1x Adhesive Dressing, 6 x 10 cm, non woven, Pack of 12 pcs; 1x Combi-Plaster-Set, 30 pc
- 1x Burn Dressing according to DIN 13 152-A, 600 x 800 mm, sterile
- 2x Eye Compress, oval, 50 x 70 mm, sterile
- 2x Triangular Bandage DIN 13 168-D, 136 x 96 x 96 c
- 1x First Aid Dressing according to DIN 13 151-G, 10 x 12 cm, sterile
- 1x First Aid Dressing according to DIN 13 151-K, 6 x 8 cm, sterile
- 3x First Aid Dressing according to DIN 13 151-M, 8 x 10 cm, sterile
- 2x Conforming Bandage according to DIN 61 634-FB 8, 8 cm x 4 m
- 2x Conforming Bandage according to DIN 61 634-FB 6, 6 cm x 4 m
- 1x Adhesive Tape according to DIN 13 019, 2,5 cm x 5 m; 1x Face mask according to DIN EN 14683: 2019 TYPE I, Pack of 2 pcs;
- 4x Wet cleaning wipe; 1x Instructions for first aid
- 1x Table of Contents DIN 13 157

Description	Article Number
PACKOUT™First Aid Kit DIN 13157	4932478879

NON-HEATED GEAR

PACKOUT
CLAIMS
OVER 100 POSSIBLE
COMBINATIONS



FULLY
CUSTOMISE
YOUR STORAGE



IMPACT
RESISTANT
BASE



IP65
RATED
PROTECTION

EASILY
IDENTIFIABLE

PACKOUT
COMPATIBLE

PACKOUT™

OVER 150 COMBINATIONS





Nothing but **HEAVY DUTY.**[™]

Techtronic Industries Middle East & Africa FZCO

JAFZA Showroom, S3A1SR07 - JAFZA South

Dubai, United Arab Emirates

Tel: +971 4 884 1648

Mail: meainfo@tti-emea.com

www.milwaukeeeetool.eu

Distributed by:

All data incl. service and warranty conditions as well as product range are subject to change without notice. Pictures not binding. No liability for printing errors or mistakes.
01/23 – Copyright 2023 – Milwaukee Electric Tool



**STAY SAFE.
STAY PRODUCTIVE.**

