



THE HEAT IS ON

CONFRONTING

CONSTRUCTION'S


HEAT

STRESS

CRISIS

19,000

WORKERS KILLED BY HEAT STRESS ON THE JOB EVERY YEAR¹



HEAT STRESS IS NO LONGER A FUTURE RISK

Temperatures that would have shut down a site a decade ago are now routine. Workers are pushing through, cutting corners on compliance to survive their shifts, and paying the price with their health and productivity. The industry has been slow to respond. MILWAUKEE® hasn't.

HEAT STEALING UP TO 30% PRODUCTIVITY⁴

Your peak season shouldn't be your most vulnerable. Heat-exposed workers deliver less, make more errors, and take longer to recover.

47% OF WORKERS SECRETLY MODIFYING THEIR PPE⁴

When protection becomes unbearable, workers adapt. That's not a workforce problem, it's an equipment problem. One MILWAUKEE® is engineered to solve.

1 IN 4 EU CONSTRUCTION WORKERS FACE EXTREME HEAT EXPOSURE³

Heat stress isn't an edge case. It's a daily reality on sites across Europe, and it's getting worse.

THE CRISIS

IMPACT ON BUSINESS

40% INCREASE IN HEAT-RELATED
WORKPLACE DEATHS IN THE EU WITH AN
ESTIMATED 67 FATALITIES IN 2020⁵.

THE COST DOESN'T STOP AT THE SITE GATE.

Heat stress doesn't just put workers at risk, it hits the bottom line. Productivity drops by up to 30%⁴ without adequate measures in place. Workers slow down, take more breaks, make more errors. What should be peak building season becomes your most expensive quarter.

THE FINANCIAL EXPOSURE GOES FURTHER:

- Higher insurance premiums driven by increased incident rates
- Project delays impacting delivery schedules and profitability
- Recruitment difficulties as skilled workers move to employers who protect them
- The UK has no statutory maximum working temperature⁴ for outdoor work, meaning every heat-related incident becomes a potential legal test case

WHEN THE HEAT RISES, SO DOES THE RISK.

When core body temperature exceeds safe levels, cognitive function drops and reaction times slow. Workers stop identifying hazards accurately and incidents follow.

EU-wide research shows accident risk increases by 10–15% at temperatures above 38°C⁴. On a construction site, that margin is the difference between a near-miss and a fatality.

The true scale is likely under reported. Heat-related cognitive impairment is a contributing factor to falls, trips and other incidents that never get logged as heat-related. Construction already accounts for one in five of all fatal workplace accidents in the EU⁸. Heat stress is making that worse.

ONLY 42% OF CONSTRUCTION
WORKERS FEEL ADEQUATELY TRAINED²
ON HEAT STRESS PROTOCOLS.

IMPACT ON SAFETY

YOUR PPE IS MAKING IT WORSE.

**47% OF WORKERS MODIFY THEIR PPE^{7,8} TO SURVIVE THEIR SHIFT.
NOT OUT OF LAZINESS, OUT OF NECESSITY. PPE DESIGNED
FOR A COOLER ERA WASN'T BUILT FOR THIS.**

ESSENTIAL HEAT STRESS PROTECTION

1. HYDRATION

Make clean drinking water readily accessible across the entire site. Workers need constant hydration, not just during breaks. Provide electrolyte solutions for extended work in extreme heat.



KNOW THE BASICS

2. REGULAR BREAKS

Schedule frequent rest periods, especially during peak heat hours. Allow workers to recover in cooler environments before returning to work.



3. PROVIDE SHADE

Ensure shaded rest areas are available on all sites. Temporary structures, canopies or designated indoor spaces offer crucial relief from direct sun exposure.

4. UV PROTECTION

Supply sun cream and encourage its use. Provide UPF (Ultraviolet Protection Factor) protective clothing that shields skin from harmful UV rays whilst allowing breathability.

5. WORKING HOURS

Reschedule the most physically demanding tasks to cooler parts of the day. Consider earlier starts or split shifts to avoid peak heat exposure between 11am-3pm⁴.



ESSENTIAL HEAT STRESS PROTECTION

6. TRAINING AND AWARENESS

Educate workers and site managers on heat stress recognition, early warning signs and emergency response procedures. Implement acclimatisation protocols for new workers (gradual exposure over 7-14 days^{7,8}).



7. EMERGENCY PROTOCOLS

Define clear work modification triggers and emergency procedures. Designate a competent person for daily risk assessments⁹.



8. TEMPERATURE MONITORING

Establish temperature monitoring using Wet Bulb Globe Temperature (WBGT)^{8,9} to accurately measure heat stress risk, accounting for temperature, humidity, wind speed and sun exposure.


KNOW THE BASICS



KEEP YOUR COOL

WHATEVER THE JOB THROWS AT YOU

Heat stress is solvable. MILWAUKEE® has engineered a complete cooling ecosystem, from what you wear to how you hydrate, so your crew stays protected, productive and compliant, whatever the temperature.



WATER BOTTLES

Durable, insulated water bottles keep drinks cold throughout the working day, encouraging regular hydration.




PORTABLE COOLING FANS

Battery-powered fans deliver immediate cooling relief. Compatible with MILWAUKEE®'s M18™ battery system, these fans provide hours of continuous operation.



PACKOUT™ COOLERS

Keep food and drinks cold on site. The PACKOUT™ modular storage system integrates coolers seamlessly into existing tool storage, ensuring refreshments remain accessible and chilled.



UPF PROTECTION CLOTHING

Purpose-designed workwear with built-in UPF protection offers defence against harmful UV rays whilst maintaining breathability and comfort.

KEEP
YOUR
COOL



UPF PROTECTION FABRICS

MILWAUKEE®'s fabrics offer UPF (Ultraviolet Protection Factor) protection, shielding workers from harmful UV rays. The proprietary fabric technology enhances evaporative cooling through rapid moisture transport away from the skin, maintaining cooling efficiency throughout demanding workdays.

UPF CERTIFIED FABRICS

INSTANT RE-ACTIVATION

MACHINE WASHABLE

ADVANCED PPE TECHNOLOGY

Following years of meticulous development, MILWAUKEE® has engineered cooling PPE solutions that genuinely protects without punishing. No compromising on comfort or productivity. The result is cooling, breathable technology that addresses heat stress while removing the fundamental conflict between safety and survival that challenges construction sites across Europe.

Breathable work shirts, cooling arm sleeves and innovative cooling workwear, all featuring advanced fabric technology with UPF protection.

These solutions are complemented by jobsite infrastructure, including portable cooling fans and accessible hydration systems.

LIGHTWEIGHT CONSTRUCTION

Advanced lightweight fabrics reduce metabolic heat production caused by equipment weight, minimising physical fatigue whilst enhancing mobility.

Workers stay protected from jobsite hazards whilst staying cool, without compromising safety.

REDUCING THE THREAT HEAT STRESS

HEAT-RELATED WORKPLACE DEATHS
IN THE EU HAVE INCREASED BY

40%

WITH AN ESTIMATED

67 FATALITIES

IN 2020



STAY SAFE.
STAY PRODUCTIVE.


BASIC PREVENTATIVE MEASURES

- REGULAR BREAKS
- TEMPERATURE MONITORING
- UV PROTECTION
- STAY HIDRATED
- PROVIDE SHADE

MILWAUKEE® COOLING SOLUTIONS

KEEP COOL

*HOW TO
ACTIVATE
COOLING:



Soak in water for 30 seconds



Wring out any excess water



Repeat when dry

BLOCK HARMFUL
UV RAYS

COMFORTABLE FIT

4-Way Stretch

MACHINE WASHABLE

ONE SIZE FITS MOST

UP TO 2 HOURS OF
COOLING TIME

QUICK, 30 SECOND
ABSORPTION

UPF
50+



COOLING GAITER & SLEEVES



COOLING
NECK
GAITER*

ART #4932500789



COOLING CUT
A SLEEVE*

ART #4932500789

COOLING TOWELS



COOLING
PVA
TOWEL*

ART #4932498146



COOLING
MICROFIBRE
TOWEL*


ART #4932498076

BOLT™ COOLING SOLUTIONS



BOLT™
200
COOLING
SWEAT-
BAND*

ART #4932500789



BOLT™
200
COOLING
CROWN
LINER*

ART #4932498079



BOLT™
REDLITHIUM
USB
COOLING
FAN

Art: #4932502050



BOLT™
COOLING
SKULL
CAP*

ART #4932498077



BOLT™
100
COOLING
SWEAT
BAND*

ART #4932500789

Cooling PVA Towel

- Long lasting cooling effect up to 4 hours, prolonging productive work hours and mitigating heat related illnesses.
- Soak the towel in water and wring out excess water to activate cooling effect.
- Quick, 30 second activation time.
- When cooling effect expires, simply re-apply water to reactivate the cooling effect.
- Blocks out harmful UV rays.
- Highly comfortable material.
- Machine washable.
- UPF 50+ Certified: EN 13758-1.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code	<price	<price	<price
Cooling PVA Towel	1	1	4932498146	4058546513061	<price	<price	<price

Cooling Microfiber Towel

- Long lasting cooling effect up to 4 hours, prolonging productive work hours and mitigating heat related illnesses.
- Soak the towel in water and wring out excess water to activate cooling effect.
- Quick, 30 second activation time.
- When cooling effect expires, simply re-apply water to reactivate the cooling effect.
- Blocks out harmful UV rays.
- Highly comfortable material with durable edge banding.
- Machine washable.
- UPF 50+ Certified: EN 13758-1.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code	<price	<price	<price
Cooling Microfiber Towel	1	1	4932498076	4058546512361	<price	<price	<price

Cooling Skull Cap

- Long lasting cooling effect up to 4 hours, prolonging productive work hours and mitigating heat related illnesses.
- Soak the product in water and wring out excess water to activate cooling effect.
- Quick, 30 second activation time.
- When cooling effect expires, simply re-apply water to reactivate the cooling effect.
- Blocks out harmful UV rays.
- Highly comfortable material with 4-way-stretch to fit most head sizes.
- Machine washable.
- UPF 50+ Certified: EN 13758-1.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code	<price	<price	<price
Cooling Skull Cap	1	1	4932498077	4058546512378	<price	<price	<price

Cooling Gaiter

NEW

- Long lasting cooling effect up to 4 hours, prolonging productive work hours and mitigating heat related illnesses.
- Soak the product in water and wring out excess water to activate cooling effect.
- Quick, 30 second activation time.
- When cooling effect expires, simply re-apply water to reactivate the cooling effect.
- Blocks out harmful UV rays.
- Highly comfortable material with 4-way-stretch to fit most head sizes.
- Machine washable.
- UPF 50+ Certified: EN 13758-1.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
Cooling Gaiter	1	1	4932500792	4058546620943	<price	<price	<price

Cooling Cut A Sleeve

NEW

- Evaporative cooling technology provides up to 2 hours of cooling performance with wet-to-activate function.
- Certified to EN 388:2016 Cut Level A to offer both cooling performance and protection.
- Cool-to-touch fabric provides immediate relief on contact.
- Lightweight, breathable, construction promotes airflow and sweat evaporation for all-day comfort.
- Durable machine washable construction resists wear from everyday applications.
- Integrated UPF 50+ protection for extended outdoor use.
- Certified compliant with EN 388:2016 and EN 13758-1.





Description	Pack quantity	Min. order quantity	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
Cooling Cut A Sleeve	1	1	4932500789	4058546620912	<price	<price	<price

BOLT™ Cooling Accessories

- Long lasting cooling effect up to 4 hours, prolonging productive work hours and mitigating heat related illnesses.
- Soak or run product under water and wring out excess water to activate cooling effect.
- Quick, 30 second activation time.
- When cooling effect expires, simply re-apply water to reactivate the cooling effect.
- Soft, Comfortable Padding.
- Attaches to Suspension with Hook and Loop.
- Machine washable.

Description	Pack quantity	Min. order quantity	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
① BOLT™ 200 Cooling Sweatband	1	1	4932498078	4058546512385	<price	<price	<price
② BOLT™ 200 Cooling Crown Liner	1	1	4932498079	4058546512392	<price	<price	<price
③ BOLT™ 100 Cooling Sweatband	1	1	4932498544	4058546524135	<price	<price	<price



Baseball Cap Summary Table

- Lightweight cap to protect from the sun, on or off the jobsite.
- Flexible band for best fit. Cap sizes include S/M and L/XL available in red, black or grey.
- UV Protection Factor UPF 50+ according to EN 13758-1.

Description	Size	Pack quantity	Min. order quantity	Article Number	EAN Code			
① Baseball cap - black	S / M	1	1	4932493095	4058546479664	<price	<price	<price
Baseball cap - black	L / XL	1	1	4932493096	4058546479671	<price	<price	<price
② Baseball cap - grey	S / M	1	1	4932493097	4058546479688	<price	<price	<price
Baseball cap - grey	L / XL	1	1	4932493098	4058546479695	<price	<price	<price
③ Baseball cap - red	S / M	1	1	4932493099	4058546479701	<price	<price	<price
Baseball cap - red	L / XL	1	1	4932493100	4058546479718	<price	<price	<price



Snapback Trucker cap black

- Lightweight cap to protect from the sun, on or off the jobsite.
- Ripstop polyester in the front panel provides added durability and a rugged look.
- Breathable mesh material for great ventilation.
- Snapnack mechanism to fit all head sizes.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code			
Snapback Trucker cap - black	1	1	4932493107	4058546479787	<price	<price	<price

Performance Cap Summary Table

- Lightweight cap to protect from the sun, on or off the jobsite.
- Stay cool, dry fast moisture wicking fabric.
- Flexible band for best fit. Cap sizes include S/M and L/XL available in grey, dark grey and blue.
- UV Protection Factor UPF 50+ according to EN 13758-1.

Description	Size	Pack quantity	Min. order quantity	Article Number	EAN Code			
① Baseball cap performance - grey	S / M	1	1	4932493101	4058546479725	1347 Kč	1347 Kč	1347
Baseball cap performance - grey	L / XL	1	1	4932493102	4058546479732	1347 Kč	1347 Kč	1347
② Baseball cap performance - dark grey	S / M	1	1	4932493103	4058546479749	1347 Kč	1347 Kč	1347
Baseball cap performance - dark grey	L / XL	1	1	4932493104	4058546479756	1347 Kč	1347 Kč	1347
③ Baseball cap performance - blue	S / M	1	1	4932493105	4058546479763	1347 Kč	1347 Kč	1347
Baseball cap performance - blue	L / XL	1	1	4932493106	4058546479770	1347 Kč	1347 Kč	1347
④ BCP GN S/M	S / M	1	1	4932501785	4058546645014	<price	<price	<price
BCP GN L/XL	L / XL	1	1	4932501786	4058546645021	<price	<price	<price
⑤ BCP BL S/M	S / M	1	1	4932501787	4058546645038	<price	<price	<price
BCP BL L/XL	L / XL	1	1	4932501788	4058546645045	<price	<price	<price



Safety glasses

- Light weight for extended comfort while wearing.
- Fully adjustable and removable nose bridge to fit comfortably all face shapes.
- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.



Lens colour	Lens colour	Pack quantity	Min. order quantity	Article Number	EAN Code			
Tinted	Tinted	1	12	4932471882	4058546297817	<price	<price	<price

Performance safety glasses

- Comfortable and flexible arms for extended comfort wear.
- Clear and tinted options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.
- Available lens colours: Clear, Tinted, Grey, Silver Mirror, Transition lens, Yellow.
- Available in bulk: Clear, Tinted, Grey.



Description	Lens colour	Pack quantity	Min. order quantity	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
Performance safety glasses tinted	Tinted	1	1	4932471884	4058546297831	<price	<price	<price
Performance Safety Glasses Yellow	Yellow	1	1	4932478928	4058546362102	<price	<price	<price
Performance Safety Glasses Grey	Grey	1	1	4932478908	4058546361907	<price	<price	<price
Performance Safety Glasses Transition	Photochromic	1	1	4932498367	4058546522360	<price o="1660512"ps="1"	<price o="1660512"ps="1"	<price
Performance Safety Glasses Silver Mirror	Mirrored Silver	1	1	4932498366	4058546522353	<price o="1660511"ps="1"	<price o="1660511"ps="1"	<price

Enhanced safety glasses

- Light weight for extended comfort while wearing.
- Comfortable and flexible arms for extended comfort wear.
- Clear, yellow and tinted/mirrored options offer eye protection whether working indoors or outdoors.
- European Certified: EN166 and EN170 / EN172.
- Available lens colours: Clear, Tinted, Grey, Red Mirror, Silver Mirror, Yellow.
- Available in bulk: Clear, Tinted, Grey.



Description	Lens colour	Pack quantity	Min. order quantity	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
Safety Glasses Tinted - anti-scratch & anti-fog - 1pc	Tinted	1	1	4932478764	4058546360467	<price o="521635"ps="1"	<price o="521635"ps="1"	<price
Enhanced Safety Glasses Grey	Grey	1	1	4932478907	4058546361891	<price	<price	<price
Enhanced Safety Glasses Yellow	Yellow	1	1	4932478927	4058546362096	<price	<price	<price
Enhanced Safety Glasses Silver Mirror	Mirrored Silver	1	1	4932498365	4058546522346	<price o="1660509"ps="1"	<price o="1660509"ps="1"	<price
Enhanced Safety Glasses Red Mirror	Mirrored Red	1	1	4932498548	4058546524173	<price	<price	<price

Large Format Safety Glasses

- Available lens colours: Clear, Sunburst Mirror, Tinted.
- Extended protection area



Lens colour	Packaging style	Pack quantity	Min. order quantity	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
Clear	Gift box	1	1	4932500721	4058546620233	<price	<price	<price
Tinted	<attrib a="2199"	<attrib	<attrib	4932500722	4058546620240	<price	<price	<price
Mirrored Red	<attrib a="2199"	<attrib	<attrib	4932500723	4058546620257	<price	<price	<price

Warm Weather T-Shirt Summary Table

	Description	Colour	Size	Pack quantity	Min. order quantity	Article Number	EAN Code			
①	WORKSKIN™ warm weather short sleeve performance shirt black	Black	S	1	1	4932493063	4058546479343	<price	<price	<price
		Black	M	1	1	4932493064	4058546479350	<price	<price	<price
		Black	L	1	1	4932493065	4058546479367	<price	<price	<price
		Black	XL	1	1	4932493066	4058546479374	<price	<price	<price
		Black	XXL	1	1	4932493067	4058546479381	<price	<price	<price
②	WORKSKIN™ warm weather long sleeve performance shirt black	Black	S	1	1	4932493078	4058546479497	1347 Kč	1347 Kč	1347
		Black	M	1	1	4932493079	4058546479503	1347 Kč	1347 Kč	1347
		Black	L	1	1	4932493080	4058546479510	1347 Kč	1347 Kč	1347
		Black	XL	1	1	4932493081	4058546479527	1347 Kč	1347 Kč	1347
		Black	XXL	1	1	4932493082	4058546479534	1347 Kč	1347 Kč	1347
③	WORKSKIN™ warm weather short sleeve performance shirt red	Red	S	1	1	4932493068	4058546479398	<price	<price	<price
		Red	M	1	1	4932493069	4058546479404	<price	<price	<price
		Red	L	1	1	4932493070	4058546479411	<price	<price	<price
		Red	XL	1	1	4932493071	4058546479428	<price	<price	<price
		Red	XXL	1	1	4932493072	4058546479435	<price	<price	<price
④	WORKSKIN™ warm weather long sleeve performance shirt red	Red	S	1	1	4932493083	4058546479541	<price	<price	<price
		Red	M	1	1	4932493084	4058546479558	<price	<price	<price
		Red	L	1	1	4932493085	4058546479565	<price	<price	<price
		Red	XL	1	1	4932493086	4058546479572	<price	<price	<price
		Red	XXL	1	1	4932493087	4058546479589	<price	<price	<price
⑤	Warm weather short sleeve performance shirt - yellow	Yellow	S	1	1	4932493073	4058546479442	<price	<price	<price
		Yellow	M	1	1	4932493074	4058546479459	<price	<price	<price
		Yellow	L	1	1	4932493075	4058546479466	<price	<price	<price
		Yellow	XL	1	1	4932493076	4058546479473	<price	<price	<price
		Yellow	XXL	1	1	4932493077	4058546479480	<price	<price	<price
⑥	Warm weather long sleeve performance shirt - yellow	Yellow	S	1	1	4932493088	4058546479596	<price	<price	<price
		Yellow	M	1	1	4932493089	4058546479602	<price	<price	<price
		Yellow	L	1	1	4932493090	4058546479619	<price	<price	<price
		Yellow	XL	1	1	4932493091	4058546479626	<price	<price	<price
		Yellow	XXL	1	1	4932493092	4058546479633	<price	<price	<price
⑦	WORKSKIN™ light weight performance short sleeve shirt - Grey	Grey	S	1	1	4933478194	4058546341275	<price	<price	<price
		Grey	M	1	1	4933478195	4058546341282	<price	<price	<price
		Grey	L	1	1	4933478196	4058546341299	<price	<price	<price
		Grey	XL	1	1	4933478197	4058546341305	<price	<price	<price
		Grey	XXL	1	1	4933478198	4058546341312	<price	<price	<price
⑧	WORKSKIN™ light weight performance long sleeve shirt - Grey	Grey	S	1	1	4933464108	4058546220532	<price	<price	<price
		Grey	M	1	1	4933464194	4058546221393	<price	<price	<price
		Grey	L	1	1	4933464195	4058546221409	<price	<price	<price
		Grey	XL	1	1	4933464196	4058546221416	<price	<price	<price
		Grey	XXL	1	1	4933464197	4058546221423	<price	<price	<price



PACKOUT™ hard cooler

- Double premium insulation keeps contents cold for up to 30 hours.
- IP 65 Food Grade Leak-Proof Liner prevents leakages and protects contents from debris and dust.
- Integrated bottle opener.
- Removable tray for separate storage of personal items to keep them elevated above icy water.
- 15 l capacity.
- Constructed with impact resistant polymers for jobsite durability.
- Part of the PACKOUT™ modular storage system



Description	Dimensions (Outer) (H x W x D / mm)	Pack quantity	Min. order quantity	Article Number	EAN Code	<price o="386390" ps="1"	<price o="386390" ps="1"	<price o="386390" ps="1"
PACKOUT™ hard cooler	330 x 249 x 411	1	1	4932471722	4058546296216			



PACKOUT™ XL cooler

- Double premium insulation keeps contents cold for up to 5 days.
- IP 65 Food Grade Leak-Proof Liner prevents leakages and protects contents from debris and dust.
- 38 l capacity.
- Removable tray for separate storage of personal items to keep them elevated above icy water.
- Integrated bottle opener.
- Constructed with impact resistant polymers for jobsite durability.
- Part of the PACKOUT™ modular storage system.



Description	Dimensions (Outer) (H x W x D / mm)	Pack quantity	Min. order quantity	Article Number	EAN Code	<price o="693560" ps="1"	<price o="693560" ps="1"	<price o="693560" ps="1"
PACKOUT™ XL cooler	432 x 584 x 406	1	1	4932478648	4058546348410			



PACKOUT™ jobsite cooler

- Part of the PACKOUT™ modular storage system.
- 20l volume capacity with a dry compartment and a storage space for drinks.
- Extra insulation keeps contents cold for 24 hours.
- Impact resistant polymer base protects contents from water, dirt, and tear.
- Shoulder strap for easy transport.



Description	Dimensions (Outer) (H x W x D / mm)	Pack quantity	Min. order quantity	Article Number	EAN Code	<price o="386390" ps="1"	<price o="386390" ps="1"	<price o="386390" ps="1"
PACKOUT™ jobsite cooler	406 x 394 x 254	1	1	4932471132	4058546287603			



PACKOUT™ tumbler

- Double wall vacuum insulation for all day hot & cold retention.
- Rotating magnetic closure for easy opening.
- 18/8 stainless steel for durability.
- Dishwasher safe.
- Twist and lock mechanism for connectivity with all PACKOUT™ components.



Description	Pack quantity	Min. order quantity	Article Number	EAN Code	<price o="386390" ps="1"	<price o="386390" ps="1"	<price o="386390" ps="1"
PACKOUT™ tumbler 591 ml	1	6	4932479074	4058546368685			
PACKOUT™ tumbler 887 ml	1	6	4932479075	4058546368692			



PACKOUT™ plastic bottles

- Impact resistant tritan plastic.
- Dishwasher safe.
- Lids are compatible throughout all PACKOUT™ plastic bottles.
- Twist and lock mechanism for connectivity with all PACKOUT™ components.
- Part of the PACKOUT™ modular storage system.
- Available colours: Black, Red.
- Available sizes: 740ml, 1005ml, 1420ml.
- Chug Lid also available.

	Description	Dimensions (Outer)(H x W x D / mm)	Pack quantity	Min. order quantity	Article Number	EAN Code	<price o="1466172" ps="1"	<price o="1466172" ps="1"	<price o="1466172" ps="1"
①	PACKOUT™ 740 ml plastic bottle chug lid red	286 x 79 x 79	1	8	4932498636	4058546525057			
	PACKOUT™ 740 ml plastic bottle chug lid black	286 x 79 x 79	1	8	4932498639	4058546525088			
	PACKOUT™ 1005 ml plastic bottle chug lid red	305 x 93 x 93	1	8	4932498637	4058546525064			
②	PACKOUT™ 1005 ml plastic bottle chug lid black	305 x 93 x 93	1	8	4932498640	4058546525095			
③	PACKOUT™ 1420 ml plastic bottle chug lid red	337 x 99 x 99	1	6	4932498638	4058546525071			
	PACKOUT™ 1420 ml plastic bottle chug lid black	337 x 99 x 99	1	6	4932498641	4058546525101			
④	PACKOUT™ plastic bottle chug lid	86 x 76 x 76	1	1	4932498642	4058546525118			



M18™ air fan

- Variable speed dial and a 180 mm blade diameter for optimised air flow up to 1.444 m³/h
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 300°
- Compact design with integrated carry handle to maximise portability
- Compatible with the MILWAUKEE® PACKOUT™ system
- Key holes on the bottom gives the user the option to wall mount the fan if needed and pass thru holes on the sides allow for additional hanging capability
- 3 hours run time on speed high with a M18™ REDLITHIUM™ 5.0 Ah battery pack
- Flexible battery system: works with all MILWAUKEE® M18™ batteries
- AC/DC, allows the user to run on M18™ REDLITHIUM™ or AC power when available
- AC adaptor supplied



Description	Dimensions (Outer) (H x W x D / mm)	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
M18™ air fan	411 x 230 x 247	4933493443	4058546483142	<price>	<price>	<price>

M12™ air fan

- Three speed settings delivering max air speed of 22.53 km/h
- High efficient 150 mm blade diameter generates a maximum air volume of 680 m³/h
- The 360° head rotation allow an unlimited directional airflow
- Boundless hanging and mounting possibilities with the integrated magnets, key holes, hooks and pass through holes
- Two hours run time on speed three with an M12™ REDLITHIUM™ 3.0 Ah battery pack
- Lightweight and compact design for easy manoeuvre in tight spaces
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



Description	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
M12™ air fan	4933478228	4058546344054	<price>	<price>	<price>

M18™ high performance air fan

- Three speed settings for optimised air flow up to 6 metres per second
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 360°
- Efficient air circulation circulates the air up to 5.775 m³/h
- Compact design with integrated carry handle to maximise portability
- Rubber feet provide stability and no surface scratches
- Nine hours run time on speed one with a M18™ REDLITHIUM™ 5.0 Ah battery pack
- AC/DC, allows the user to run on M18™ REDLITHIUM™ or AC power when available
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Description	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
M18™ high performance air fan	4933492110	4058546414771	<price>	<price>	<price>

M18™ air fan

- AC/DC, allows the user to run on M18™ REDLITHIUM™ or AC power when available
- Three speed settings for optimised air flow up to 1290 meters per hour
- Efficient air circulation circulates the air within a 3.6 m x 4 m room
- Adjustable head allows the user to utilise the fan in various heights and positions over a range of 120°
- Three hours run time on speed three with a M18™ REDLITHIUM™ 4.0 Ah battery pack
- Compact design with integrated carry handle to maximise portability
- Rubber feet provide stability and no surface scratches
- Fixing points gives the user the option to wall mount the fan if needed
- AC adaptor supplied
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



Description	Article Number	EAN Code	Price ex. VAT	Price Inc. VAT	Main Price Type
M18™ air fan	4933451022	4002395136971	<price>	<price>	<price>



SCAN TO EXPLORE
THE FULL RANGE.



ARE YOU READY FOR IT?

1. Building and Wood Workers' International (2025). BWI Report 2025 Edition: Adapting to the Heat. <https://www.bwint.org/BwiNews/NewsDetails?newsId=568>

2. EU-OSHA (2024). OSH Pulse Survey: Climate Risks and Worker Safety. <https://osha.europa.eu/en/facts-and-figures/osh-pulse>

3. HSE Review (2024). One in Three EU Workers Exposed to Climate Risks. <https://hsereview.com/regional-coverage/europe/one-in-three-eu-workers-exposed-to-climate-risks>

4. The Physiological Society (2025). UK Workers' Health and Productivity at Risk During Heatwaves. https://www.physoc.org/news_article/uk-workers-health-and-productivity-at-risk-during-heatwaves/

5. European Trade Union Confederation (2024). 60% More Workers Affected by Heatwaves, New Data Shows. <https://www.etuc.org/en/pressrelease/60-more-workers-affected-heat-waves-new-data-shows>

6. University of Reading (2024). Health and safety risk management in a changing climate: a construction site-level perspective. ARCOM 2024 Proceedings. <https://centaur.reading.ac.uk/118739/1/Final%20paper%20ARCOM%202024%20Proceedings.pdf>

7. World Health Organization & World Meteorological Organization (2025). WHO-WMO Report: Protecting Workers from Increasing Heat Stress. <https://www.who.int/news/item/22-08-2025-who-wmo-issue-new-report-and-guidance-to-protect-workers-from-increasing-heat-stress>

8. EU-OSHA (2023). Heat at Work: Preventing Illness and Protecting Workers. <https://osha.europa.eu/en/highlights/heat-work-preventing-illness-and-protecting-workers>

9. EU Directive 89/391/EEC. Framework Directive on the introduction of measures to encourage improvements in the safety and health of workers at work. <https://osha.europa.eu/en/legislation/directives/the-osh-framework-directive/1>

10. Health and Safety International (2024). UK Construction Firms Urged to Mitigate Extreme Heat Risks as Sector Booms. <https://www.healthandsafetyinternational.com/article/1924450/uk-construction-firms-urged-mitigate-extreme-heat-risks-sector-booms>