



IBD BENCHMARKING TOOL 2019/2020 RESULTS OVERVIEW

WESTERN GENERAL, ROYAL INFIRMARY OF EDINBURGH AND ST JOHN'S HOSPITALS

www.ibduk.org

This report shows results from the IBD Benchmarking Tool 2019/2020, a new way to assess how well services across the UK are providing care against the IBD Standards 2019. It includes information from a self-assessment completed by the IBD Team and from an IBD Patient Survey completed by 164 patients who use this service. This report has been produced by IBD UK, a partnership of patient and professional organisations working together for everyone affected by IBD.

Key



IBD Patient Survey 2019



IBD Service Self-Assessment 2019/2020



The Service in Numbers

Covers a population of

845,280

Supports

9,000

adult IBD patients

Of which


350

were diagnosed in the past 12 months



The IBD Team


The IBD Standards define the ideal make-up of the IBD team in terms of full-time roles. Shown below are the actual numbers for this IBD team, with ideal numbers based on population size in brackets beneath.



Quality of Care

Overall, how would you rate the quality of your Crohn's or Colitis care over the last 12 months? [155 responses for this service]

Rated as "Excellent" or "Very good" by 54% of patients



Rated as "Fair" or "Poor" by 24% of patients

Rated as "Good" by 23% of patients

These results have been made publicly available to support clinicians, patients and commissioners to improve quality of care for IBD patients. Thank you to everyone who responded to the IBD Patient Survey 2019. The next IBD Patient Survey will run in 2021.



IBD BENCHMARKING TOOL 2019/2020 RESULTS OVERVIEW

WESTERN GENERAL, ROYAL INFIRMARY OF
EDINBURGH AND ST JOHN'S HOSPITALS



www.ibduk.org



Patient Journey Overview

Key



IBD Patient Survey 2019



IBD Service Self-Assessment 2019/2020



Pre-diagnosis

All* patients with IBD are
seen within 4 weeks from
their first referral

[Achieved by 38% of services]



Not yet achieved

Newly Diagnosed



71% of newly
diagnosed patients are
offered written information
on their condition

[31 responses for this service]
[All UK survey responses: 64%]



39% of patients were given
clear information about next steps
and who to contact while waiting
for their diagnosis to be confirmed

[31 responses for this service]
[All UK survey responses: 41%]

New diagnoses and the
care plan that has been
agreed are communicated
to GPs within 1 week

[Achieved by 59% of services]



Achieved



Flare Management

All* IBD patients contacting the
IBD advice line get a response
by the end of the next
working day

[Achieved by 88% of services]



Not yet achieved



Guidance about steroid use is
communicated to primary care
and steroid use recorded

Not yet achieved

[Achieved by 45% of services]



All* IBD patients have access to
review by the IBD team within a
maximum of 5 working days

Not yet achieved

[Achieved by 88% of services]

Data is routinely collected
and audited on patients
receiving more than
1 course of steroids a year

[Achieved by 41% of services]



Not yet achieved

All* inpatients with IBD are seen
by a consultant gastroenterologist
and/or colorectal surgeon
on a specialist ward within
24 hours of admission

[Achieved by 73% of services]



Achieved



All* elective IBD
surgery takes place
within 18 weeks

Not yet achieved

[Achieved by 64% of services]

Surgery and Inpatient Care



*All = More than 90% of patients



IBD BENCHMARKING TOOL 2019/2020 RESULTS OVERVIEW

WESTERN GENERAL, ROYAL INFIRMARY OF
EDINBURGH AND ST JOHN'S HOSPITALS

www.ibduk.org



Patient Journey Overview

Key



IBD Patient Survey 2019



IBD Service Self-Assessment 2019/2020



Ongoing Care and Monitoring



74% of patients have
contact with an IBD nurse
specialist

[159 responses for this service]
[All UK survey responses: 84%]

66% of patients have
regular reviews regardless
of their health

[163 responses for this service]
[All UK survey responses: 64%]



All* IBD patients have a
personalised care plan based on
a holistic needs assessment
[Achieved by 58% of services]



Not yet achieved



52% of patients believe
their care is well-coordinated
between their GP and
gastroenterologist

[157 responses for this service]
[All UK survey responses: 41%]

31% of patients discuss
wider life and priorities, as
part of planning their care

[161 responses for this service]
[All UK survey responses: 30%]



The IBD Service

All* patients have access to
non-acute endoscopy and
imaging within 4 weeks, and
within 24 hours for patients who
are acutely unwell or require
admission to hospital



Not yet achieved

[Achieved by 76% of services]

IBD patients are directly
involved in service
development



[Achieved by 71% of services]

Achieved



14% of patients have
been given the opportunity
to feedback on their care in
the past 12 months

[161 responses for this service]
[All UK survey responses: 21%]



Not yet achieved

Protocols are in place to
support transition to adult
services for young people
with IBD

[Achieved by 37% of services]

All* patients with confirmed
IBD are recorded in an
electronic clinical
management system



[Achieved by 26% of services]

Not yet achieved

*All = More than 90% of patients