


# FUJIPLA®



## AUTO LAMINATOR *AL-MEISTER ALM3220*



1 Set papers on to the feeding tray.

**T: (0116) 2600 777**  
**E: [sales@cjbpe.co.uk](mailto:sales@cjbpe.co.uk)**  
**W: [www.cjbpe.co.uk](http://www.cjbpe.co.uk)**



2 Just press the Start button, and lamination is done automatically.  
The progressive automatic paper feeder loads up to 200 sheets.



Laminated papers come out one by one on the tray. 3



With AL-MEISTER all processes of lamination are fully automated.  
All you need to do is to press Start button.

# AL-MEISTER Has Brought Innovation to the Laminating Operation

## Fully Automatic Laminating Machine

**The birth of the next generation laminating machine to exceed traditional models!**

AL-MEISTER has functions such as an automatic feeding, laminating, and automatic framing capabilities. All operations are automatically handled! The operator simply puts the document they would like to laminate into the feeder, pushes the start button and all the laminating work is done automatically. This is the birth of the next generation in laminating machines!

## Swift and Easy Laminating Process

**The machine laminates from one sheet to many.**

Every operation is automatically done including setting the film, inserting operation, etc. It takes only 3 minutes to finish laminating 10 sheets of A4 sized paper. For A3 sized paper it takes only 5 minutes! According to our survey, the operation takes almost half the time of traditional laminating machines!

AL-MEISTER takes care of laminating operations for one sheet to a mass production.

## High Performance Automatic Feeder

**With the automatic feeder it is now possible to laminate continuously!**



The advanced automatic feeder enables loading up to 200 sheets and will drastically reduce the work of the operator. Patented technology from Fujipla automatically aligns and guides the paper and the automatic feeder continuously provides paper.

## Simple Operation

**Anybody can operate AL-MEISTER easily.**

Basic operation is very simply done with the start and stop buttons. The LCD panel shows the status of the operation, settings and the counter. When the operation is complete a sound notifies the user.



## Automatic Trimming

**Automatic trimming in two modes widens its application.**




AL-MEISTER automatically senses the size of the paper (A4 or A3) and selects the proper size. There are two modes. One is, laminate with a highly durable and waterproofing effect. The other is, laminate without margin, which is convenient for documents only requiring surface treatment. The modes can be easily changed. The film waste will be automatically saved into the film waste box.

## Short Warm-up Time

**Can start the laminating operation in a very short time.**

It takes only 5 minutes\* to warm up the machine, which is far quicker than usual machines. You can start laminating in a short time.

\*Average time at a room temperature of 25°C



## AL-MEISTER (ALM3220) EXCLUSIVE ANTI-STATIC ROLL FILM

AL-ROLL FILM 320mm width with fool-proof paper core	38mic.×320mm×300m. glossy ※
	75mic.×320mm×150m. glossy ※
	125mic.×320mm×100m. glossy ※
	100mic.×320mm×100m. matt/matt

※ Super Adhesive for (Digital) Print.



## AL-MEISTER (ALM3220) SPECIFICATIONS

Patented in Japan and several European Countries

Model	AL-MEISTER ALM3220	
Laminating Speed	500mm-1200mm/min. (Adjustable at every 100mm)	
Temperature Range	80-130°C	
Warm-Up Time	Approx. 5min.	
Max. Laminating Thickness	0.4mm (400mic.)	
Film Thicknesses	38-125mic. Exclusive Roll Film	
Thickness of Objects	0.07-0.25mm (70-250mic. 65-240g/m <sup>2</sup> )	
Paper Feeding	Capacity: 200 sheets, Skew-Free Feature, Paper Guide	
Applicable Sizes	A3 With Margin: 303mm×426mm (±0.5mm) Without Margin: 294mm×417mm (±0.5mm) A4 With Margin: 303mm×216mm (±0.5mm) Without Margin: 294mm×207mm (±0.5mm)	
Trimming Methods	2 modes: with/without margin with A3/A4 self determination system, Film Waste Box	
Operation Panel	LCD Monitor: Temperature setting, Speed setting, Current/Total counter, Error messages, Margin setting Operation button: Start, Stop, Up and Down, Setting, Temperature/Speed Switch Indication Lamp: Speed, Temperature, Heat, Error	
Other Features	Lamination Counter FilmTension Control, Operation Lever Automatic Stop at Film End, Power saving mode (Standby), Emergency halt function	
Power Consumption	900W	
Power Supply	AC 200-240V (50/60Hz)	
Net Weight	Laminator: 50kg Stand: 22kg	
Attachments	User Guide, Stand (Film Waste Box Included)	

※The finish is without rounded corners. ※The finished size is accurate to within less than 0.5mm either way.

※The above specifications are the average. Please contact our local dealer for more information.